



<i>EAN code</i>	<i>8034122504223</i>
<i>Model Code</i>	<i>FPMEU30B3SS undercabinet - 30" (76 cm) - 280 CFM</i>
<i>Collection</i>	<i>Buit-in</i>

FEATURES AND PROPERTIES

<i>Materials/Finishes</i>	<i>Scotch brite stainless steel</i>
<i>Lighting</i>	<i>Led 2x1,2 W - 3200 K</i> <i>LED light</i>
<i>Control</i>	<i>Mechanical control</i>
<i>Installation type</i>	<i>Insert</i>
<i>Ducting type</i>	<i>External ducting/Recirculating</i>
<i>Filters</i>	<i>Metallic grease filter, removable and washable</i> <i>Charcoal filter (optional)</i>
<i>Dimensions</i>	<i>30 in</i>

OPTIONAL ACCESSORIES

<i>Code</i>	<i>Description</i>
<i>KACL.815</i>	<i>Protective cleaning cloths for stainless steel (box 10 pcs)</i>

ELECTRICAL CONNECTION AND CONSUMPTION

<i>Maximum consumption</i>	<i>150W</i>
<i>Voltage/Frequency</i>	<i>110-120V 60Hz</i>
<i>Connection type</i>	<i>Hood comes standard with Nema 5-15P power cord</i>

BLOWER PERFORMANCE

Motor 280 CFM

TECNICAL SPECS OF COOKERHOOD WITH 280 CFM MOTOR

Motor Speed	1	2	3	4
CFM (rated at the motor)	98	140	182	280
Sones (estimated value)	0.8	1.5	2.2	3
Duct Size	6"	6"	6"	6"


WEIGHTS AND DIMENSIONS

Gross weight 35 lbs


Net weight 21 lbs

Packaging dimensions L 40 in H 21 in D 24 in


Notes Recommended mounting height from cooking surface to hood bottom: 24" - 35"



Frontal view



Side view



Top view