T36IT900NP

36-INCH BUILT-IN FRENCH DOOR BOTTOM FREEZER



Yes

No

Yes

Yes

2

2

FREEDOM® COLLECTION, PANEL-READY



FEATURES & BENEFITS

- Freedom® Hinge enables true flush design
- The new Auto Door Opening provides the opening of the door with just a slight push or pull
- Delicate Produce Bins for expanded storage
- ThermaFresh System, Humidity and Temperature controlled drawers
- SoftClose $\hspace{-0.9ex}$ Drawers and Produce Bins for easy and controlled storage
- Sleek clean design for the perfect symmetry when paired with additional columns
- TFT control panel managing all your columns functions

TEMPERATURE RANGES	
Refrigerator	35°F (2°C) to 46°F (8°C)
Adjustable Temperature Drawer	32°F (0°C) to 37°F (3°C)
Deli Drawer	N/A
SuperCool	35.5°F (2°C) for approximately 9 hours
Energy Saving (Economy) Mode	Refrigerator: 45°F (7°C) Freezer: 3°F (-16°C)
Freezer	-9°F (-23°C) to 7°F (14°C)
SuperFreeze®	-9°F (-23°C) for approximately 52 hours

Adjustable Sileives - Reirigerator	_
Shelf Material	Glass w/Aluminum Profile
Full Extension Drawers @ 115° Door Opening Angle	Yes
Full Extension Drawers @ 90° Door Opening Angle	Yes
Temperature Controlled Drawer	1
Humidity Controlled Drawer	ThermaFresh Plus
General Use Drawer	1
Door Bins – Refrigerator	2
Gallon Door Bins – Refrigerator	2
Delicate Produce Bins	2 Small
Defrost Process – Freezer	Frost-Free
Drawers – Freezer	1
Ice Maker with Diamond Ice System	Yes
Door Open Alarms	Yes
Open Door Assist	Yes
SuperCool	Yes
SuperFreeze®	Yes
Special Modes	Sabbath, Economy,
	Vacation
CAPACITY	Vacation
CAPACITY Total Unit Gross Capacity (cu. ft.) – AHAM	19.4 cu. ft.
Total Unit Gross Capacity (cu. ft.) – AHAM	19.4 cu. ft.
Total Unit Gross Capacity (cu. ft.) – AHAM Freezer Gross Capacity (cu. ft.)	19.4 cu. ft. 5.5 cu. ft.
Total Unit Gross Capacity (cu. ft.) – AHAM Freezer Gross Capacity (cu. ft.) Refrigerator Gross Capacity (cu. ft.)	19.4 cu. ft. 5.5 cu. ft.
Total Unit Gross Capacity (cu. ft.) – AHAM Freezer Gross Capacity (cu. ft.) Refrigerator Gross Capacity (cu. ft.) TECHNICAL DETAILS	19.4 cu. ft. 5.5 cu. ft. 13.9 cu. ft.
Total Unit Gross Capacity (cu. ft.) – AHAM Freezer Gross Capacity (cu. ft.) Refrigerator Gross Capacity (cu. ft.) TECHNICAL DETAILS Watts (W)	19.4 cu. ft. 5.5 cu. ft. 13.9 cu. ft.
Total Unit Gross Capacity (cu. ft.) – AHAM Freezer Gross Capacity (cu. ft.) Refrigerator Gross Capacity (cu. ft.) TECHNICAL DETAILS Watts (W) Current (A)	19.4 cu. ft. 5.5 cu. ft. 13.9 cu. ft. 588 W
Total Unit Gross Capacity (cu. ft.) – AHAM Freezer Gross Capacity (cu. ft.) Refrigerator Gross Capacity (cu. ft.) TECHNICAL DETAILS Watts (W) Current (A) Volts (V)	19.4 cu. ft. 5.5 cu. ft. 13.9 cu. ft. 588 W 15 A 120V-3 Prong
Total Unit Gross Capacity (cu. ft.) – AHAM Freezer Gross Capacity (cu. ft.) Refrigerator Gross Capacity (cu. ft.) TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz)	19.4 cu. ft. 5.5 cu. ft. 13.9 cu. ft. 588 W 15 A 120V-3 Prong 60 Hz
Total Unit Gross Capacity (cu. ft.) – AHAM Freezer Gross Capacity (cu. ft.) Refrigerator Gross Capacity (cu. ft.) TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.)	19.4 cu. ft. 5.5 cu. ft. 13.9 cu. ft. 588 W 15 A 120V-3 Prong 60 Hz 139
Total Unit Gross Capacity (cu. ft.) – AHAM Freezer Gross Capacity (cu. ft.) Refrigerator Gross Capacity (cu. ft.) TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type	19.4 cu. ft. 5.5 cu. ft. 13.9 cu. ft. 588 W 15 A 120V-3 Prong 60 Hz 139
Total Unit Gross Capacity (cu. ft.) – AHAM Freezer Gross Capacity (cu. ft.) Refrigerator Gross Capacity (cu. ft.) TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type DIMENSIONS & WEIGHT	19.4 cu. ft. 5.5 cu. ft. 13.9 cu. ft. 588 W 15 A 120V-3 Prong 60 Hz 139 120V-3 Prong
Total Unit Gross Capacity (cu. ft.) – AHAM Freezer Gross Capacity (cu. ft.) Refrigerator Gross Capacity (cu. ft.) TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type DIMENSIONS & WEIGHT Appliance Dimensions (H x W x D) (in.)	19.4 cu. ft. 5.5 cu. ft. 13.9 cu. ft. 588 W 15 A 120V-3 Prong 60 Hz 139 120V-3 Prong
Total Unit Gross Capacity (cu. ft.) – AHAM Freezer Gross Capacity (cu. ft.) Refrigerator Gross Capacity (cu. ft.) TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type DIMENSIONS & WEIGHT Appliance Dimensions (H x W x D) (in.) Required Cutout Size (H x W x D) (in.)	19.4 cu. ft. 5.5 cu. ft. 13.9 cu. ft. 588 W 15 A 120V-3 Prong 60 Hz 139 120V-3 Prong 83 ³ / ₄ "* x 35 ³ / ₄ " x 24 ³ / ₄ " 84" x 36" x 25"
Total Unit Gross Capacity (cu. ft.) – AHAM Freezer Gross Capacity (cu. ft.) Refrigerator Gross Capacity (cu. ft.) TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type DIMENSIONS & WEIGHT Appliance Dimensions (H x W x D) (in.) Required Cutout Size (H x W x D) (in.) Net / Gross Weight (lbs)	19.4 cu. ft. 5.5 cu. ft. 13.9 cu. ft. 588 W 15 A 120V-3 Prong 60 Hz 139 120V-3 Prong 83 ³ / ₄ "* x 35 ³ / ₄ " x 24 ³ / ₄ " 84" x 36" x 25"

GENERAL PROPERTIES

Reversible Door Swing

New Bar ALL LED Sidewall and Theater Lighting

Full Width Shelves - Refrigerator

Adjustable Shelves – Refrigerator

SoftClose® Drawers

Carbon Air Filter

Lighting

Panel Ready

^{*}Height adjustable + / -1/2" (+ / -13 mm)

T36IT900NP

36-INCH BUILT-IN FRENCH DOOR BOTTOM FREEZER




FREEDOM® COLLECTION, PANEL-READY


WARRANTY	
Limited, Entire Appliance, Parts and Labor on Any Part of the Refrigerator that Fails Because of a Manufacturing Defect	2 Year
Limited Warranty for Sealed Refrigeration System**; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Refrigeration System**; Parts Only	7th to 12th Year
Limited Warranty for Stainless Steel Rust-Through	Lifetime

^{**}Sealed refrigeration system includes compressor, evaporator, condenser, dryer / strainer and connection tubing

CUTOUT DIMENSIONS



TOP VIEW CLEARANCE



** door handle must be added to this dimension.


Page 2 of 3 09 / 17

T36IT900NP 36-INCH BUILT-IN FRENCH DOOR **BOTTOM FREEZER**



FREEDOM® COLLECTION, PANEL-READY

PANEL DIMENSIONS



ACCESSORIES (OPTIONAL)

FLAT STAINLESS STEEL DOOR PANELS



TFL36IT800 36-Inch French Door Flat Stainless Steel Door Panel

STORAGE



3DHFGALBIN French Door Half Gallon Bin



ICEBUCKETL Large Ice Bucket



SPRODBIN10 Small Produce Bin



3DPRODRAIL French Door **Produce Railing**

HANDLES

NOTE: Choose one handle for each column, choose 2 handles for each 2-door bottom freezer and choose 3 handles for each French Door bottom freezer.

PR36HNDL20

36-Inch Professional Series Handle PR30HNDL20

30-Inch Professional Series Handle

MS36HNDL20

36-Inch Masterpiece® Series Handle MS30HNDL20

30-Inch Masterpiece® Series Handle

PR36HNDL10

36-Inch Professional Series Classic Handle PR30HNDL10

30-Inch Professional Series Classic Handle

MS36HNDL10

36-Inch Masterpiece® Series Classic Handle

MS30HNDL10

30-Inch Masterpiece® Series Classic Handle

REPLFLTR10 FREEDOM® WATER FILTER

Replacement water filter for use in all freezer and bottom freezer models

HEATRKIT10 AND HEATRKIT20 FREEDOM® HEATER KIT

For installations where two appliances are installed side-by-side or instances where any appliances are installed less than 6" apart from another but not connected. The heater kit is also recommended for use with any installation in areas that are subject to humidity, or located next to an outside wall. HEATERKIT20 offers improved energy efficiency when compared to HEATRKIT10.

These warranties give you specific legal rights and you may have other rights that vary from state to state. Full warranty and limited warranty from date of installation. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | ©2017 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.

Page 3 of 3 09 / 17