

SKSGT3054S

30-inch Gas Cooktop

SKS



Power-Up or Simmer Down

Industry leading combined 67,500 BTUs includes a center Ultra-High burner delivering 24K BTUs of pure cooking power for great searing and quick stir frying and two Ultra-Low burners that simmer down to maintain temperatures as low as 140° to prepare delicate sauces and sugary confections.

Brass Burners and Porcelain Coated Burner Pan

Five sealed brass burners and porcelain coated burner pan provides the ultimate in performance and easy clean-up. Brass burners provide luxury styling while spillovers wipe away easily without the concern of scratching the top and keeps the cooking surface looking new.

Glass Touch LED Kitchen Timer and Knob Lighting

Never worry about overcooking the food with a built-in timer right on the cooktop. Backlit knob lighting indicates which knob is on at a glance, providing an extra level of safety.

Heavy-Duty Grates with Built-in Convertible Wok Grate

Heavy-duty cast iron grates allow for easy pot movement across all burners. The center burner easily converts for round bottom wok cooking, allowing for preparing stir-fry with professional- style results at home.

Wi-Fi Enabled for Connectivity

Connect the cooktop to the hood for automatic communication with each other so the burners and fans are synchronized. Utilize the ThinQ® app for burner monitoring and push notifications, ensuring your cooktop is operating perfectly.

Innovation

|                                                            |     |
|------------------------------------------------------------|-----|
| Wi-Fi Enabled for ThinQ® Control with iPhone / Android App | Yes |
| Remote Monitoring                                          | Yes |

Cooktop Features

|                                              |                                         |
|----------------------------------------------|-----------------------------------------|
| Cooktop Surface                              | Black Stainless Steel / Black Porcelain |
| Number of Burners / Elements                 | 5                                       |
| Sealed Gas Burners (Brass)                   | Yes                                     |
| Continuous Grates                            | 3                                       |
| Dishwasher Safe Grates                       | Yes                                     |
| Cooktop Control Knobs with LED Back Lighting | Yes , Metal                             |
| Display with Kitchen Timer                   | Yes                                     |

Cooktop Performance

|                                |                 |
|--------------------------------|-----------------|
| Burner Power BTU/h (NG / LP)   |                 |
| Left Rear                      | 10,000 / 10,000 |
| Right Rear                     | 10,000 / 10,000 |
| Center                         | 24,000 / 16,000 |
| Left Front                     | 10,000 / 10,000 |
| Right Front                    | 13,500 / 10,000 |
| Simmer Burner Power BTU/h (NG) |                 |
| Left Rear                      | 1,300           |
| Right Rear                     | 1,300           |
| Center (Warming Zone)          | 650             |
| Left Front                     | 1,300           |
| Right Front                    | 1,300           |

Technical Specs

|                                  |              |
|----------------------------------|--------------|
| Energy Source Gas                | Natural Gas  |
| Alternative Energy Source LP Gas | LP Gas       |
| LP Conversion Kit Included       | Yes          |
| Required Power Supply            | 120VAC, 60Hz |

SKSGT3054S

30-inch Gas Cooktop



Dimensions and Weight

|                           |                   |
|---------------------------|-------------------|
| Overall Width             | 30"<br>(760 mm)   |
| Height of Cooktop Base    | 3 3/4"<br>(95 mm) |
| Overall Depth             | 21"<br>(533 mm)   |
| Net Weight (approx.)      | 69 lbs.           |
| Shipping Weight (approx.) | 77 lbs.           |


Accessories

|                      |                                   |
|----------------------|-----------------------------------|
| Included Accessories | Wok Convertible<br>Grate (Center) |
|----------------------|-----------------------------------|

Warranty Summary\*

|                                 |         |
|---------------------------------|---------|
| Limited Warranty, Parts & Labor | 3 Years |
|---------------------------------|---------|

Cooktop Dimensions



\*These warranties give you specific legal rights and you may have other rights that vary from state to state. For complete warranty details, refer to your Use & Care manual.

# SKSGT3054S


## 30-inch Gas Cooktop

# SKS


### Cutout Dimensions and Clearances

Provide enough clearances between the cooktop and adjacent combustible surfaces. These dimensions must be met for safe use of your cooktop. The location of the Electrical outlet and pipe opening may be adjusted to meet specific requirements. The cooktop may be placed with 2 3/4" clearance to the back wall.

### Maintain the Following Minimum Clearance Dimensions



### Cutout Dimensions - Installed Above SKS Single Wall Oven



\*25" Min. (635 mm) cutout depth required for undercounter flush installation.  
Refer to installation art for flush installation in wall cabinet for required cutout dimensions.