

RS36A72J1

36" ACTIVESMART™
BUILT-IN STAINLESS
STEEL FRENCH DOOR
REFRIGERATOR
WITH ICE



The next generation of family size Fisher & Paykel Built-in refrigerators offers a new level of fit and finish to deliver seamless kitchen integration. Designed for easy installation and flush fit into new or existing kitchen cabinetry with minimal 1/8" gaps. The high quality stainless steel reflects the styling of our family of kitchen appliances. With internal ice making and SmartTouch controls these refrigerators are designed to match with our family of kitchen appliances.



2+3

YEAR WARRANTY

24/7

SUPPORT

A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 W fisherpaykel.com

Fisher & Paykel

FEATURES	BENEFITS	SPECIFICATIONS
Seamless Integration	The Built-in series minimizes gaps through heavy-duty inline hinges and adjustable doors enabling minimal gaps to create consistent lines throughout your kitchen. The series fits flush with cabinetry to reduce disruption and deliver design freedom.	Finish Stainless Steel Pre-finished Door Panel Set sold separately
Sized to Suit	The spacious 36" French Door refrigerator is designed for family life, with double doors for easy access to uninterrupted refrigerator space.	Dimensions (excluding door panels) H71 ⁷ / ₃₂ " x W35 ¹ / ₂ " x D23 ³ / ₄ "
Fresher Food for Longer	ActiveSmart™ technology helps keep your food fresher for longer by constantly monitoring how you use your refrigerator and adapting to maintain a controlled environment and optimum temperature.	Cabinetry height with included trim kit 72"
Easy Cleaning	Removable, spill-safe cantilevered glass shelves are designed to contain drips and spills that can be simply wiped away, while leaving the interior walls completely smooth and easy to clean. Storage bins and EZkleen stainless steel doors just need a wipe to keep spotless.	Capacity Refrigerator 11.7 cu.ft Freezer 5.1 cu.ft Total 16.8 cu.ft
Flexible Living	These refrigerators adapt to suit your lifestyle by streamlining food preparation and organization with SmartTouch controls, flexible shelving and storage options, and slide out bins and trays. The water filter is easily accessible for quick cleaning or replacement. LED lighting in all compartments lights up all the shelves, bins and trays.	Performance ActiveSmart™ technology Frost free freezer Adaptive defrost Humidity control system Sabbath mode Internal ice making
Efficient	These ActiveSmart™ refrigerators intelligently adapt to daily use to help save energy, cooling and defrosting only when they need to without compromising on food care.	Accessories Stainless steel door panel set 72" RD3672 SKU (door panel set) 24341 UPC Code (door panel set) 822843243419 Water filter part number 842802
		Warranty Parts & labor 2 years Additional sealed system parts 3 years
		SKU 24337 UPC Code 822843243372
		For full specifications visit fisherpaykel.com

Fisher & Paykel


7357_FP_2015-08-21

CAVITY PREPARATION

36" ACTIVESMART™ BUILT-IN REFRIGERATOR

Model no:

RS36A72J1 (with Stainless Steel Door panels PART NO. RD3672)



Cavity Dimensions		in
Ⓐ Overall height of cavity		72"
Ⓑ Overall width of cavity when adjoining cabinetry cannot share 5/32" door gap		36"
Ⓒ Overall depth of cavity		25"

Specifications

Electrical

Supply	115 VAC, 60 Hz
Service	10 amp circuit

Plumbing

Supply	1/4" (6mm) PEX hose or copper tubing (to suit local regulations)*
Pressure	min 22 psi (150 kPa) max 120 psi (827 kPa) @ 68°F (20°C)

NOTE: Recommended that the electrical & water connection be located above the fridge cavity. Optional to locate in an adjacent cabinet to either side of the fridge.


✗ Do not locate water or electricity in this area, keep clear of connections.

⚠ CAUTION: Central area can only fit electrical plug if it is placed within a recessed cavity.

* Customer to supply.

IMPORTANT NOTE: The product dimensions and specifications apply at the date of issue. Under our policy of continuous product improvement, these dimensions and specifications may change at any time. Dimensions may vary by ±3/32". Please read the installation manual for detailed information on installing the product or visit fisherpaykel.com.

Framed: Finished return, sides and top




Model no:
RS36A72J1 (with Stainless Door panels PART NO. RD3672)


Product Dimensions		in
① Overall height of fridge		71 27/32"
② Overall width of fridge		35 21/32"
③ Depth of fridge front panels (excl. handles)		3/4"
④ Overall depth of fridge (excl. front door panels)		23 3/4"
⑤ Height from bottom datum to top of toekick		4"
⑥ Depth of toekick measured from front of door		2"
⑦ Height of bottom drawer panel		23 15/32"
⑧ Height of top door panels		44 7/32"
⑨ Height from bottom datum to top of drawer panel		27 15/32"
⑩ Gap between top and bottom door panels		5/32"
⑪ Height from bottom datum to centre of bottom handle		24 21/32"
⑫ Width of bottom handle		28 5/8"
⑬ Thickness of handles		5/8"
⑭ Height from bottom datum to bottom of top handle		30 3/16"
⑮ Height from bottom datum to top of top handle		58 13/16"
⑯ Height of top handles		28 5/8"
⑰ Distance from centre of fridge to the centre of top handles		2 5/8"
⑱ Depth of handle (measured from front of door)		1 5/8"
⑲ Depth of door (widest opening) measured from front of door		17 5/16"
⑳ Depth of drawer (open) measured from front of drawer, including handle		15 3/4"
㉑ Depth of drawer (open) measured from front of drawer, excluding handle		14 3/16"
㉒ Minimum door clearance to adjacent wall (115° - full internal access)		11 13/16"
Clearances Dimensions		in
Minimum cabinetry gap clearance from edge of product		5/32"
Overall height of cavity		72"
Overall width of cavity		36"
when adjoining cabinetry cannot share 5/32" door gap		
Overall depth of cavity		25"

INDICATES PRODUCT DATUM
INDICATES MINIMUM CABINETY CLEARANCES


IMPORTANT NOTE: The product dimensions and specifications apply at the date of issue. Under our policy of continuous product improvement, these dimensions and specifications may change at any time. Dimensions may vary by ±3/32". Please read the installation manual for detailed information on installing the product or visit fisherpaykel.com.



PLAN VIEW



FRONT VIEW



PROFILE VIEW

