

**SKSDW2422S****24-inch PowerSteam® Stainless Steel Dishwasher  
(2nd Generation)****SKS****Style and Design**

|                                     |                    |
|-------------------------------------|--------------------|
| Flush Installation                  | Yes                |
| Touch-Activated Electronic Controls | Top Control        |
| Cycle Track                         | Floor Time Display |
| Time Remaining Indicator            | LCD Light Beam     |
| Tub Material                        | Stainless Steel    |

**Capacity**

|                                                     |                                                |
|-----------------------------------------------------|------------------------------------------------|
| Total Place Settings                                | 16                                             |
| EasyRack™ Plus System                               | Yes                                            |
| Height-Adjustable 3rd Rack                          | Premium                                        |
| Height Adjustable Upper Rack                        | Yes                                            |
| Height Adjustability                                | Easy One Touch (3 Level)                       |
| Maximum Height of Upper Rack                        | 71" (180mm)                                    |
| Maximum Height of Lower Rack                        | 125" (320mm)                                   |
| Cutlery Baskets                                     | Yes                                            |
| Cup Rack                                            | Yes                                            |
| Stemware Holder                                     | Yes                                            |
| Side Rack (Frying Pan)                              | Yes                                            |
| Fold Down Tines (3rd Rack, Upper Rack, Lower Rack)  | Yes                                            |
| BPA-Free Nylon Coated Racks / Tines                 | Yes                                            |
| Rack Handles (3rd Rack, Upper Rack, Lower Rack)     | Yes                                            |
| Rack Glides<br>3rd Rack<br>Upper Rack<br>Lower Rack | Gliding Rail<br>Gliding Rail<br>Premium Wheels |

**Technical Specs**

|                           |                           |
|---------------------------|---------------------------|
| ENERGY STAR® Certified    | Yes                       |
| CEE Tier Level            | 1                         |
| Energy Use (kWh/Year)     | 220 kWh/Year              |
| Water Use (Gallons/Cycle) | 2.9                       |
| Required Power Supply     | 120 V, 60 Hz, 15 Amp      |
| Inlet Water Temperature   | 120 °F min. – 149 °F max. |
| Water Pressure            | 20 – 80 psi               |

**Dimensions and Weight**

|                                         |         |
|-----------------------------------------|---------|
| Overall Width (Inches)                  | 23 3/4" |
| Overall Height (Inches)                 | 33 5/8" |
| Overall Depth (Inches)                  | 23 3/4" |
| Depth with Door Open                    | 48 1/2" |
| Depth with Door Closed                  | 23 3/4" |
| Depth with Door Closed Including Handle | 26 1/4" |
| Net Weight (approx.)                    | 96      |
| Shipping Weight (approx.)               | 107     |

**Optional Accessories**

|                                          |             |
|------------------------------------------|-------------|
| Brushed Aluminum Handle, Short – 22 3/4" |             |
| Professional                             | SKSHK230HS  |
| Transitional                             | SKSHK230HST |

**Warranty Summary\***

|                                                                                                  |          |
|--------------------------------------------------------------------------------------------------|----------|
| Limited Warranty, Parts & Labor                                                                  | 3 Years  |
| Limited Warranty on Control Board, Rack Parts, and Stainless Steel Door Liner or Tub, Parts Only | 5 Years  |
| Limited Warranty on Direct Drive Motor, Parts Only                                               | 10 Years |

\*These warranties give you specific legal rights and you may have other rights that vary from state to state. For complete warranty details, refer to your Use & Care manual.


**SKSDW2422S**

## 24-inch PowerSteam® Stainless Steel Dishwasher (2nd Generation)


**SKS**

### Overall Product Dimensions


Back View



Side View



### Installation Clearances



### Notes

This dishwasher is designed to fit a standard dishwasher opening. An opening may be needed on both sides to route plumbing and electrical connections. See marked areas above for water and electrical clearances in base of dishwasher.

To ensure proper drainage, install the dishwasher no more than 12 ft. (3.65 m) from the sink.

Electrical connection should be in an accessible location adjacent to and not behind the dishwasher and within 4 ft. (1.2 m) of the dishwasher's side.