

# Product data sheet

## CONSTRUCTION TYPE AND DESIGN

|                |                             |
|----------------|-----------------------------|
| Gourmet Drawer | •                           |
| ContourLine    | •                           |
| No handles     | •                           |
| Colour         | Stainless steel/Clean Steel |

## CONVENIENCE FEATURES

|                                              |   |
|----------------------------------------------|---|
| Preheating dishware                          | • |
| Keeping food warm                            | • |
| Perfect cooking results at a low temperature | • |

## OPERATING MODES

|                   |   |
|-------------------|---|
| Cup warming       | • |
| Plate warming     | • |
| Keeping food warm | • |
| Slow Roasting     | • |

## USER CONVENIENCE

|                     |                   |
|---------------------|-------------------|
| Timers              | •                 |
| Timer function      | •                 |
| Capacity            | 12 place settings |
| Push2open mechanism | •                 |

## Fully telescopic runners for easy loading and unloading

|                                    |   |
|------------------------------------|---|
| Control panel with sensor controls | • |
|------------------------------------|---|

|                         |   |
|-------------------------|---|
| Control panel with text | • |
|-------------------------|---|

|                  |   |
|------------------|---|
| Stop programming | • |
|------------------|---|

|                 |   |
|-----------------|---|
| Sabbath Program | • |
|-----------------|---|

|                            |   |
|----------------------------|---|
| Networking with Miele@home | • |
|----------------------------|---|

## CLEANING CONVENIENCE

|                                             |   |
|---------------------------------------------|---|
| Stainless steel / Clean Touch Steel surface | • |
|---------------------------------------------|---|

|                     |   |
|---------------------|---|
| Flush control panel | • |
|---------------------|---|

## SAFETY

|                  |   |
|------------------|---|
| Touch-cool front | • |
|------------------|---|

|                |   |
|----------------|---|
| Non-slip liner | • |
|----------------|---|

|                 |   |
|-----------------|---|
| Safety shut-off | • |
|-----------------|---|

## TECHNICAL DATA

|                        |                 |
|------------------------|-----------------|
| Temperature in °F (°C) | 105-185 (40-85) |
|------------------------|-----------------|

|                       |              |
|-----------------------|--------------|
| Appliance width in mm | 29 7/8 (757) |
|-----------------------|--------------|

|                        |              |
|------------------------|--------------|
| Appliance height in mm | 10 7/8 (275) |
|------------------------|--------------|

|                       |          |
|-----------------------|----------|
| Appliance depth in mm | 24 (608) |
|-----------------------|----------|

|                               |             |
|-------------------------------|-------------|
| Useable interior height in mm | 6 3/4 (170) |
|-------------------------------|-------------|

|                        |       |
|------------------------|-------|
| Total rated load in kW | 1.000 |
|------------------------|-------|

|              |     |
|--------------|-----|
| Voltage in V | 120 |
|--------------|-----|

|                 |    |
|-----------------|----|
| Frequency in Hz | 60 |
|-----------------|----|

|                  |    |
|------------------|----|
| Fuse rating in A | 16 |
|------------------|----|

|                                        |                                        |
|----------------------------------------|----------------------------------------|
| Number of phases                       | 1                                      |
| Power cable with plug                  | •                                      |
| Length of power cable in m             | 6 (2.0)                                |
| Appliance dimensions (W x H x D) in mm | 29 7/8 (757) x 10 7/8 (275) x 24 (608) |

ACCESSORIES SUPPLIED

|                             |   |
|-----------------------------|---|
| Non-slip liner              | 1 |
| Rack for increased capacity | 1 |