



135 Rustic Natural

# ALBRIGHT OAK 3.25



	US Units	Metric Units
<b>Style Number</b>	<b>SW581</b>	
<b>Construction</b>	Engineered	
<b>Species</b>	Red Oak	
<b>Nominal Overall Thickness</b>	3/8"	8.2 mm
<b>Nominal Width</b>	3.25"	82.55 mm
<b>Finish</b>	ScufResist Platinum	
<b>Gloss Level</b>	20%	
<b>Surface Texture</b>	Smooth	
<b>Edge Description</b>	Micro Bevel	
<b>End Description</b>	Micro Bevel	
<b>Profile</b>	Tongue And Groove	
<b>Weight per Carton</b>	33 lbs	14.96 kg
<b>SQFT per Carton</b>	23.76 sq ft	2.2 sq m
<b>SQFT per Pallet</b>	1425.6 sq ft	132.44 sq m
<b>Installation Methods</b>	Nail, Staple, Glue, Floating	
<b>Installation Grade</b>	Above, On, Below	
<b>Variation</b>	High	
<b>GREENGUARD® Certified</b>	Yes	
<b>Cradle-to-Cradle Certified</b>	Yes	
<b>Radiant Heat Approved</b>	Yes	
<b>Residential Warranty</b>	Lifetime	
<b>Commercial Warranty</b>	5 Year Commercial	
All measurements are nominal.	Cartons may include random lengths.	

## Features

Classic hardwood flooring in both traditional and modern colors. This oak hardwood floor showcases the charm and natural beauty of hardwood, accentuated with a wide range of character. Offered in 3 1/4" and 5" widths.

## Suggested Adhesive

Style Name	Style Number
35MC	HS105
Urebond Plus	SWADH

**Trim Pieces** length: 78" (\*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)



**SFR18**  
Flush Reducer



**SRO18**  
\*Overlap Reducer



**SFS18**  
Flush Stairnose



**SSO18**  
\*Overlap Stairnose



**SCR18**  
Threshold / Carpet  
Reducer



**SWTM8**  
T-Molding



**SQTR8**  
Quarter Round

Trim images are for illustration purposes only. Actual dimensions will vary. Contact the Shaw Information Center for additional details: 800-441-7429.



MADE IN THE USA

# ALBRIGHT OAK 3.25

## Colors

