

### **30 INCH BUILT-IN REFRIGERATOR COLUMN**

### XRF30CRF / XRF30CRF-SS



**Product:** 30 Inch Built-In Refrigerator Column **Model Number:** XRF30CRF / XRF30CRF-SS

### **FEATURES & BENEFITS**

- Interior Water Dispenser: Provides easy access to clean and fresh water, especially convenient for units equipped with an ice maker.
- Flush Hinge Installation Benefits: Seamlessly integrates with cabinetry for a polished look, enhancing kitchen aesthetics.
- **Field Reversible Door:** Conveniently adjust the door to suit different kitchen layouts, providing versatility in installation.
- Fast Cooling: Keep food fresh by dropping temperatures to the coldest settings within 24 hours.
- Chiller Zone: This compartment is perfect for storing meats and cheeses, and quickly chilling drinks, ranges from +30°F (-1°C) to +41°F (5°C).
- **Soft-Close Drawers:** Ensures gentle and silent closing, preventing slamming and reducing wear and tear over time.
- LED Interior Lighting: Illuminates the interior for better visibility, making it easier to locate items and enhancing the overall user experience.
- Touch Control Digital Display: Conveniently monitor settings and temperatures at a glance for precise control and food preservation.
- Ultra-Quiet Operation: Operates at an ultra-quiet 43 dBA for a peaceful kitchen environment without compromising performance.
- Customized Modes: Tailor refrigerator operation with Sabbath, Holiday, and ECO modes, optimizing energy usage and functionality.

TECHNICAL DETAILS		
Total Capacity	16.6 cu. ft.	
Refrigerator Capacity	16.6 cu. ft.	
Watts	160W	
Amperage	15A (Dedicated)	
Volts	120V	
Frequency	60Hz	
Plug Type	3-Prong Plug	
Power Cord Length	90-9/16"	
Temperature Control	+35°F (2°C) to +46°F (8°C)	
Chiller Zone Temperature	+30°F (-1°C) to +41°F (5°C)	
Door Hinge	Field Reversible Design	

WARRANTY: 2 YEARS PARTS AND LABOR





# 30 INCH BUILT-IN REFRIGERATOR COLUMN

### XRF30CRF / XRF30CRF-SS














## **30 INCH BUILT-IN REFRIGERATOR COLUMN** XRF30CRF / XRF30CRF-SS

#### **CUTOUT DIMENSIONS**



#### **PRODUCT DIMENSIONS & WEIGHTS**

Product Dimensions (WxDxH)	29-3/4" x 23-5/16" x 83-9/16"
Product Depth Excluding Door	21-7/8"
Product Depth With Door Open 90 Degrees	55-9/16"
Cutout Dimensions (WxDxH)	30" x 25" x 84"
Net Weight	289 lbs
Gross Weight	320 lbs
Package Dimensions (WxDxH)	32-5/16" x 26-3/8" x 90-9/16"

#### STAINLESS STEEL DOOR PANELS WITH PRO HANDLES

Stainless Steel Door Panels	DKXRF30CRFZ-SS
Stainless Steel Pro Handles	HKXRF30CRFZ
Fridge Door Dimensions (WxDxH)	29-3/4" x 3/4" x 79-15/16"
Fridge Door Weight	61.73 lbs

Replacement Water Filter: WFX200CL

GENERAL PROPERTIES		
er of Doors	1	
r of Shelves	4	
ble Racks & Removable Shelves	3	

Yes

Yes

1

Yes

Yes

LED

Spill Proof Glass Shelf

### PRODUCT DIMENSIONS

Number Number Adjusta

Shelf Material

Gallon Door Bin

Water Dispenser

Water Filter

Lighting

Reversible Door Swing

Soft Closing Drawer Feature

