

# Product data sheet

## CONSTRUCTION TYPE AND DESIGN

Combi-Steam Oven	•
ArtLine	•
ArtLine	•
Combi-Steam Oven	•
No handles	•
No handles	•
Appliance colour	Graphite grey

## CONVENIENCE FEATURES

Miele Mix & Match	•
Rapid PreHeat	•
Rapid PreHeat	•
Preheating	•
Preheating	•
External steam generation	•
External steam generation	•
Oxygen sensor	•
Oxygen sensor	•
Individual humidity settings in combination cooking	•
Individual humidity settings in combination cooking	•
Menu cooking without transfer of flavours	•
Menu cooking without transfer of flavours	•

Food probe	With cable
------------	------------

MasterChef programs with ability to make individual adjustments	•
---	---

MasterChef programs with ability to make individual adjustments	•
---	---

Keeping warm	•
--------------	---

Keeping warm	•
--------------	---

Crisp function	•
----------------	---

Crisp function	•
----------------	---

## OPERATING MODES

Convection Bake	•
-----------------	---

Convection Roast	•
------------------	---

	•
--	---

Combination cooking	•
---------------------	---

Combination cooking with Convection Bake	•
--	---

Combination cooking with Surround	•
-----------------------------------	---

Combination cooking with Maxi Broil	•
-------------------------------------	---

Steam cooking	•
---------------	---

Sous-vide	•
-----------	---

Maxi Broil	•
------------	---

Intensive	•
-----------	---

Humidity Plus	•
---------------	---

Surround	•
----------	---

Browning	•
----------	---

Bake	•
------	---

Convection Broil	•
------------------	---

Special modes	•
---------------	---

Defrost	•
---------	---

<b>MasterChef programs</b>	•
<b>MasterChef programs</b>	•
<b>Country-specific MasterChef programs</b>	•
<b>Country-specific MasterChef programs</b>	•
<b>Combination cooking with Convection Bake</b>	•
<b>Combination cooking</b>	•
<b>Combination cooking with Surround</b>	•
<b>Combination cooking with Maxi Broil</b>	•
<b>Steam cooking</b>	•
<b>Sous-vide</b>	•
<b>Reheat</b>	•
<b>Reheat</b>	•
<b>Roast with moisture</b>	•
<b>Roast with moisture</b>	•
<b>Maxi Broil</b>	•
<b>Broil</b>	•
<b>Broil</b>	•
<b>Intensive</b>	•
<b>Humidity Plus</b>	•
<b>Surround</b>	•
<b>Browning</b>	•
<b>Bake</b>	•
<b>Convection Broil</b>	•
<b>Plate warming</b>	•
<b>Plate warming</b>	•
<b>Special modes</b>	•
<b>Broiling operating modes</b>	•
<b>Broiling operating modes</b>	•

## USER CONVENIENCE

<b>Clear text on control panel</b>	•
------------------------------------	---

<b>Display</b>	M Touch
----------------	---------

<b>Touch2open</b>	•
-------------------	---

<b>Touch2open</b>	•
-------------------	---

<b>SoftOpen</b>	•
-----------------	---

<b>SoftOpen</b>	•
-----------------	---

<b>Language Options</b>	•
-------------------------	---

<b>Language Options</b>	•
-------------------------	---

<b>MyMiele</b>	•
----------------	---

<b>MyMiele</b>	•
----------------	---

<b>Help function</b>	•
----------------------	---

<b>Help function</b>	•
----------------------	---

<b>Motorized lift-up control panel</b>	•
--	---

<b>Motorized lift-up control panel</b>	•
--	---

<b>Quantity-independent cooking</b>	•
-------------------------------------	---

<b>Quantity-independent cooking</b>	•
-------------------------------------	---

<b>Steam cook simultaneously on up to 4 levels</b>	•
--	---

<b>Steam cook simultaneously on up to 4 levels</b>	•
--	---

<b>Automatic menu cooking</b>	•
-------------------------------	---

<b>Automatic menu cooking</b>	•
-------------------------------	---

<b>Steam reduction before end of program</b>	•
--	---

<b>Steam reduction before end of program</b>	•
--	---

<b>Polyphonic audible signals</b>	•
-----------------------------------	---

<b>Polyphonic audible signals</b>	•
-----------------------------------	---

<b>Time-of-day display</b>	•
----------------------------	---

<b>Time-of-day display</b>	•
----------------------------	---

<b>Date display</b>	•
<b>Date display</b>	•
<b>Timer</b>	•
<b>Timer</b>	•
<b>Programmable start of cooking duration</b>	•
<b>Programmable start of cooking duration</b>	•
<b>Programmable end of cooking duration</b>	•
<b>Programmable end of cooking duration</b>	•
<b>Programmable cooking duration</b>	•
<b>Programmable cooking duration</b>	•
<b>Actual temperature display</b>	•
<b>Actual temperature display</b>	•
<b>Desired temperature display</b>	•
<b>Desired temperature display</b>	•
<b>Audible signal when desired temperature is reached</b>	•
<b>Audible signal when desired temperature is reached</b>	•
<b>Recommended temperatures</b>	•
<b>Recommended temperatures</b>	•
<b>Favourites</b>	•
<b>Favourites</b>	•
<b>Individual settings</b>	•
<b>Individual settings</b>	•
<b>Networking with Miele@home</b>	•
<b>Networking with Miele@home</b>	•
<b>Display</b>	M Touch
<b>Timers</b>	•
<b>Timers</b>	•

**MotionReact DG**

•

**MotionReact DG**

•

**CLEANING CONVENIENCE****Maintenance programs**

•

**Maintenance programs**

•

**Stainless steel oven compartment with linen-weave pattern and PerfectClean finish**

•

**External steam generator**

•

**Automatic descaling**

•

**CleanGlass door**

•

**Stainless steel oven compartment with linen-weave pattern and PerfectClean finish**

•

**Hinged broiler**

•

**Hinged broiler**

•

**External steam generator**

•

**Separate soak**

•

**Separate soak**

•

**Rinse program**

•

**Rinse program**

•

**Oven compartment drying program**

•

**Oven compartment drying program**

•

**Quick-release side racks**

•

**Quick-release side racks**

•

**Removable side racks**

•

**Removable side racks**

•

**Descaling**

•

**CleanGlass door**

•

**STEAM TECHNOLOGY AND WATER SUPPLY**

<b>MultiSteam</b>	•
<b>MultiSteam</b>	•
<b>Condensate container behind motorized lift-up control panel</b>	•
<b>Condensate container behind motorized lift-up control panel</b>	•
<b>Drain filter</b>	•
<b>Drain filter</b>	•
<b>Fresh-water container tank behind motorized lift-up control panel</b>	•
<b>Fresh-water container volume in l</b>	1.4
<b>Fresh-water container volume in l</b>	1.4

**SAFETY**

<b>Appliance cooling system with touch-cool fronts</b>	•
<b>Safety shut-off</b>	•
<b>System lock</b>	•
<b>Appliance cooling system with touch-cool fronts</b>	•
<b>Safety shut-off</b>	•
<b>System lock</b>	•
<b>Steam cooling system</b>	•
<b>Steam cooling system</b>	•
<b>Sensor lock</b>	•
<b>Sensor lock</b>	•

## TECHNICAL DATA

Replacing lamps	Customer Service
Oven mode temperatures in °F (°C)	85-450 °F (30-230 °C)
Oven interior lighting	BrilliantLight
Number of shelf levels	4
Numbered shelf levels	•
Numbered shelf levels	•
Oven interior lighting	BrilliantLight
Niche width min. in inches (mm)	28 5/8 (724)
Niche width min. in inches (mm)	724
Niche width max. in inches (mm)	28 5/8 (724)
Niche width max. in inches (mm)	724
Niche height min. in inches (mm)	610
Niche height min. in inches (mm)	24 1/8 (610)
Niche height max. in inches (mm)	24 1/4 (615)
Niche height max. in inches (mm)	615
Niche depth in mm	24 1/8 (610)
Niche depth in mm	610
Appliance width in mm	29 7/8 (757)
Appliance width in mm	29 7/8 (757)
Appliance width in mm	757
Appliance width in mm	29 7/8 (757)
Appliance height in mm	24 1/2 (620)
Appliance height in mm	24 1/2 (620)
Appliance height in mm	24 1/2 (620)
Appliance height in mm	619.5
Appliance depth in mm	22 5/8 (573)



<b>Appliance depth in mm</b>	22 5/8 (573)
<b>Appliance depth in mm</b>	573
<b>Appliance depth in mm</b>	22 5/8 (573)
<b>Weight in lbs (kg)</b>	110 (49.7)
<b>Weight in lbs (kg)</b>	110 (49.7)
<b>Weight in lbs (kg)</b>	110 (49.7)
<b>Weight in lbs (kg)</b>	109.57 (49.7)
<b>Total rated load in kW</b>	2.800-3.700
<b>Total rated load in kW</b>	2.800-3.700
<b>Voltage in V</b>	0
<b>Voltage in V</b>	0
<b>Usable voltage range in V</b>	240/208
<b>Usable voltage range in V</b>	240/208
<b>Frequency in Hz</b>	60
<b>Frequency in Hz</b>	60
<b>Fuse rating in A</b>	20
<b>Fuse rating in A</b>	20
<b>Number of phases</b>	2
<b>Number of phases</b>	2
<b>Power cable with plug</b>	•
<b>Length of power cable in m</b>	2
<b>Length of power cable in m</b>	2
<b>Appliance dimensions (W x H x D) in mm</b>	29 7/8 (757) x 24 1/2 (620) x 22 5/8 (573)
<b>Appliance dimensions (W x H x D) in mm</b>	29 7/8 (757) x 24 1/2 (620) x 22 5/8 (573)
<b>Niche dimensions (W x H x D) in mm</b>	724-724 x 610-615 x 610
<b>Door hinging</b>	Bottom

ACCESSORIES SUPPLIED

FlexiClip Runners with PerfectClean (pair)	1
Universal tray with PerfectClean	1
Universal tray with PerfectClean	1
Wire rack with PerfectClean	1
Wire rack with PerfectClean	1
FlexiClip Runners with PerfectClean (pair)	1
Removable side racks with PerfectClean (pair)	1
Removable side racks with PerfectClean (pair)	1
Perforated stainless-steel cooking containers	2
Perforated stainless-steel cooking containers	2
Solid stainless-steel cooking containers	1
Solid stainless-steel cooking containers	1
Descaling tablets	2
Descaling tablets	2

AVAILABLE DISPLAY LANGUAGES

Available display languages via Language Options	bahasa malaysia
--	-----------------