


DRR36980LAP

36-INCH REFRIGERATOR COLUMN, LEFT-HINGE

MODERNIST, PANEL-READY



GENERAL PROPERTIES	
Panel Ready	Yes
Door Swing	Left
Push-To-Open™ Door Assist	Yes
Internal Water Dispenser	Yes
iQ RemoteView™ Camera	Yes (2 ea)
Deodorizing Filter	Yes
Lighting	3DLighting™
Interior Material	SteelCool™ Stainless Steel Interior
Full Width Shelves	4 ea
Shelf Material	Tempered Glass Shelves w/ Metal Trim
Full Extension Drawers at 90° Door Opening Angle	Yes
FreshZone™ Drawer	Yes - Cheese (37°F) / Cold Drinks (33°F) / Meat (29°F)
Humidity Control Drawer	2 ea
Door Bins	4 ea
Door Open Alarm	Yes
Special Modes	Sabbath Mode
CAPACITY	
Total Unit Gross Capacity (cu. ft.) - AHAM	21.5 cu. ft.
Refrigerator Gross Capacity (cu. ft.)	21.5 cu. ft.
PERFORMANCE	
Dedicated Evaporator & Compressor System	Yes
Power Cool	Yes
PreciseTemp™ Technology	Minimized temperature fluctuation $\pm 0.36^{\circ}\text{F}^*$ ($\pm 0.2^{\circ}\text{C}^*$)
TECHNICAL DETAILS	
Current (A)	3
Volts (V)	115
Frequency (Hz)	60
Power Cord Length (in.)	78.34"
Plug Type	120V, 3 Prong
DIMENSIONS	
Appliance dimensions (H x W x D) (in.)	83 3/8" x 35 3/4" x 23 13/16"
Required Cutout Size (H x W x D) (in.)	84" x 36" x 25"
EFFICIENCY	
ENERGY STAR Qualified	Yes
Annual Energy Consumption	290 kWh
WARRANTY	
Limited, Entire Appliance, Parts and Labor on Any Part of the Refrigerator	2 Year
Limited Warranty for Sealed Refrigeration System; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Refrigeration System; Parts Only	7th to 12th Year

FEATURES & BENEFITS

- Full height door with true flush cabinet integration without exposed venting grille
- SteelCool™ Stainless Steel Interior Illuminated by 3DLighting™
- Push-To-Open™ Door Assist opens the door upon a slight push for a luxuriously convenient experience
- Internal Water Dispenser for easy access to clean, filtered water
- iQ RemoteView™ Cameras (Wi-Fi) enables users to check what's in your fridge from your phone

TEMPERATURE RANGES

Refrigerator	34°F (1°C) to 44°F (7°C)
Refrigerator - Power Cool	34°F (1°C)
FreshZone™ Drawer	37°F (3°C) / 33°F (1°C) / 29°F (-1°C)

ACCESSORIES (OPTIONAL)


Graphite Stainless Steel - 36" Panel (Left Hinge)	RAC36DPLHMS
Graphite Stainless Steel - 36" Kick Plate	RAC36TKBBMS
Graphite Stainless Steel - Modernist Handle	RAC00MHAAMS
Silver Stainless Steel - 36" Panel (Left Hinge)	RAC36DPLHSR
Silver Stainless Steel - 36" Kick Plate	RAC36TKBBBSR
Silver Stainless Steel - Modernist Handle	RAC00MHAASR
Silver Stainless Steel - Dacor Pro Handle	RAC00PHAASR
Pair Installation Kit	RAC00CPAAAA
Water Filter	RAC00WFAAAA
Deodorizing Filter	RAC00DFAAAA

DRR36980LAP

36-INCH REFRIGERATOR COLUMN, LEFT-HINGE MODERNIST, PANEL-READY




APPLIANCE DIMENSIONS




	36"
A (Width)	35 3/4" (908mm)
B (Depth)	23 13/16" (605mm)
C (Height)	83 3/8" (2118mm)

INSTALLATION CUTOUT DIMENSIONS



	36"
A (Width)	36" (914mm)
B (Depth)	25" (635mm)
C (Height)	84" (2134mm)
A'	9" (228mm)
B'	26" (660mm)
C'	80" (2032mm)

CUSTOM PANEL DIMENSIONS



	36"
A-1 (Width)	35 3/4" (908mm)
A-2 (Height)	79 7/8" (2029mm)
A-3 (Depth)	3/4" (19mm)
Max Weight	66.0 lbs. (30kg)

DRR36980RAP

36-INCH REFRIGERATOR COLUMN, RIGHT-HINGE

MODERNIST, PANEL-READY



GENERAL PROPERTIES	
Panel Ready	Yes
Door Swing	Right
Push-To-Open™ Door Assist	Yes
Internal Water Dispenser	Yes
iQ RemoteView™ Camera	Yes (2 ea)
Deodorizing Filter	Yes
Lighting	3DLighting™
Interior Material	SteelCool™ Stainless Steel Interior
Full Width Shelves	4 ea
Shelf Material	Tempered Glass Shelves w/ Metal Trim
Full Extension Drawers at 90° Door Opening Angle	Yes
FreshZone™ Drawer	Yes - Cheese (37°F) / Cold Drinks (33°F) / Meat (29°F)
Humidity Control Drawer	2 ea
Door Bins	4 ea
Door Open Alarm	Yes
Special Modes	Sabbath Mode
CAPACITY	
Total Unit Gross Capacity (cu. ft.) - AHAM	21.5 cu. ft.
Refrigerator Gross Capacity (cu. ft.)	21.5 cu. ft.
PERFORMANCE	
Dedicated Evaporator & Compressor System	Yes
Power Cool	Yes
PreciseTemp™ Technology	Minimized temperature fluctuation ±0.36°F* (±0.2°C*)
TECHNICAL DETAILS	
Current (A)	3
Volts (V)	115
Frequency (Hz)	60
Power Cord Length (in.)	78.34"
Plug Type	120V, 3 Prong
DIMENSIONS	
Appliance dimensions (H x W x D) (in.)	83 3/8" x 35 3/4" x 23 13/16"
Required Cutout Size (H x W x D) (in.)	84" x 36" x 25"
EFFICIENCY	
ENERGY STAR Qualified	Yes
Annual Energy Consumption	290 kWh
WARRANTY	
Limited, Entire Appliance, Parts and Labor on Any Part of the Refrigerator	2 Year
Limited Warranty for Sealed Refrigeration System; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Refrigeration System; Parts Only	7th to 12th Year

FEATURES & BENEFITS

- Full height door with true flush cabinet integration without exposed venting grille
- SteelCool™ Stainless Steel Interior Illuminated by 3DLighting™
- Push-To-Open™ Door Assist opens the door upon a slight push for a luxuriously convenient experience
- Internal Water Dispenser for easy access to clean, filtered water
- iQ RemoteView™ Cameras (Wi-Fi) enables users to check what's in your fridge from your phone

TEMPERATURE RANGES

Refrigerator	34°F (1°C) to 44°F (7°C)
Refrigerator - Power Cool	34°F (1°C)
FreshZone™ Drawer	37°F (3°C) / 33°F (1°C) / 29°F (-1°C)

ACCESSORIES (OPTIONAL)

Graphite Stainless Steel - 36" Panel (Right Hinge)	RAC36DPRHMS
Graphite Stainless Steel - 36" Kick Plate	RAC36TKBBMS
Graphite Stainless Steel - Modernist Handle	RAC00MHAAMS
Silver Stainless Steel - 36" Panel (Right Hinge)	RAC36DPRHSR
Silver Stainless Steel - 36" Kick Plate	RAC36TKBBBSR
Silver Stainless Steel - Modernist Handle	RAC00MHAASR
Silver Stainless Steel - Dacor Pro Handle	RAC00PHAASR
Pair Installation Kit	RAC00CPAAAA
Water Filter	RAC00WFAAAA
Deodorizing Filter	RAC00DFAAAA


DRR36980RAP

36-INCH REFRIGERATOR COLUMN, RIGHT-HINGE

MODERNIST, PANEL-READY




APPLIANCE DIMENSIONS




	36"
A (Width)	35 3/4" (908mm)
B (Depth)	23 13/16" (605mm)
C (Height)	83 3/8" (2118mm)

INSTALLATION CUTOUT DIMENSIONS



	36"
A (Width)	36" (914mm)
B (Depth)	25" (635mm)
C (Height)	84" (2134mm)
A'	9" (228mm)
B'	26" (660mm)
C'	80" (2032mm)

CUSTOM PANEL DIMENSIONS



	36"
A-1 (Width)	35 3/4" (908mm)
A-2 (Height)	79 7/8" (2029mm)
A-3 (Depth)	3/4" (19mm)
Max Weight	66.0 lbs. (30kg)