








SPECIFICATIONS	
KWT 6832 SGS — Item	36683200USA
Overall Unit Width	27 ³ / ₄ " (705mm)
Overall Unit Height	75 ⁹ / ₁₆ " (1920mm)
Overall Unit Depth	29³/ ₈ " (746mm)
Door Clearance	25 ⁵ / ₈ " (651mm)
Electrical	
Electrical Requirements	110V / 120V, 60Hz, 15 Amps (single)
Power Cord	Yes - NEMA 5-15 plug, 7' 10 ¹ / ₂ " (2.4m)
Shipping	
Shipping Weight	
Support	
Call	800.843.7231
20/20 Interior Design	√62020technologies.com

Features:

- · Freestanding unit
- UV-resistant safety glass
- · Soft Close door
- Integrated side handle strip
- Low-vibration compressor
- Active AirClean filter
- DynaCool
- Room for up to 178 bottles*
- Neck to neck storage
- 13 rack levels with beachwood slats
- 3 Temperature zones
- Door and temperature alarm
- Selector bottle presenter
- ConvinoBox
- Accessory Box
- · Glass Holder
- 2 inclinable decanting racks
- · FlexiFrame with Noteboard
- Sabbath mode




APPLIANCE DIMENSIONS



DIMENSIONS Width: 27 ³/₄" Height: 75 ⁹/₁₆" Depth: 29 ³/₈"

DOOR HINGE SPECIFICATIONS



Note:

Door hinge is interchangeable, see manual for further instructions Freestanding unit - does not require cabinetry