

ACCESSORIES

Accessories Required for Installation	Outdoor Grille - RAVAL3 Plenum - RAVWPT15 or RAVTRANS2, 3, 4 RAVDPLAT Wall Thermostat - RAK149F2, RAK149P2, RAK180W1 Return Air Grille - RAVRG4, RAVRG2
--	---

CAPACITY

CFM Indoor Fan Low	408
CFM Indoor Fan Medium	468
Cooling BTUH (MIN)	17,000
Cooling EER (BTUH / Watt)	11.1
Dehumidification (pts./hr.)	4.4
Heating - Reverse Cycle - BTUH	15800

FEATURES

Central Desk Control Compatibility	Yes
Corrosion Treated	Yes
Fan Speed Selections	3 Cooling
Freeze Sentinel	Yes
Heat Pump	Yes
Heat Sentinel	Yes
Heating - Reverse	3.3

Cycle - COP	
Heating System	Heat Pump
Power Connection Kit	RAK3XXD Series
Product Type	Vertical Air Conditioners
Refrigerant Type	R410A
Remote Thermostat	RAK149F2, RAK149P2, RAK180W1
Rotary Compressor	Yes
Sensible Heat Ratio	71%
VTAC Features	Chassis Design with Perfect Fit to Insta-Platform™ and Quick-Install Plenum (sold separately) Auto Compressor Random Restart Automatic Emergency Heat Automatic Indoor Frost Control Freeze Sentinel Heat Sentinel Heat Pump with Resistance Heat Backup Quick Heat Recovery Thermostat Quick Disconnect Boost Heat Self-Contained Drainage System Fast-Connect Plumbing Self-Aligning, Lock In Place Platform System Onboard Electronic Error Diagnostics Reverse Cycle Defrost Anti-Corrosion Design Ultra-Quiet SmartHQ WiFi Capability

POWER / RATINGS

Cooling - Amperes	7.1
Cooling - Watts	1525
Heating - Reverse Cycle - Amps	6.6
Heating - Reverse Cycle - Watts	1400
Voltage (MAX)	230 V

Voltage (MIN)	208 V
----------------------	-------

WARRANTY

Labor Warranty	Limited 1-year entire appliance Limited 5-year sealed refrigerating system
Parts Warranty	Limited 1-year entire appliance Limited 5-year parts Limited 5-year sealed refrigerating system
Warranty Notes	See written warranty for full details

WEIGHTS & DIMENSIONS

Approximate Shipping Weight	148 lb
Net Weight	136 lb
Overall Depth	24 1/8 in
Overall Height	31 7/8 in
Overall Width	23 5/8 in