Product data sheet

CONSTRUCTION TYPE AND DESIGN

Combi-Steam Oven	•
PureLine	•
PureLine	•
Combi-Steam Oven	•
Appliance colour	CleanTouch Steel

CONVENIENCE FEATURES

Miele Mix & Match	•
Rapid PreHeat	•
Rapid PreHeat	•
Preheating	•
Preheating	•
External steam generation	•
External steam generation	•
Oxygen sensor	•
Oxygen sensor	•
Individual humidity settings in combination cooking	•
Individual humidity settings in combination cooking	•
Menu cooking without transfer of flavours	•
Menu cooking without transfer of flavours	•
Food probe	With cable

MasterChef programs with ability to make individual adjustments	•
MasterChef programs with ability to make individual adjustments	•
Keeping warm	•
Keeping warm	•
Crisp function	•
Crisp function	•
OPERATING MODES	
Convection Bake	•
Convection Roast	•
	•
Combination cooking	•
Combination cooking with Convection Bake	•
Combination cooking with Surround	•
Combination cooking with Maxi Broil	•
Steam cooking	•
Sous-vide	•
Maxi Broil	•
Intensive	•
Humidity Plus	•
Surround	•
Browning	•
Bake	•
Convection Broil	•
Special modes	•
Defrost	•
MasterChef programs	•

MasterChef programs	•
Country-specific MasterChef programs	•
Country-specific MasterChef programs	•
Combination cooking with Convection Bake	•
Combination cooking	•
Combination cooking with Surround	•
Combination cooking with Maxi Broil	•
Steam cooking	•
Sous-vide	•
Reheat	•
Reheat	•
Roast with moisture	•
Roast with moisture	•
Maxi Broil	•
Broil	•
Broil	•
Intensive	•
Humidity Plus	•
Surround	•
Browning	•
Bake	•
Convection Broil	•
Plate warming	•
Plate warming	•
Special modes	•
Broiling operating modes	•
Broiling operating modes	•

USER CONVENIENCE

Clear text on control panel	•
Display	M Touch
SoftOpen	•
SoftOpen	•
SoftClose	•
SoftClose	•
Language Options	•
Language Options	•
MyMiele	•
MyMiele	•
Help function	•
Help function	•
Motorized lift-up control panel	•
Motorized lift-up control panel	•
Quantity-independent cooking	•
Quantity-independent cooking	•
Steam cook simultaneously on up to 3 levels	•
Steam cook simultaneously on up to 3 levels	•
Automatic menu cooking	•
Automatic menu cooking	•
Steam reduction before end of program	•
Steam reduction before end of program	•
Polyphonic audible signals	•
Polyphonic audible signals	•
Time-of-day display	•
Time-of-day display	•

Date display Timer Timer Programmable start of cooking duration Programmable ent of cooking duration Programmable cooking duration Actual temperature display Actual temperature display Poesired temperature display Poesired temperature display Poesired temperature display Audible signal when desired temperature is reached Recommended temperatures Pravourites Pravourites Pravourites Pravourites Pavourites Pavourites Pavourites Pavourites Pavourites Pavourites Pavourites Pavourites Pavourites Phavourites	Date display	•
Timer Programmable start of cooking duration Programmable start of cooking duration Programmable end of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable cooking duration Programmable cooking duration Programmable cooking duration Actual temperature display Actual temperature display Pesired temperature display Pesired temperature display Audible signal when desired temperature is reached Audible signal when desired temperature is reached Recommended temperatures Pravourites Favourites Sabbath Program Sabbath Program Individual settings Individual settings Networking with Miele@home Networking with Miele@home Networking with Miele@home Programmable start of cooking duration Programmable start of cooking duration Programmable cooking duration Pr	Date display	•
Programmable start of cooking duration Programmable start of cooking duration Programmable end of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable cooking duration Programmable cooking duration Programmable cooking duration Actual temperature display Actual temperature display Pesired temperature display Pesired temperature display Pesired temperature display Audible signal when desired temperature is reached Audible signal when desired temperature is reached Recommended temperatures Pravourites Pravourites Pravourites Pravourites Pravourites Program	Timer	•
Programmable start of cooking duration Programmable end of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable cooking duration Programmable cooking duration Actual temperature display Actual temperature display Pesired temperature display Desired temperature display Audible signal when desired temperature is reached Recommended temperatures Recommended temperatures Recommended temperatures Favourites Favourites Sabbath Program Individual settings Networking with Miele@home Networking with Miele@home Networking with Miele@home Programmable end of cooking duration Programmabl	Timer	•
Programmable end of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable cooking duration Actual temperature display Actual temperature display Desired temperature display Desired temperature display Audible signal when desired temperature is reached Audible signal when desired temperature is reached Recommended temperatures Recommended temperatures Favourites Sabbath Program Sabbath Program Individual settings Individual settings Networking with Miele@home Networking with Miele@home Networking with Miele@home Programmable end of cooking duration Programmable cooking duration Prog	Programmable start of cooking duration	•
Programmable end of cooking duration Programmable cooking duration Programmable cooking duration Actual temperature display Actual temperature display Pesired temperature display Desired temperature display Audible signal when desired temperature is reached Audible signal when desired temperature is reached Recommended temperatures Recommended temperatures Favourites Favourites Sabbath Program Sabbath Program Individual settings Networking with Miele@home Networking with Miele@home Programmable cooking duration Audible signal when desired temperature is reached Program Sabbath Program Program Program Sabbath Program Sabbath Program Pro	Programmable start of cooking duration	•
Programmable cooking duration Programmable cooking duration Actual temperature display Actual temperature display Desired temperature display Audible signal when desired temperature is reached Audible signal when desired temperature is reached Recommended temperatures Recommended temperatures Favourites Favourites Favourites Sabbath Program Individual settings Individual settings Networking with Miele@home Program details and the program of the progr	Programmable end of cooking duration	•
Programmable cooking duration Actual temperature display Actual temperature display Desired temperature display Audible signal when desired temperature is reached Audible signal when desired temperature is reached Recommended temperatures Recommended temperatures Favourites Favourites Sabbath Program Individual settings Networking with Miele@home Networking with Miele@home -	Programmable end of cooking duration	•
Actual temperature display Actual temperature display Desired temperature display Desired temperature display Audible signal when desired temperature is reached Audible signal when desired temperature is reached Recommended temperatures Recommended temperatures Favourites Favourites Sabbath Program Individual settings Individual settings Networking with Miele@home Networking with Miele@home	Programmable cooking duration	•
Actual temperature display Desired temperature display Desired temperature display Audible signal when desired temperature is reached Audible signal when desired temperature is reached Recommended temperatures Recommended temperatures Favourites Sabbath Program Sabbath Program Individual settings Individual settings Networking with Miele@home Networking with Miele@home Networking with Miele@home Possible value of temperature is reached Possible value of temperature is rea	Programmable cooking duration	•
Desired temperature display Desired temperature display Audible signal when desired temperature is reached Audible signal when desired temperature is reached Recommended temperatures Recommended temperatures Favourites Favourites Sabbath Program Sabbath Program Individual settings Individual settings Networking with Miele@home Networking with Miele@home Networking with Miele@home Networking with Miele@home	Actual temperature display	•
Desired temperature display Audible signal when desired temperature is reached Audible signal when desired temperature is reached Recommended temperatures Recommended temperatures Favourites Favourites Sabbath Program Sabbath Program Individual settings Individual settings Networking with Miele@home Networking with Miele@home Networking with Miele@home Networking with Miele@home Particle Audio Au	Actual temperature display	•
Audible signal when desired temperature is reached Audible signal when desired temperature is reached Recommended temperatures Recommended temperatures Favourites Favourites Sabbath Program Individual settings Individual settings Networking with Miele@home Networking with Miele@home .	Desired temperature display	•
reached Audible signal when desired temperature is reached Recommended temperatures Recommended temperatures Favourites Favourites Sabbath Program Sabbath Program Individual settings Individual settings Networking with Miele@home Networking with Miele@home Networking with Miele@home Page 1. **Commended temperature is reached and a commended temperatures **Commended	Desired temperature display	•
reached Recommended temperatures Recommended temperatures Favourites Favourites Sabbath Program Sabbath Program Individual settings Individual settings Networking with Miele@home Networking with Miele@home Networking with Miele@home Networking with Miele@home		•
Recommended temperatures Favourites Favourites Sabbath Program Sabbath Program Individual settings Individual settings Networking with Miele@home Networking with Miele@home Networking with Miele@home •		•
Favourites Favourites Sabbath Program Sabbath Program Individual settings Individual settings Networking with Miele@home Networking with Miele@home Networking with Miele@home •	Recommended temperatures	•
Favourites Sabbath Program Sabbath Program Individual settings Individual settings Networking with Miele@home Networking with Miele@home Networking with Miele@home	Recommended temperatures	•
Sabbath Program Sabbath Program Individual settings Individual settings Networking with Miele@home Networking with Miele@home Networking with Miele@home	Favourites	•
Sabbath Program Individual settings Individual settings Networking with Miele@home Networking with Miele@home Networking with Miele@home	Favourites	•
Individual settings Individual settings Networking with Miele@home Networking with Miele@home •	Sabbath Program	•
Individual settings • Networking with Miele@home • Networking with Miele@home •	Sabbath Program	•
Networking with Miele@home Networking with Miele@home •	Individual settings	•
Networking with Miele@home •	Individual settings	•
	Networking with Miele@home	•
Display M Touch	Networking with Miele@home	•
	Display	M Touch

Timers	•
Timers	•
MotionReact DG	•
MotionReact DG	•
CLEANING CONVENIENCE	
Maintenance programs	•
Maintenance programs	•
Stainless steel / Clean Touch Steel surface	•
Stainless steel oven compartment with linen- weave pattern and PerfectClean finish	•
External steam generator	•
Automatic descaling	•
CleanGlass door	•
Stainless steel / Clean Touch Steel surface	•
Stainless steel oven compartment with linen- weave pattern and PerfectClean finish	•
Hinged broiler	•
Hinged broiler	•
External steam generator	•
Separate soak	•
Separate soak	•
Rinse program	•
Rinse program	•
Oven compartment drying program	•
Oven compartment drying program	•
Quick-release side racks	•
Quick-release side racks	•

Removable side racks

17725, 12.52 1 W	DOO 1043 AM Micie
Removable side racks	•
Descaling	•
CleanGlass door	•
STEAM TECHNOLOGY AND WATER SUPPLY	
MultiSteam	•
DirectWater plus	•
MultiSteam	•
DirectWater plus	•
Drain filter	•
Drain filter	•
Appliance cooling system with touch-cool fronts	•
Safety shut-off	•
System lock	•
Appliance cooling system with touch-cool fronts	•
Safety shut-off	•
System lock	•
Steam cooling system	•
Steam cooling system	•
Sensor lock	•
Sensor lock	•

TECHNICAL DATA

Replacing lamps	Customer Service
Oven mode temperatures in °F (°C)	85-450 °F (30-230 °C)
Oven interior lighting	BrilliantLight
Number of shelf levels	3
Numbered shelf levels	•
Numbered shelf levels	•
Oven interior lighting	BrilliantLight
Niche width min. in inches (mm)	22 1/8 (560)
Niche width min. in inches (mm)	560
Niche width max. in inches (mm)	22 3/8 (568)
Niche width max. in inches (mm)	568
Niche height min. in inches (mm)	450
Niche height min. in inches (mm)	17 3/4 (450)
Niche height max. in inches (mm)	17 7/8 (452)
Niche height max. in inches (mm)	452
Niche depth in mm	21 7/8 (555)
Niche depth in mm	555
Appliance width in mm	595
Appliance width in mm	23 1/2 (595)
Appliance height in mm	18 (456)
Appliance height in mm	455.5
Appliance depth in mm	22 1/2 (569)
Appliance depth in mm	568.5
Weight in lbs (kg)	92 (41.5)
Weight in lbs (kg)	92 (41.5)
Weight in lbs (kg)	91.49 (41.5)
Total rated load in kW	2.800-3.700
Total rated load in kW	2.800-3.700

	·
Voltage in V	0
Voltage in V	0
Usable voltage range in V	240/208
Usable voltage range in V	240/208
Frequency in Hz	60
Frequency in Hz	60
Fuse rating in A	20
Fuse rating in A	20
Number of phases	2
Number of phases	2
Power cable with plug	•
Length of power cable in m	2
Length of power cable in m	2
Length of water inlet hose in m	3.0
Length of water inlet hose in m	9 (3.0)
Length of water drain hose in m	9 (3.0)
Length of water drain hose in m	3.0
Appliance dimensions (W x H x D) in mm	23 1/2 (595) x 18 (456) x 22 1/2 (569)
Appliance dimensions (W x H x D) in mm	23 1/2 (595) <nbsp></nbsp> x <nbsp></nbsp> 18 (456) <nbsp></nbsp> x <nbsp></nbsp> 22 1/2 (569)
Niche dimensions (W x H x D) in mm	560-568 x 450-452 x 555
Door hinging	Bottom

ACCESSORIES SUPPLIED

FlexiClip Runners with PerfectClean (pair)	1
Universal tray with PerfectClean	1
Universal tray with PerfectClean	1
Wire rack with PerfectClean	1

Wire rack with PerfectClean	1
FlexiClip Runners with PerfectClean (pair)	1
Removable side racks with PerfectClean (pair	•) 1
Removable side racks with PerfectClean (pair	·) 1
Perforated stainless-steel cooking containers	5 2
Perforated stainless-steel cooking containers	5 2
Solid stainless-steel cooking containers	1
Solid stainless-steel cooking containers	1
Descaling tablets	2
Descaling tablets	2

AVAILABLE DISPLAY LANGUAGES

Available display languages via Language Options

bahasa malaysia