

FAB5ULCR3



Product family	Refrigerator
Installation	Free-standing
Model notes	Due collegamenti presenti sul retro del prodotto: - POWER: per funzionamento del prodotto - SIGNAL: per attivare la funzione SMART Un cavo incluso (per collegamento POWER)
Category	Single door
Defrost	Automatic
Hinge position	Left
EAN code	8017709289768



Aesthetic

Aesthetics	Retro-style	Side material	Steel
Color	Cream	Side color	Cream
Finishing	Glossy	Logo	Applied
Material	Thermo-formed	Available colors	White, Black, Cream, Red

Refrigerator compartment features



No. of adjustable shelves	2	Refrigerator lighting	Yes
Type of adjustable shelves	Wire	Refrigerator lighting	LED

Refrigerator Inner Door

Number of adjustable door shelves	1	No. of bottle shelves	1
Adjustable door bins with wire support	Yes	Door bin with wire support	Yes

Other technical features

Temperature setting type	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a

Foam agent

Cyclopentane

Performance / Energy Label NEW

Noise level

40 dB(A) re 1pW

Climatic class

SN, N, ST, T

Electrical Connection

Plug

(A) USA & Mexico

Frequency (Hz)

60 Hz

Current


0.89 A

Power cord length

70 7/8 "

Voltage (V)

110 V



Not included accessories

KITCABLE90UK

Cable with IEC connector and UK plug

Symbols glossary (TT)



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.