

Specifications

Height

32 $\frac{1}{4}$ - 34 $\frac{5}{8}$ "

Width

23 $\frac{1}{2}$ "

Depth

22 $\frac{5}{8}$ "

Accessories (included)

Cutlery basket

Kickstrip

Accessories (sold separately)

Door panel stainless steel	ADDW24PX
Handle kit Classic	AHCL-DDDW-24X
Handle kit Contemporary round, aluminium	AHS-OBDD-60S
Handle kit Contemporary square fine, aluminium	AHD5-OBDD-60SX
Handle kit Contemporary square fine, black	AHD5-OBDD-60SB
Handle kit Professional round flush	AHP3-DWDD-SX
Handle kit Professional round flush, Brass off-stands	AHP3DDDW24BA
Handle kit Professional round flush, Dark Copper off-stands	AHP3DDDW24DC

Capacity and loading

Accommodates round plates up to (lower basket)	12 9/16"
Adjustable height, foldable cupracks	
Easy lift adjustable upper basket	
Fold down tines	
Full width cutlery/utensil tray	
Pitch adjustable tines	
Place settings	16
Wine glass supports	

Connected Features

Alerts and notifications
Education and onboarding
Monitoring
Remote operation
Software updates

Consumption

Energy rating	Energy star Most efficient
Energy usage	224kWh/year
In-use energy carbon emissions estimate Carbon Emissions Info	79.0kgCO2e/year
Water usage (per wash cycle)	3.2 gal

Controls

Energy saving delay start option of up to 24 hours

Floor light cycle feedback

Internal wash selector

Keylock

Rinse aid indicator light

Smart Appliance

Features

Air curtain for bench protection

Auto Door Open Dry

Flood protection

Half load option

Internal tub material	Stainless Steel
-----------------------	-----------------

Motor type	Asynchronous
------------	--------------

ThermoDry system

Three-stage filtration system

Performance

Noise emissions	46dBA
-----------------	-------

Power requirements

Amperage	10A
----------	-----

Supply frequency	60Hz
------------------	------

Supply voltage	100 - 120V
----------------	------------

Product dimensions

Depth	22 5⁄8"
Height	32 1⁄4 - 34 5⁄8"
Width	23 1⁄2"

Safety and compliance

ADA compliant

Wash Program Modifiers

Dry +	
Half-load	
Sanitize	
Wash modifiers	3

Wash Programs

60 min	
Auto	
Eco	
Heavy	
Light	
Medium	
Rinse	
Wash programs	7

Water connection

Water pressure	30kPa - 1000 kPa
----------------	------------------

Specifications

Height

33³/₄ - 36¹/₈ "

Width

23¹/₂ "

Depth

22⁵/₈ "

Accessories (included)

Cutlery basket

Kickstrip

Accessories (sold separately)

Door panel stainless steel	ADDW24TPX
----------------------------	-----------

Handle kit Classic	AHCL-DDDW-24X
--------------------	---------------

Handle kit Contemporary round, aluminium	AHS-OBDD-60S
--	--------------

Handle kit Contemporary square fine, aluminium	AHD5-OBDD-60SX
--	----------------

Handle kit Contemporary square fine, black	AHD5-OBDD-60SB
--	----------------

Handle kit Professional round flush	AHP3-DWDD-SX
-------------------------------------	--------------

Handle kit Professional round flush, Brass off-stands	AHP3DDDW24BA
---	--------------

Handle kit Professional round flush, Dark Copper off-stands	AHP3DDDW24DC
---	--------------

Capacity and loading

Accommodates round plates up to (lower basket)	12 ¾"
Accommodates round plates up to (top basket)	8 10/16"
Adjustable height, foldable cupracks	
Easy lift adjustable upper basket	
Fold down tines	
Fold down wine racks	
Full width cutlery/utensil tray	
Pitch adjustable tines	
Place settings	16
Wine glass supports	

Connected Features

Alerts and notifications
Education and onboarding
Monitoring
Remote operation
Software updates

Consumption

Energy rating	Energy star Most efficient
Energy usage	210kWh/year

In-use energy carbon emissions estimate Carbon Emissions Info	74.1kgCO ₂ e/year
Water usage (per wash cycle)	3.2 gal

Controls

Energy saving delay start option of up to 24 hours
Floor light cycle feedback
Internal wash selector
Keylock
Rinse aid indicator light
Smart Appliance

Features

Air curtain for bench protection	
Auto Door Open Dry	
Flood protection	
Half load option	
Internal tub material	Stainless Steel
Motor type	BLDC
ThermoDry system	
Three-stage filtration system	

Performance

Noise emissions	44dBA
-----------------	-------

Power requirements

Amperage	10A
Supply frequency	60Hz
Supply voltage	100 - 120V

Product dimensions

Depth	22 ⁵ / ₈ "
Height	33 ³ / ₄ - 36 ¹ / ₈ "
Width	23 ¹ / ₂ "

Wash Program Modifiers

Dry +	
Half-load	
Sanitize	
Wash modifiers	3

Wash Programs

60 min
Auto
Eco
Heavy
Light
Medium
Rinse

Wash programs 7

Water connection

Water pressure	30kPa - 1000 kPa
----------------	------------------