SAMSUNG

Samsung 7.5 cu. ft. Smart Gas Dryer with Steam Sanitize+





Features

- Wi-Fi Connectivity¹
- Steam Sanitize+
- ENERGY STAR® Certified
- Sensor Dry
- Vent Sensor
- Smart Care
- Interior Drum Light
- Reversible Door
- Large 7.5 cu. ft. Capacity
- Dual Heaters
- Stainless Steel Drum
- Lint Filter Indicator
- ADA Compliant²
- Accessibility (AUI, Braille)
- Drying Rack
- 22 Total Drying Cycles
- 10 Options
- 5 Temperature Settings
- 3-Way Venting

Specifications

12 Preset Drying Cycles:

Refresh, Steam Sanitize+, Normal, Heavy Duty, Permanent Press, Activewear, Bedding, Delicates, Time Dry, Air Fluff, Quick Dry, Downloaded

10 Downloadable Drying Cycles:

Wrinkle Away, Eco Normal, Towels, Wool, Sanitize, Shirts, Denim, Small Load Care, Low Temp, Rack Dry

10 Options:

Mixed Load Bell, Wrinkle Prevent, Smart Control, Adjust Time (Up), Adjust Time (Down), Eco Dry, Sound, Drum Light, Smart Care, Child Lock

5 Temperature Settings:

High, Medium High, Medium, Medium Low, Low

5 Dry Levels:

More Dry, Normal-More Dry, Normal Dry, Normal-Less Dry, Less Dry

Warranty

One (1) Year Parts and Labor

Product Dimensions & Weight (WxHxD)

Dimensions: 27" x 38³/₄" x 31³/₄"

Weight: 123.5 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: $29^{3}/_{8}$ " x $42^{9}/_{16}$ " x $34^{11}/_{16}$ "

Weight: 130.1 lbs

Convenience

- Child Lock
- Filter Check Indicator

Electrical Requirements

120 V / 60 Hz 15 Amps



Gas Dryer	Model #	UPC Code
Brushed Black	DVG50A8500V	887276549576
Electric Dryer		
Brushed Black	DVE50A8500V	887276549569
Matching Washer		
Brushed Black	WF50A8500AV	887276540726


Optional Accessories	Model #	UPC Code
Brushed Black Pedestal	WE402NV	887276310145
Brushed Black Riser	WE272NV	887276197630
Stacking Kit	SKK-8K	887276344034
Vent Kit	DV-2A	887276146416
Gas to Propane Converter Kit	LPKIT-4	887276352787

SAMSUNG

Samsung 7.5 cu. ft. Smart Gas Dryer with Steam Sanitize+

Dimensions


Required dimensions for installation with pedestal:



Installation Specifications - Side-by-Side

If the washer and dryer are installed together or the dryer alone, the closet front must have two unobstructed air openings for a combined minimum total area of 72-inch². Your washer alone does not require a specific air opening.

Alcove or closet installation Minimum clearance for closet and alcove installations:



Connection Dimensions

Back and side view of dryer


LEGEND:

Ocld Water Connection

Gas Connection

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.

©2021 Samsung Electronics America, Inc., 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG. samsung.com. Samsung is a registered trademark of Samsung Electronics Co., Ltd.




SAMSUNG

Samsung 7.5 cu. ft. Smart Gas Dryer with Steam Sanitize+

Installation Specifications – Stacked Pair

Clearances indicated are for stacked pairs. The closet front must have two unobstructed air openings for a combined minimum total area of 72-inch².



←11"- Cold Water

←7¹/16" - Hot Water

71/8"

Connection Dimensions

Back and side views of stacked pair

LEGEND:

- Ocld Water Connection
- Hot Water ConnectionGas Connection

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate

©2021 Samsung Electronics America, Inc., 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG. samsung.com. Samsung is a registered trademark of Samsung Electronics Co., Ltd.