AMERICAN RANGE

36" PERFORMER ICONICA RANGES (DUAL FUEL)

RANGE TOP FEATURES

- True commercial lift-off burners for easy cleaning.
- 3 sizes of burners to serve your everyday needs:
- 25,000 BTU (lg), 18,000 BTU (med) and 12,000 BTU (sm) • Variable infinite flame settings for all open top burners.
- Automatic, electronic ignition ensures re-ignition in the event the flame goes out, even on the lowest burner setting.
- Continuous commercial-grade cast iron grates.
- Porcelainized burner pans catch spills and
- lift out for easy cleaning.
- Dual action valves provide easy, safe operation.
- Heavy duty metal die-cast satin knobs with chrome bezels.
- Front panel switch controls oven lighting for optimal visibility.
- One piece durable precision frame construction oven front.
- Stainless steel Island Back trim included and installed.

OVEN FEATURES

Convection Oven (4.5 c.f.) Bake element 3,500 watts Broil element 3,500 watts Convection element 2,500 watts

Convection fan

- Modes: Bake, Convection Bake, Broil, Fan, Roast, Convecion Roast, Warm, Proof, Dehydrate, Clean
- Red lights indicate oven functions.
- The Advanced Cooking System creates uniform air flow by cycling different elements depending on cooking mode.
- Two chrome plated, heavy-duty racks with 6 positions on heavy gauge chrome side supports.
- 8-pass broiler provides rapid searing with 3,500 watts of power.
- · Large oven accommodates full size commercial sheet pans.
- Oven lights controlled by switch on front panel.
- Oven front construction is a durable, precision-made one piece frame.

ADVANCED COOKING SYSTEM



The combination of air flow created by the convection fan and baffle design along with cycling the three heating elements provides very balanced heat. Each mode is tailored to yield the best results, whether you are baking or roasting. You can now cook at lower temperatures, for less time.

CONVECTION OVENS ARE GREEN TECHNOLOGY

The highly efficient design of the Convection Oven uses less gas than a standard oven.







ARROB-364GDDF

own with optional leg caps.







ARROB-366DF

ARROB-364GDDF

ARROB-364GRDF





CUSTOMIZE YOUR RANGE

Pick any RAL color for the color that best suits your lifestyle.





See ralcolorchart.com for color options for the front panel & toe kick and/or knobs.



36" PERFORMER ICONICA RANGES - DUAL FUEL OPEN GAS BURNERS

OVERALL DEPTH 29 15/16" -28 1/2" 28" 26 11/16" -24 1/2" OVERALL HEIGHT PLATE SHELF 2 3/8" -7 37 1/2" 36 1/2" đ 30 Ц ELECTRIC Ţ 5.2 C.F. Ц 닢 35 7/8" OVERALL WIDTH 25 1/2" BACK VIEW FRONT VIEW 3 7/16" 囩 Ŧ LEGS ALLOW +1* ADJUSTMENT COMBUSTIBLE MATERIAL 30" TO VENTILLATION HOOI SIDE VIEW 13" -CABI MUST SHIP FROM FACTORY WITH PROPER GAS TYPE N=Natural gas L= LP Gas. Must provide N or L after model number for type of gas needed. (Example: ARROB-366DF) Must specify elevation if over 2000 ft. when ordering. *ELECTRICAL REQUIREMENTS ISLAND TRIM REQUIRES 10" MINIMUM DI FROM REAR COMBUSTIBLE WALL A grounded three prong plug with proper polarity must be used. IN. MIN COMBUSTIBLE TO COOKING SURFACE IN COMBUSTIBLE 6" A manual gas shut-off valve must be installed external to the appliance, in a location accessible from the front, for the purpose of shutting off the gas supply. This is a vented appliance. To be used in conjunction with a suitable vent hood only. ₫ **The American Range Company continually improves its products and reserves the C right to change materials, specifications and dimensions without notice. This unit is 36" FINISHED OPENING WIDTH manufactured for residential use only. 37 1/2 (G) E RECOMMENDED LOCATION OF GAS AND ELECTRICAL SUPPLY CABINET

ISLAND OR PENINSULA INSTALLATIONS 10" MINIMUM CLEARANCE FROM BACK OF RANGE TO COMBUSTIBLE SURFACE

- 11 13/16" -

WITH 20" RISER

ITH 4" RISEF SI AND

56 1/2'

40 1/2"

. 36 1/2"

L

ISLAND TRIM 0 IN. CLEARANCE TO NON COMBUSTIBLE SURFACE

NO SIDE WALL ABOVE COOKING SURFACE

TECHNICAL SPECIFICATIONS

GE

Overall Oven Capacity	5.6 CU. FT.				ARROB-366DF	100,000 BTU 6 burners		
Oven Dimensions	25-3/4" W × 18-1/2" D × 16-1/2" H			Total Gas Connection Rating	ARROB-364GDI			
Surface Burner Rating	25,000 BTU (lg) - 18,000 BTU (md) - 12,000 BTU (sm)				ARROB-364GRE			
Griddle Burner Rating	20,000 BTU			Gas Supply	7" W.C. Natural	7" W.C. Natural, 11" W.C. Propane		
Grill Burner Rating	15,000 BTU			Electrical Supply	120 VAC 15 amp 60 Hz Single Phase			
Infrared Broiler	3,500 WATTS			Shipping Weight	365 Lbs	bs		
Oven Bake Burner	3,500 WATTS							
Convection Element	2,500 WATTS	5						
ACCESSORIES						OPTIONS		
ACCESSORIES						OPTIONS		
I " Island back (standard)	ARR36SIB	S/S Curb Base	ARR36CB	24" Griddle Cover	ARRGDCOV24S	I I " Chrome Flat Griddle Plate	MCIIFS	
	ARR36SIB ARR36IB	S/S Curb Base 12" Griddle Cover	ARR36CB ARRGDSCOV12S	24" Griddle Cover 24" Grill Cover	ARRGDCOV24S ARRGRCOV24		MCIIFS MCII-GG	
I " Island back (standard)						I I " Chrome Flat Griddle Plate		
I " Island back (standard) I " Island back (welded)	ARR36IB	12" Griddle Cover	ARRGDSCOV12S	24" Grill Cover	ARRGRCOV24	I I " Chrome Flat Griddle Plate		
I " Island back (standard) I " Island back (welded) 4" Stub Back	ARR36IB ARR364SB ARR3621HBS	12" Griddle Cover 12" Grill Cover	ARRGDSCOV12S ARR-GRSCOV12	24" Grill Cover 12" Cutting Board	ARRGRCOV24 ARRCUTB12	I I " Chrome Flat Griddle Plate		

Ų

Ļ

