



58" TV Stand CF101358



PART LIST



HARDWARE LIST

| #1 | #2 | #3 | #4 | #5 |
|------------------|--------------------|---------------------------------------|---|------------|
| | | | Ø3*12mm | |
| Cam Bolt | Adjustable Leveler | Magnet | Round Head | Handle |
| Oam Boil | | Iviagnot | | riando |
| 16 PCS (Extra 1) | 6 PCS | 2 PCS | Screw 4 PCS (Extra 1) | 2 PCS |
| #6 | #7 | #8 | #9 | #10 |
| Ø5/32"*7/8" | | Ø8*30 | @17000000000000000000000000000000000000 | |
| Round Head Bolt | Cam Lock | Wood Dowel | Long Screw | Barrel Nut |
| 4 PCS (Extra 1) | 16 PCS (Extra 2) | 22 PCS (Extra 1) | 2 PCS | 4 PCS |
| #11 | #12 | #13 | #14 | |
| 2"*1/4"*D11mm | | ©©©©©©©©©©©©©©©©©©©©©©©©©©©©©©©©©©©©© | | |
| Bolt | Allen Wrench | Short Screw | Shelf Holder | |
| 4 PCS (Extra 1) | 1 PC | 30 PCS (Extra 1) | 12 PCS (Extra 1) | |

ADDITIONAL TOOLS (Not Provided)


Note: It is not recommended to use power tools during assembly.




Note: Wood dowels are intended for alignment. Additional clearance between wood dowel and pre-drilled hole is intentional for ease of assembly.

Step 1. Attach cam bolts (part #1) to panels (parts A, B, C, E & F) using phillips head screwdriver. Attach adjustable levelers (part #2) to left panel (part B), right panel (part C) and support legs (part O).

NOTE: Do not overtighten cam bolts. Stop tightening once threads on cam bolt are no longer visible.




Step 2. Attach magnets (part #3) to partition panels (parts E & F) using round head screws (part #4) and phillips head screwdriver. Attach handles (part #5) to doors (parts G & H) using round head bolts (part #6) and phillips head screwdriver.




Step 3. Attach vertical rails (part M) to partition panels (parts E & F) using cam locks (part #7) and wood dowels (part #8). Attach top rail (part N) to top panel (part A) using wood dowels (part #8), long screws (part #9) and phillips head screwdriver.

NOTE: Cam locks must rotate a full 180° See pictured insert.




Step 4. Attach partition panels (parts E & F) to bottom panel (part D) using wood dowels (part #8), barrel nuts (part #10), bolts (part #11) and allen wrench (part #12). Attach left panel (part B) and right panel (part C) to bottom panel (part D) using cam locks (part #7) and wood dowels (part #8). Attach support legs (part O) to bottom panel (part D).




Step 5. Carefully turn unit upright. Attach top panel (part A) to assembled unit (parts B, C, E & F) using cam locks (part #7) and wood dowels (part #8).


NOTE: Cam locks must rotate a full 180° See pictured insert.



Step 6. Attach back panels (parts K & L) to top panel (part A), left panel (part B), right panel (part C), partition panels (parts E & F) and bottom panel (part D) using short screws (part #13) and phillips head screwdriver.



Step 7. Place shelf holders (part #14) into desired position and then slide adjustable shelves (parts I & J) into place.




#14 🔊 x 12

Step 8. Attach doors (parts G & H) by placing bottom pin hinge (pre-installed in door) in the pre-drilled hole of bottom panel (part D). Then depress the top spring-loaded pin hinge so it can be placed in the pre-drilled hole of top panel (part A). If you would like to add an electric fireplace (*Not Included), please follow step 9.

NOTE: Be sure top and bottom pin hinges are fully extended to secure doors in place.

NOTE: It is important to adjust levelers once fully assembled and upright.

Extend adjustable leveler until it's firmly in contact with the floor. If relocating, adjust leveler as needed until it's firmly in contact with the floor in new location.



Step 9. Fireplace Assembly: Remove middle adjustable shelf (part I) and middle back panel (part K). Install electric fireplace (*Not Included) into the unit following the assembly instructions of the electric fireplace.

