24" Pocket Handle Dishwasher

800 Series - Stainless Steel SHPM78W55N





SHPM78W55N Stainless Steel

Also available in:

Black SHPM78W54N Stainless

White SHPM78W52N Black SHPM78W56N

The flexible 3rd rack allows you to accommodate deeper items, while adjustable tines let you customize the rack's loading space.

Features & Benefits

42 dBA: Quietest dishwasher brand in North America.*

A flexible 3rd rack with folding tines adds 30% more loading area.**

Touch Control Technology allows for quick cycle programming.

EasyGlide™ rack provides a smooth glide for easier loading & unloading.

RackMatic® offers 3 height levels, for 9 possible rack positions.

| Canaval Dyanautics | |
|---------------------------|---------------------------------|
| General Properties | |
| Number of wash cycles | 6 |
| Number of options | 5 |
| dBA | 42 |
| Third rack | Flexible 3rd Rack |
| Rack adjustability | Rackmatic® |
| Tub material | Stainless Steel |
| Control type | Touch Control |
| Concealed heating element | Yes |
| Leak protection system | 24/7 AquaStop® |
| Water softener | No |
| Five-level wash | Yes |
| ChildLock | No |
| Special features | InfoLight®, Extra Dry Option |
| Efficiency | |
| Water usage per cycle | 2.9 |
| Energy efficiency class | Tier 1 |

| Efficiency | |
|---------------------------------------|--------|
| Water usage per cycle | 2.9 |
| Energy efficiency class | Tier 1 |
| ENERGY STAR® qualified | Yes |
| Total annual energy consumption (kWh) | 269 |
| Total annual water consumption (g) | 623.5 |
| Capacity | |
| | |



| Technical Details | | |
|---|---------------------------------|--|
| Watts (W) | 1440 W | |
| Current (A) | 12 Amps | |
| Volts (V) | 120 V | |
| Frequency (Hz) | 60 Hz | |
| Power cord length | N/A | |
| Minimum water pressure (lb/sin) | 14 | |
| Length outlet hose (in) | 79" | |
| Dimensions & Weight | | |
| Overall appliance dimensions (HxWxD) (in) | 33 7/8" x 23 9/16" x 23 3/4" | |
| Required cutout size (HxWxD) (in) | 33 7/8" x 23 5/8" x 24" | |
| Adjustable feet | Yes | |
| Net weight (lbs) | 92 lbs | |
| Accessories-Optional | | |
| Drain Hose Extension Kit | SGZ1010UC | |
| Dishwasher Accessory Kit | SMZ5000 | |
| Anti-Tarnish Silverware Cassette | SMZ5002UC | |
| Power Cord with Cold Plug | SMZPC002UC | |





^{*}Based on an average of sound ratings of 24" Full Size Stainless Steel Tub dishwashers contained in major brands US & Canadian websites. Major brands defined as TraQline Top 5 Market Share (US & Canada) December 2017.

Number of place settings 16

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


^{**}Compared to Bosch dishwasher with two racks.


24" Pocket Handle Dishwasher


800 Series - Stainless Steel SHPM78W55N





Installation Details











Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.


Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


24" Pocket Handle Dishwasher

800 Series - Stainless Steel SHPM78W55N



Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79 (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 20" (50 cm) and max. 43" (110 cm) above the cabinet floor.