

Stackable	•
Side-by-side	•
Slot-in	•
Door hinging	left

TYPE

Product brand	W1 White Edition
Front loader	•

SPIN

Max. spin speed	1600
Rinse hold	•
“Without spin” function	•

DESIGN

Appliance colour	Lotus white
Control panel colour	Lotus white
Door design	Lotus white with chrome ring
Colours of selector dials	Lotus White / Chrome ring
Control panel version	5° incline
Control type	Rotary selector
Display	ComfortSensor white, 1 line

CLEANING PERFORMANCE

TwinDos automatic dispensing of detergent	•
--	---

CapDosing portioned dispensing	•
---------------------------------------	---

GENTLE LAUNDRY CARE

Honeycomb drum	•
-----------------------	---

Load in kg	18 (8.0)
-------------------	----------

USER CONVENIENCE

AddLoad	•
----------------	---

Networking with Miele@home	•
-----------------------------------	---

Delay start up to 24 h	•
-------------------------------	---

Time left display	•
--------------------------	---

Program sequence indicator	•
-----------------------------------	---

Drum lighting	LED
----------------------	-----

Language Options	•
-------------------------	---

AutoClean detergent drawer	•
-----------------------------------	---

EFFICIENCY AND SUSTAINABILITY

Hot-water connection	•
-----------------------------	---

EcoFeedback	•
--------------------	---

Low-temperature washing “cold” and “20°C”	•
--	---

Automatic load recognition	•
-----------------------------------	---

Flow meter	•
-------------------	---

Foam sensing	•
---------------------	---

ProfiEco motor	•
-----------------------	---

WASH PROGRAMS

Normal	•
Wrinkle-free	•
Sanitize	•
Handwash	•
Dress Shirts	•
Extra White	•
Darks/Denims	•
Table Linen/Drapes	•
Sportswear	•
Woollens	•
Silks	•
Drain/Spin	•
Quick Rinse	•
Baby Clothes	•
Towels	•
Downs	•
Pillows	•
Delicates	•
Express	•
Outdoor	•
Proofing	•
Clean Machine	•

EXTRA OPTIONS

AllergoWash	•
Soak	•
Prewash	•

SoftSteam	•
Soiling level selection	•
Buzzer	•

QUALITY

Counterweights made of cast iron	•
---	---

SAFETY

Child lock	•
PIN code	•
Optical interface	•
Water protection system	Watercontrol-System
Water protection system	Water Control System

TECHNICAL DATA

Dimensions in mm (width)	23 1/2 (596)
Dimensions in mm (height)	33 1/2 (850)
Dimensions in mm (depth)	25 3/8 (643)
Appliance depth with door open in mm	42 1/2 (1077)
Weight in lbs (kg)	212 (96)
Total rated load in kW	1.300
Voltage in V	120
Fuse rating in A	15
Frequency in Hz	60
Length of power cable in m	6 (2)

Dimensions (H x W x D) in mm

33 1/2 (850) x 23 1/2 (596)
x 25 3/8 (643)
