PURBS52PR1

Panel Ready Beverage & Wine Center | DUAL ZONE

YALE APPLIANCE



FEATURES & BENEFITS

Carbon Filters - Remove odors and other pollutants from the air, ensuring a fresh enviroment.

Superior Full Extension Racks - Smooth-gliding racks that extend fully for easier access and better visibility.

Lights with 3 level KELVIN shades - Adjustable lighting with three color temperature settings to match any mood or task.

Sabbath Mode - Disables automatic functions for extended observance use.

Anti Vibration Technology -Reduces vibrations to help preserve wine quality.

Double Panel, UV coated door - Dual-panel UV-protected glass door that helps preserve beverages by reducing heat transfer and light exposure.

Shelving made of Tempered Glass - Durable tempered glass shelves designed for strength, stability, and a refined modern look.

Panel Ready - Enhance your kitchen design by seamlessly integrating your undercounter drawer using custom panels that perfectly match your cabinetry.

Premium Beechwood Wine Racks - Elegant beechwood racks designed to securely store and showcase your wine collection.

GENERAL FEATURES	
Installation Type	Built-in and Free Standing
Refrigerant Type	R600a
Volume	4.8 cu ft (135L)
Sound Level	39 dBA
Door Finish	Panel Ready Frame + Tempered Glass
Cabinet Finish	Black
Interior Finish	Black
Hinge Design	Articulated Hinge
Lighting	3 Level White LED
Controls	Capacitive Touch with Display with White Numbers
Door Handle	Tubular - Included
Door Glass	Tinted Dual Panel, Low-e Argon-filled
Reversible Door	Yes - Field reversible door is shipped right-hand hinged

TECHNICAL DETAILS	
Compressor Brand	Embraco
Min. Circuit Required	15 A
AC Power	110-120V/60HZ
Amperage	0.95A
Plug Type	B

WEIGHTS & DIMENSIONS	
Overall Dimensions (WxDxH)	23 7/16" W x 23 1/4" D x 34 1/4" H
Weight	128 lbs

COOLING ZONE 1 - BEVERAGES	
Total Capacity	72 cans (12 oz cans)
Temperature Range	34°F to 50°F
Shelving	2 Adjustable Slide-Out Shelves

COOLING ZONE 2 - WINES	
Total Capacity	14 Bottles of Wine (25 oz)
Temperature Range	40° F to 64° F
Shelving	1 Full Extension Rack

OPTIONAL ACCESSORIES	
Carbon Filter Kit	#ACC00114-1
Pro Handle Stainless Steel Kit (Contains 1 handle)	#ACC0175505

WARRANTY	
Limited Warranty Parts & Labor	5 Years


AHAM VERIFIDE


PURBS52PR1


Panel Ready Beverage & Wine Center | DUAL ZONE

YALE APPLIANCE

DIMENSIONS










CUT OUT DIMENSIONS

Overlay Panel Dimension:	
Door Panel Width	23 7/16”
Door Panel Height	30 3/16”
Door Panel Depth	3/4” max
Door Panel Weight	10 lbs max
Viewable Area Width	18 11/16”
Viewable Area Height	23 9/16”








Specifications are for planning purposes only. Refer to installation instructions and consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product. Specifications are correct at time of printing. Yale Appliance reserves the right to change product specifications or design without notice.

PURBS52PR1


Panel Ready Beverage & Wine Center | DUAL ZONE

YALE APPLIANCE

DIMENSIONS



STORAGE CAPACITY



TOTAL MAX CAPACITY: 72 CANS + 14 BOTTLES
*Do not exceed Max Capacity, avoid product damage and losing warranty validation

ETL LISTED US

ETL US Intertek

Domestic use only. Refrigeration, no freezing capability. Compressor included.

Specifications are for planning purposes only. Refer to installation instructions and consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product. Specifications are correct at time of printing. Yale Appliance reserves the right to change product specifications or design without notice.


PURBS52PR1

Panel Ready Beverage & Wine Center | DUAL ZONE


YALE APPLIANCE

DIMENSIONS

LINE DRAWING



POWER CORD



Domestic use only. Refrigeration, no freezing capability. Compressor included.

Specifications are for planning purposes only. Refer to installation instructions and consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product. Specifications are correct at time of printing. Yale Appliance reserves the right to change product specifications or design without notice.