




ITEM NO: IML-6030-KHK Extendable Trestle Dining Table

Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts that may come loose inside the carton during shipment.


WARNING! Before using this product, please read, understand, and follow these instructions. Failure to follow each of these assembly instructions precisely may result in damage to the product and / or injury to the consumer.



UNIT SHOULD BE INSTALLED BY 2 OR MORE PERSONS.



Option 1



Option 2

TOOLS REQUIRED (NOT PROVIDED)

PHILLIPS SCREWDRIVER


HARDWARE LIST:

No.	Description	Sketch	Quantity
A	Bolt Ø5/16 x 1-3/8"		24 PCS
B	Bolt Ø5/16 x 2"		4 PCS
C	Lock Washer Ø5/16"		28 PCS
D	Flat Washer Ø5/16" x 3/4"		28 PCS
E	Allen Wrench 5mm		1 PC

COMPONENTS LIST:

No.	Description	Sketch	Quantity
1	Table Top		1 PC
2	Leaf		2 PCS
3	Side Frame		2 PCS
4	Wood Stretcher		1 PC
5	Post		2 PCS

FUNCTIONALITY INSTRUCTION




FOR INDOOR USE ONLY




ITEM NO: IML-6030-KHK Extendable Trestle Dining Table

For OPTION 1:


STEP 1: Lay the table top face down on a soft surface. Attach the posts to table top by using 8 bolts(A), lock washers(C) and flat washers(D) with an allen wrench(E). Do not completely tighten bolts.



STEP 2: Attach the wood stretcher to side frames by using 2 bolts(B), lock washers(C) and flat washers(D) with an allen wrench(E). Do not completely tighten bolts.



STEP 3: Attach the wood stretcher to posts and attach side frames to table top by using 16 bolts(A), 2 bolts(B), lock washers(C) and flat washers(D) with an allen wrench(E) as shown below. Completely tighten all the bolts. Turn the assembled table to the upright position.





ITEM NO: IML-6030-KHK Extendable Trestle Dining Table

For OPTION 2:

STEP 4: Turn the table locks under the table top to the OPEN position as shown below. Fully extend both sides of table as shown below.

STEP 5: Place leaves in opening and push ends of table together to close the gaps in table top. Turn the table locks to the CLOSED position.

