

# Charcoal Filters

## Ductless Kits



**Charcoal filters are used for converting your range hood to ductless.**

This is when you are not ducting to the outside of your home. Charcoal filters are made of activated charcoal carbon that is designed to remove contaminants and impurities from the air before recirculating the air back into the home.

---

**Charcoal filters come in a set of 2. You may purchase additional replacements. It is best to replace your charcoal filters at least 6-8 months or less if needed.**

# **ZLINE Charcoal Filters**

## **For Recirculating/Ductless Option**

**ZLINE offers a ductless solution for homeowners without a pre-installed ducting system.**

**Charcoal Filters can be quickly installed in select range hoods to filter and recirculate the air out through the vents on the chimney.**





## Replacing the carbon filters in your range hood.

Carbon Filters are used to convert your range hood to ductless.  
You may contact us to purchase replacements.

Make sure the range hood is turned off before replacing carbon filters.



- 1.** First remove stainless steel or aluminum baffle filters located on the underside of your range hood to obtain access to the motor/blower.



- 2.** You will need both pieces of the carbon filters.



- 3.** Locate the two set screws on each side of the blower/motor and align eyelit on the carbon filter over the set screw.



- 4.** Rotate carbon filter to lock into place.



- 5.** Carbon filters should fit firmly to both sides of the motor/blower.



- 6.** Replacement is recommended after 130 hours of cooking or six months of operation. Replace more often if your cooking habits generate more grease.

For further assistance you may reach us at: 1-866-528-0571