

ACCESSORIES

Inlet Hose	WH41X10207 (Sold Separately)
Optional Dryer Rack Accessory	WE02X29449
Optional Pedestal Accessory	GFP1528SNWW (Sold Separately)
Optional Riser	GFR0728SNWW (Sold Separately)
Optional Side Vent Kit	GFA28DSVN
Optional Stacking Kit	GFA28KITN

APPEARANCE

Color Appearance	White
Door Style	See-Thru Glass Reversible Door
Handle	Pocket Handle
Installation	Undercounter, Stacked, Side-by-Side, Built-In, Pedestal True32 Closet Depth Power Cord Not Included
Trim/Accents	Dark Chrome/Dark Knob

CAPACITY

Total Capacity (cubic feet)	7.8 cu ft
------------------------------------	-----------

ECONOMICAL / QUIET

Quiet Package	Quiet-By-Design
----------------------	-----------------

FEATURES

Additional Cycles	<ul style="list-style-type: none"> Reduce Static Sanitize Steam Refresh Steam Dewrinkle Delay Dry - up to 24 hours Remote Start Air Fluff EcoDry
Additional Dryer Features	<ul style="list-style-type: none"> LED Interior Light Vent Sensing Front Serviceable Removable Up-Front Lint Filter Damp Alert Y-connector, short and long steam hoses included ecoDry
Additional Optional Cycles	<ul style="list-style-type: none"> Damp Alert Wrinkle Care
Connected Capabilities	<ul style="list-style-type: none"> Amazon Alexa IFTTT The Google Assistant Sonos
Control Type	<ul style="list-style-type: none"> Rotary-Electronic w/LEDs Power On/Off Start/Pause Capacitive Touch
Drum Type	Alcosta Aluminized Drum
Dryer Control Features	<ul style="list-style-type: none"> Control Lock Adjustable End-of-Cycle Signal LED Display Digital Cycle Countdown LED Indicators Remote Start Delay Dry - Up to 24 hours
Dryer Cycles	<ul style="list-style-type: none"> Mixed Loads Steam Refresh Steam Dewrinkle Timed Dry Cottons Towels Bulky / Bedding Sanitize Active Wear Quick Dry Delicates Perm Press

Dryness Levels	Extra Dry More Dry Dry Less Dry Damp
Dual Thermistors	Yes
Energy Saving Option	Yes - Eco Dry
Exhaust Options	4-Way (Rear; Right; Left & Bottom)
Flexible Installation	Undercounter, Stacked, Side-by-Side, Built-In
Front Serviceable	Yes
Fuel Type	Electric
Heat Selections	5
Leveling System	Adjustable Leveling Legs
Long Vent Capability	Up to 90 feet
Moisture Sensor	Sensor Dry
Number of Cycles	12
Pedestal	Optional
Product Type	Front Load Matching Stackable
Removable Up-Front Lint Filter	Yes with reminder light
Reverse-a-Door	Yes
Steam	Yes
Steam Dewrinkle	Yes
SteamRefresh	Yes
Style	Front-Loading

Temperature Options	High/Medium/Low/Extra Low/No Heat
Timed Dry	120 Minutes Presets (10,20,40,60,90) More Time + Less Time -
WiFi Connect	Built-In
Wrinkle Care Cycle	Yes

POWER / RATINGS

Volts/Hertz/Amps	120 V; 60 Hz; 6A
Volts/Watts/Amps	120V/240V,5600W,24A,60Hz or 120V/208V,4400W,22A,60Hz

WARRANTY

Labor Warranty	Limited 1-year entire appliance
Parts Warranty	Limited 1-year entire appliance
Warranty Notes	See written warranty for full details

WEIGHTS & DIMENSIONS

Approximate Shipping Weight	144 lb
Depth with Door Open 90°	54 1/2 in
Net Weight	134 lb
Overall Depth	32 in
Overall Height	39 3/4 in
Overall Width	28 in