# Dual Fuel Range, 48", 6 Burners with Griddle

Series 9 | Professional

Stainless Steel | LPG



With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe
- Gas cooktop with a griddle and six burners that deliver up to 19,000 BTU for fast boiling
- 6.9 cu ft total oven capacity across two oven cavities
- Use the food probe to monitor your cooking real time

#### DIMENSIONS

Height	35 3/4 - 36 3/4"
Width	47 7/8"
Depth	29 1/8″

#### FEATURES & BENEFITS

#### COOK WITH CONFIDENCE

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

#### GENEROUS CAPACITY

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

#### COOKING FLEXIBILITY

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

#### COOKTOP POWER

Sealed dual flow burners deliver cooktop power up to 19,000 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

#### DESIGN QUALITY

This range has craftsmanship in every detail, with real stainless

steel, cast-iron trivets, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

#### EASY TO CLEAN

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

#### SPECIFICATIONS

Accessories	
Adjustable feet covers	•
Branded coin end cap	•
Telescopic sliding runners	•

#### Accessories (sold separately)

Square handle option	AH-R48
----------------------	--------

#### **Burner ratings**

Maximum burner power	19000 BTU
Power back centre	13000BTU
Power back left	13000BTU
Power back right	13000BTU
Power front centre	15000BTU
Power front left	19000BTU
Power front right	15000BTU
Power griddle	15000BTU
Total cooktop power	103000 BTU

Capacity

#### QUICK REFERENCE GUIDE > RDV3-486GD-L

Shelf positions	5
Shelf positions	5
Total capacity (main oven)	4.8cu ft
Total capacity second oven	2.1cu ft
Usable capacity (main oven)	3.8cu ft
Cleaning	
Easy clean porcelain basepan	
Pyrolytic proof shelf runners	•
Controls	
Dial with illuminated halo	•
Dual control oven dials	•
High resolution display	•
Multi-language interface	•
Precise cooking with food	•
Recipe and food based	•
Sabbath mode	•
Tilting touch screen interface	•
Wi-Fi connectivity	
Gas Requirements	
Fitting and pipe	½ NPT, min. 5⁄8″ 🛛 flex line
Supply Pressure (LPG)	11" to 14" W.C
Oven features	
Auto re-ignition system	•
Concealed element	•
Electronic oven control	•
Food probe	•

Full extension telescopic
Internal light
Large broil pan
Self-clean proof side racks
True convection

#### **Oven functions**

Air fry Bake Broil Classic bake Clean Convection Broil Convection bake Dehydrate Maxi Broil Number of functions Pastry bake Pizza bake Rapid proof Roast Slow cook True convection Warm	
Broil Classic bake Clean Convection Broil Convection bake Dehydrate Maxi Broil Number of functions Pastry bake Pizza bake Rapid proof Roast Slow cook True convection	Air fry
Classic bake Clean Convection Broil Convection bake Dehydrate Maxi Broil Number of functions Pastry bake Pizza bake Rapid proof Roast Slow cook	Bake
Clean Convection Broil Convection bake Dehydrate Maxi Broil Number of functions Pastry bake Pizza bake Rapid proof Roast Slow cook True convection	Broil
Convection Broil Convection bake Dehydrate Maxi Broil Number of functions Pastry bake Pizza bake Rapid proof Roast Slow cook True convection	Classic bake
Convection bake Dehydrate Maxi Broil Number of functions Pastry bake Pizza bake Rapid proof Roast Slow cook True convection	Clean
Dehydrate Maxi Broil Number of functions Pastry bake Pizza bake Rapid proof Roast Slow cook True convection	Convection Broil
Maxi Broil Number of functions Pastry bake Pizza bake Rapid proof Roast Slow cook True convection	Convection bake
Number of functions Pastry bake Pizza bake Rapid proof Roast Slow cook True convection	Dehydrate
Pastry bake Pizza bake Rapid proof Roast Slow cook True convection	Maxi Broil
Pizza bake Rapid proof Roast Slow cook True convection	Number of functions
Rapid proof Roast Slow cook True convection	Pastry bake
Roast Slow cook True convection	Pizza bake
Slow cook True convection	Rapid proof
True convection	Roast
	Slow cook
Warm	True convection
	Warm

#### **Power requirements**

Amperage	50A
Rated current	50A
Supply frequency	60Hz
Supply voltage	120/208, 120/240V

## Height Width **Rangetop features** Sealed range top Vent trim included • **Rangetop Performance** Number of burners • ٠ **Recommended Back Guards Ventilation** . ٠ Combustible situation Non combustible situation BGRV2-3048 / BGRV2-1248 . 15 HCB48-12\_N (48" Professional Recommended hood . .

Product dimensions

Depth

.

Safety	
ADA compliant	•
Child lock	•
Secondary oven features	
3/4 Extension racks	2
Concealed element	•
Electronic oven control	•
Food probe	•
Internal light	•

### Secondary oven functions

35 3/4 - 36 3/4"

29 1/8″

47 7/8"

6

BGRV3-3048H

# FISHER & PAYKEL

#### QUICK REFERENCE GUIDE > RDV3-486GD-L

Parts and labor	Limited 2 years
Warranty	
Warm	•
Roast	
Rapid proof	•
Pizza bake	·
Pastry bake	•
Number of secondary oven	1'
Maxi broil	
Convection broil	
Convection bake	
Classic bake	
Bake	
Air fry	

SKU		82386

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

# Other product downloads available at fisherpaykel.com

<u>↓</u>	Service & Warranty
<u>+</u>	User Guide
<u>+</u>	Installation Guide
<u>↓</u>	Data Sheet Professional Range



# A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com