



The DolceVita 30" Dual Fuel Range mirrors its larger counterpart, offering exceptional performance and value in a standard size. With two professional burners and two high-powered sealed burners, this range is a perfect blend of functionality and elegance. The cooking surface boasts two heavy-duty, continuous cast iron grates, providing a spacious and versatile area for all your culinary creations.

The oven features a 4.34 cubic ft. (124 l) capacity. The cool-touch door ensure safety in the kitchen while maintaining a modern and stylish aesthetic. Thanks to dual true convection technology, users can experience enhanced cooking efficiency while ensuring even heat distribution for perfect results.

The convenience of a self-cleaning oven simplifies maintenance and ensures a consistently clean cooking environment.

COOKING SURFACE

- 2 Heavy Duty, continuous cast iron grates
- One piece, matte finish porcelain burner bowl
- 2 Dual-Flame Professional Burners
- 2 X 18,000 BTU max (NG)
- 2 Rapid Burners
- 2 X 15,000 BTU max (NG)
- Natural Gas (LP convertible)

OVEN


- Dual True Convection
- Self-cleaning oven with Multifunction baking
- Black Porcelain enamel interior
- Cool to the touch door
- Extra-large baking cavity and viewing area
- 3 Halogen lights for flawless visibility
- Total capacity 123 lt - 4,34 cu. ft.
- 2 chrome racks
- Enameled Broiler Pan


OVEN FUNCTIONS

- Bake
- Broil
- Roast
- Convection
- True Convection
- Dehydrate
- Electronic cooking programmer
- Self-Clean
- Sabbath Mode

CONTROL PANEL			
Control Type	6 knobs		
Display: Clock - Temperature - Function	White LED		
GAS COOKTOP FEATURES			
	Electric Flame Ignition and Re-ignition	L.P. Conversion Kit	Top Mount Injectors
	Flame-out sensing	Dual Crown Aluminum Burner	Pressure Regulator
Type	GAS (NG or LP)		
Cooking Zones	4		
Burners types	Dual Flame/Rapid Burners		
Power Front-L, Rear-R (Max/Min) G20 - 5" (NG)	15000 (BTU/h) - 4400W / 2200 (BTU/h) - 645W		
Power Rear-L, Front-R (Max/Min) G20 - 5" (NG)	18000 (BTU/h) - 5300W / 950 (BTU/h) - 275W		
Power Front-L, Rear-R (Max/Min) G31 - 10" (LP)	12000 (BTU/h) - 3500W / 2200 (BTU/h) - 645W		
Power Rear-L, Front-R (Max/Min) G31 - 10" (LP)	15000 (BTU/h) - 4400W / 950 (BTU/h) - 275W		
OVEN			
Oven Type	Multifunction 2 Fans (True Euro Conv.)		
Temperature Regulation	Electronic		
OVEN FUNCTIONS			
	Pyrolytic Self-Clean with automatic door latch	Pizza (Lower Convection)	Proof (Warm)
	True European Convection Bake (Multi level)	Bake	Broil
	Dehydrate	Thaw (Defrost)	Convection Broil
	Convection Roast	Oven Lights	Keep warm (Warm Plus)
	Preset/Last Used Temperature Memory	Preheat bar (25%, 50%, 75%, 100%)	Automatic Fast Preheat
	°F Degree unit	Sabbath Mode	Hour Clock Formats AM/PM
	Fast Preheat		
OVEN CAVITY			
Total Capacity	4,34 cu. ft.	123 lt	
Cavity Enamel Color	Black		
Rack Positions	6		
Oven Lights	2x20W Halogen		
HEATING ELEMENTS (@240V)			
Broil Upper Heating Element	3500 W		
Upper Auxiliary Element Wattage	1032 W		
Concealed Bake Lower Heating Element	3000 W		
Convection Element	2 x 1300 W		
OVEN ACCESSORIES			
Chrome Racks	2		
Enameled Grill set (basin + anti splash)	1		
Telescopic Chrome Rack	Only as optional ACCESSORY		
Meat Probe	Only as optional ACCESSORY		
DIMENSIONS			
Overall dim - Width	29 - 3/4"	758 mm	
Overall dim - Height (min - max)	36 - 2/4", 38 - 3/8"	925 mm - 974 mm	
Overall dim - Depth	29 - 3/4"	756 mm	
POWER / RATINGS (208/240 V, 60 HZ)			
kW / Amps rating at 120-240V, 60Hz	3.84 kW - 16.9 A		
kW / Amps rating at 120-208V, 60Hz	3.54 kW - 17.5 A		
Power Cable	Nema 14-50P		

MEASUREMENTS





****NOTE:** Ensure your installation also complies with local and national building and fire codes. If the surface of the entire back wall above the range and below the hood is not composed of a non-combustible material then the 9" accessory back guard must be used.

***Consult** local code for exact location requirements.