

Product data sheet

CONSTRUCTION TYPE

Freestanding appliance	•
Door hinging	right
Convertible hinging	•

DESIGN

Casing colour	Stainless steel look
Front colour	CleanTouch Steel
Fridge section lighting	LED

USER CONVENIENCE

DynaCool	•
ComfortClean	•
NoFrost	•
DuplexCool	•
VarioRoom	•
SoftClose	•
Door opening aid	EasyOpen lever handle

CONTROLS

User interface	TouchControl
Switch for fridge compartment	•

Independent temperature regulation of fridge and freezer compartments

SuperCool	•
------------------	---

SuperFrost	•
-------------------	---

Number of temperature zones	2
------------------------------------	---

Sabbath mode	•
---------------------	---

FRIDGE / FRIDGE SECTION

Door rack for bottles	1
------------------------------	---

Number of shelves	4
--------------------------	---

Chrome metal bottle rack	•
---------------------------------	---

of which on castors	2
----------------------------	---

Half-width storage shelves	4
-----------------------------------	---

FREEZER / FREEZER SECTION

Number of freezer drawers	3
----------------------------------	---

SAFETY

Acoustic temperature alarm	•
-----------------------------------	---

Safety lock	•
--------------------	---

Acoustic door alarm	•
----------------------------	---

Acoustic temperature alarm, freezer section	•
--	---

Optical door alarm	•
---------------------------	---

Optical temperature alarm	•
----------------------------------	---

Power cut indication for freezer section	•
---	---

TECHNICAL DATA

Replacing lamps	Customer Service
Number of phases	1
Appliance width in mm	29 5/8 (750)
Appliance height in mm	79 5/8 (2020)
Appliance depth in mm	24 7/8 (630)
Weight in lbs (kg)	250 (113.0)
Total usable capacity in l	15.96 (452) ft³ (l)
Storage time in case of fault in h	24
Current consumption in milliamps (mA)	2500
Voltage in V	115
Fuse rating in A	15
Frequency in Hz	60
Length of power cable in m	7 (2.4)
Climate class	SN-T

ACCESSORIES SUPPLIED

Butter dish	•
Egg tray	•
Cool pack	•
Ice cube tray	•

APPLIANCE CATEGORY

Fridge / freezer	•
------------------	---