# Archer® | K-2359-8

24" rectangular pedestal bathroom sink

## Features

- 8" (203 mm) widespread faucet holes
- Classic rectangular basin
- Overflow drain
- Combination consists of basin and pedestal
- Coordinates with other products in the Archer collection



## Available Colors/Finishes

*Color tiles intended for reference only.*

| | | |
|---|---|---|
| | 0 | White |
| | 96 | Biscuit |
| | 7 | Black Black |
| | 71 | Seafoam Green |
| | 97 | Timberline |



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-30-2026 5:8 - US-CA

THE BOLD LOOK OF KOHLER.

## Codes/Standards

ASME A112.19.2/CSA B45.1

## Technical Information

| | |
|---|---|
| Number of Deck Holes: | 3 |
| Faucet Hole(s) Size: | 1-3/8" (35 mm) |
| Center(s): | 8" (203 mm) |
| With Overflow: | Yes |
| Drain Hole Diameter: | 1-3/4" (44 mm) |
| Basin Configuration: | Single Bowl |
| Basin Length: | 16-1/4" (413 mm) |
| Basin Width: | 11-15/16" (303 mm) |
| Basin Depth: | 6-1/4" (159 mm) |

## Material

- Vitreous china

## Included Combo Skus

- K-2358-8 24" rectangular pedestal bathroom sink
- K-2357 Pedestal only

## Recommended Products/Accessories

K-23726 Drain treatment

K-7605-P Pair 3/8" NPT angle supplies with stop, cross handle and annealed vertical tube

K-8998 Adjustable P-trap with tubing outlet, 1-1/4" x 1-1/4"

K-23725 Cast iron cleaner

## Warranty


*See website for detailed warranty information.*

KOHLER® Vitreous China Bathroom Sink Lifetime Limited Warranty



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-30-2026 5:8 - US-CA

THE BOLD LOOK OF KOHLER.




## Installation

- Pedestal

## Installation Notes

*Install this product according to the installation instructions.*

Product dimensions are nominal and may vary per ASME A112.19.2 tolerances.



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-30-2026 5:8 - US-CA

THE BOLD LOOK OF KOHLER.