

## DIMENSIONS



## SUMMARY

### CAPACITY

25.5 cu.ft.

### MEASUREMENTS (WXHxD)

35 3/4" x 70 1/4" x 29 1/8"

INSTAVIEW®

Yes

THINQ®

Yes

## CAPACITY

Refrigerator (cu.ft.)	16.9	Freezer (cu.ft.)	8.6
Total Capacity (cu.ft.)	25.5		

## ENERGY

ENERGY STAR® Qualified	Yes	Energy Consumption (kWh/year)	699
------------------------	-----	-------------------------------	-----

## WATER & ICE SYSTEM

Ice & Water Dispenser	Yes	Water Dispenser UVnano	Yes
In-door Ice Maker	Yes (1)	In-door Ice maker Ice Type	Cubed/Crushed
In-door Ice maker Daily Production	3.0/3.3(IcePlus) lbs.	In-door Ice maker Storage Capacity	3.0 lbs.
No. Freezer Ice maker	Yes (2)	Freezer Ice maker Ice Type	Craft & Mini Cubed
Freezer Ice maker Daily Production	3 or 6 ea 1.5/1.7 (IcePlus) lbs.	Freezer Ice maker Storage Capacity	27 ea/4.0 lbs.
Ice Plus	Yes	Filtration System	1 stage
Filter	LT1000P	Dispenser Light Decoration	Yes

## COOLING

Compressor Type	Smart Inverter	Evaporator	Yes (1)
-----------------	----------------	------------	---------

Multi Air Flow Cooling	Yes	Temperature Sensors	3
------------------------	-----	---------------------	---

CONVENIENCE

Display Type	Smooth Touch Control/White LED	Temperature Controls	Electronic/Digital
Door Alarm	Yes	Child Lock	Yes
Auto Closing Door Hinge	Yes	Sabbath Mode	Yes
ADA Compliant	Yes		

REFRIGERATOR

No. of Shelves	4 Split (3 Fixed+1 Retractable)	Shelf Construction	Spill Protector/Tempered Glass
Shelf Trim	Metallic Decor	No. of Crisper Bins	2
Pantry (Glide N Serve)	Yes (Temp. Control)	CoolGuard™	Yes
Fresh Air Filter	Yes	Light	Yes
Light (Back lit lighting)	Yes		

REFRIGERATOR DOOR

No. of Bins	4 (Left Door), 4 (Right Door)	Door Shape	Flat
Handle Type	Pocket	Handle Light	Yes

FREEZER

Door Type	Pull Drawer	Drawers/Shelves	3-Tier Organization
DuraBase™ Solid Drawer Base	Yes	Freezer Light Upper	LED Lighting
Freezer Handle	SmartPull™ Handle		

## SMART TECHNOLOGY

Smart Diagnosis	Yes	Wi-Fi	Yes
ThinQ®	Yes	ThinQ® Care	Yes

## MATERIALS & FINISHES

Hidden Hinges	Yes	All Available Colours	Smudge Resistant Stainless Steel Smudge Resistant Black Stainless Steel
Insulation	Low GWP and Zero ODP Blowing Agent		

## DIMENSIONS/CLEARANCES/WEIGHTS

Product (W x H x D)	35 3/4" x 70 1/4" x 29 1/8"	Width	35 3/4"
Height (to Top of Hinge)	70 1/4"	Depth (with Handles)	29 1/8"
Width (Door Open 90° without Handle)	40"	Width (Door Open 90° with Handle)	44 7/8"
Width (Door Fully Open without Handle)	56 3/4"	Height (to Top of Case)	68 7/8"
Depth without Door	24 3/4"	Depth without Handles	29 1/8"
Depth (to Hinge Cover)	18 1/4"	Depth (Total with Door Open)	43 5/8"
Depth (Draw Open Fully without Handle)	48 7/8"	Installation Clearance	Sides 1/8", Top 1", Back 2"
Carton Dimensions (WxHxD)	38" x 72" x 31"	Weight (Unit/Carton)	291lbs./313lbs.

## LIMITED WARRANTY

Parts & Labour	1 Year	Sealed System (Parts only)	7 Years
----------------	--------	----------------------------	---------

Compressor (Parts Only)

10 Years

UPC

LRYXC2606S

195174037690