

PWLCL136SS

PRO Canopy Hood

YALE
APPLIANCE





For homeowners who are passionate about the culinary arts, the seamless welded corner craftsmanship, traditional styling and gleaming stainless steel of this hood, provides the look and performance expected from a professional-grade range hood.

With the new backlit hidden knob controls and traditional baffle filters, it is available in 36" and equipped with a 1200 CFM blower to support all cooking needs. Designed for standard ducted ventilation only.

MOUNTING HEIGHT RANGE

± ±
≥ 24" ≥ 30"



SPECIFICATIONS

Width:	36" Unit
Model:	PWLCL136SS
Dimensions:	36"W x 25"D x 18"H
Blower Type(internal):**	1200 CFM(4-speed)
Noise (sones):**	2 - 8.5 Sones
Finish:	Stainless Steel
Controls:	Fully Retractable Rotating Knobs with White Backlighting
Illumination: (Replaceable Lamps 1 Intensity)	2 LED, 6.5 Watts 3000 KELVIN 540 LUMEN/Lamp
Grease Filter:	(2) Grease Collecting Stainless Steel Baffle
Duct Transition:	8" Round with Backdraft Damper (top and rear)
Installation Type:	Ducted or Recirculating with Kit
Mounting Height Range:	Electric ≥ 24", Gas ≥ 30"
Electrical:	120V - 60 Hz, 913 Watts
ACCESSORIES:	
Long Chimney Ext. 6":	ACC02158
Long Chimney Ext. 12":	ACC02161
Heat Lamp w/2 175W bulbs:	ACC0155107
Stainless Steel Backsplash:	ACC0142867
External Blower Shell Kit:	ACC0179547 (8" or 10" duct size compatible, only for 1200 CFM models)
Inline Blower Shell Kit:	ACC0179549 (8" or 10" duct size compatible, only for 1200 CFM models)
RECIRCULATING KITS:	
Carbon Filters:	ACC0192765 (Contains 4 round carbon filters)
Deflector:	ACC0192763 (8" round metal deflector for 1200 CFM models)
WARRANTY:	Two (2) years parts & in-home labor

FEATURES



QUIET SYSTEM - Specialized technology that allows reducing sound levels of your hood, which can effectively decrease noise by more than 35%.



Grease Collecting Baffle Filters - Intended for high airflow cooking. Their "S" shape design and Stainless Steel finish is crafted to capture significant amounts of grease.



Thermal barrier - The system detects extreme temperatures above 158 degrees and automatically increases the blower speed to HIGH.



AIR FLOW CONTROL - AFC technology enables the user to reduce the maximum blower CFM achieving <300 CFMs, to meet local code requirements.



Fine precision - Constructed with great attention to detail with High-quality stainless steel, result in a seamless and flawless finish.



Superior performance - High performance ventilation with a 1200 CFM blower.

AIRFLOW CONTROL

Air Flow Control technology enables the user to reduce the maximum blower CFM of your hood achieving <300 CFMs, to meet local code requirements.

This model includes an Electronic Bypass Kit that needs to be placed at the moment of installing.