



<i>EAN code</i>	<i>8034122370590</i>
<i>Model Code</i>	<i>FNVUX30W6SS-R Wall - 30" (76 cm) - Inox - 600 CFM</i>
<i>Collection</i>	<i>Silence - NRS</i>

**FEATURES AND PROPERTIES**

<i>Materials/Finishes</i>	<i>Scotch brite stainless steel</i>
<i>Lighting</i>	<i>Strip LED</i> <i>Dynamic Light (2700K - 5600K)</i>
<i>Control</i>	<i>Electronic control</i>
<i>Installation type</i>	<i>Wall</i>
<i>Ducting type</i>	<i>External ducting/Recirculating</i>
<i>Filters</i>	<i>Metallic grease filter, removable and washable</i> <i>Baffle filter, removable and dishwasher safe</i> <i>Charcoal filter (optional)</i>
<i>Dimensions</i>	<i>30 in</i>
<i>Features</i>	<i>SRS Speed reduction system</i> <i>NRS technology for a quieter kitchen</i> <i>Automatic cut-off timer</i>

**ELECTRICAL CONNECTION AND CONSUMPTION**

<i>Maximum consumption</i>	<i>340W</i>
<i>Voltage/Frequency</i>	<i>110-120V 60Hz</i>
<i>Connection type</i>	<i>Hood comes standard with Nema 5-15P power cord</i>

BLOWER PERFORMANCE

Motor 600 CFM

TECNICAL SPECS OF COOKERHOOD WITH 600 CFM NRS MOTOR

Motor Speed	SRS 2*		SRS 3*	
	1	2	3	4
CFM (rated at the motor)	210	295	395	600
Sones (estimated value)	1	2	3	4.25
Duct Size	6"	6"	6"	6"

\*If activated SRS has 2 settings; 3 speed max & 2 speed max


WEIGHTS AND DIMENSIONS

Gross weight 77 lbs


Net weight 58 lbs

Packaging dimensions L 41 in H 24 in D 30 in


Notes Recommended mounting height from cooking surface to hood bottom: 24" - 35"



Top view



Frontal view



Side view