

Your exclusive advantages

SPECIAL FEATURES (3)

USER CONVENIENCE (6)

MAINTENANCE (2)

Product data sheet

CONSTRUCTION TYPE AND DESIGN

ArtLine	•
VitroLine	•
Built-in coffee machine	•
Colour	Stainless steel/CleanSteel

DRINK SPECIALITIES

Drink portion size in ml	20-300
White tea, single	•
Japanese tea, single	•
Chai latte, single	•
Ristretto, double	•
Espresso, double	•
Coffee, double	•
Long coffee, double	•

Cappuccino, double	•
Latte macchiato, double	•
Hot milk, double	•
Milk froth, double	•
Espresso macchiato, double	•
Capuccino Italiano, double	•
Flat white, double	•
Café au lait, double	•
Caffè latte, double	•
Caffè Americano, double	•
Long black, double	•
Warm water, double	•
Hot water, double	•
Black tea, double	•
Herbal tea, double	•
Fruit tea, double	•
Green tea, double	•
White tea, double	•
Japanese tea, double	•
Chai latte, double	•
Espresso, single	•
Coffee, single	•
Long coffee, single	•
Ristretto, single	•
Capuccino, single	•
Latte macchiato, single	•
Caffè latte, single	•
Hot water, single	•

Espresso macchiato, single	•
Capuccino Italiano, single	•
Café au lait, single	•
Flat white, single	•
Long black, single	•
Caffè Americano, single	•
Warm water, single	•
Green tea, single	•
Black tea, single	•
Herbal tea, single	•
Fruit tea, single	•
Tea pot	•
Hot milk, single	•
Milk froth, single	•
Coffee jug	•

CONVENIENCE FEATURES

AromaticSystemFresh	•
TeaTimer	•
OneTouch preparation	•
OneTouch for Two preparation	•
DoubleShot	•
Flavour-preserving conical grinder	•
Programmable user profiles	10
Adjustable grinding grade	•
Programmable quantity of coffee	•
Programmable water quantity	•

Programmable water temperature •**Programmable amount of milk •****Programmable amount of milk froth •****Programmable pre-brewing •****USER CONVENIENCE****Performance mode •****EasyClick milk flask •****Number of bean types 1****Number of bean containers 2****Total bean container capacity in g 21.16 (600)****Milk container capacity in l 0.7****Drip tray capacity in l 54.1 (1.6)****Time synchronization •****Individual settings •****Capacity of bean container B in g 300****Display DirectSensor****Language Options •****Time-of-day display •****Date display •****CupSensor •****Height-adjustable central spout, min. range in cm 1 5/8 (4.0)****Height-adjustable central spout, max. range in cm 6 1/2 (16.5)****BrilliantLight •****ComfortDoor •****Hidden door handle •**

Easily accessible supply containers	•
--	---

Removable bean containers	•
----------------------------------	---

Capacity of bean container A in g	300
--	-----

Water container capacity in l	91.3 (2.7)
--------------------------------------	------------

Programmable switch-on time	•
------------------------------------	---

Programmable switch-off time	•
-------------------------------------	---

Programmable standby time	•
----------------------------------	---

Expert mode	•
--------------------	---

Networking with Miele@home	•
-----------------------------------	---

Waste container capacity in capsules	17
---	----

CLEANING CONVENIENCE

Manual descaling	•
-------------------------	---

Stainless steel front with CleanTouch Steel finish	•
---	---

Convenient cleaning programs	•
-------------------------------------	---

Automatic rinse function	•
---------------------------------	---

Automatic rinsing of milk pipework with water from the water container	•
---	---

ComfortClean	•
---------------------	---

Removable milk pipework	•
--------------------------------	---

Removable brew unit	•
----------------------------	---

Adjustable water hardness	•
----------------------------------	---

EFFICIENCY AND SUSTAINABILITY

Power rating in standby mode in W	0.6
--	-----

Power rating in networked standby in W	0.9
---	-----

Time until automatic switch-off in min	20
---	----

Time until automatic switch to standby in min	20
--	----

Time until automatic switch to networked standby in min	20
--	----

Selectable energy-saving Eco mode	•
--	---

SAFETY

System lock	•
--------------------	---

TECHNICAL DATA

Minimum niche width in mm	22 1/8 (560)
----------------------------------	--------------

Maximum niche width in mm	22 3/8 (568)
----------------------------------	--------------

Minimum niche height in mm	17 3/4 (450)
-----------------------------------	--------------

Maximum niche height in mm	17 7/8 (452)
-----------------------------------	--------------

Niche depth in mm	19 3/4 (500)
--------------------------	--------------

Appliance width in mm	23 1/2 (595)
------------------------------	--------------

Appliance height in mm	18 (455)
-------------------------------	----------

Appliance depth in mm	18 3/4 (475)
------------------------------	--------------

Depth with door open in cm	42 5/8 (108.0)
-----------------------------------	----------------

Total rated load in kW	1.450
-------------------------------	-------

Voltage in V	120
---------------------	-----

Fuse rating in A	15
-------------------------	----

Number of phases	1
-------------------------	---

Length of power cable in m	6 (2.0)
-----------------------------------	---------

ACCESSORIES SUPPLIED

Glass milk container	•
Descaling tablets	•
Cleaning tablets	•
Milk pipework cleaner	•
Miele coffee 250 g	•