



HOSHIZAKI

HOSHIZAKI FOODSERVICE EQUIPMENT


EXCEPTIONAL DESIGN WITH SUPERIOR FEATURES AND BENEFITS



BEYOND STRONG.





TYPES OF ICE



KMEdge™ Crescent Cube
Individual, hard, clear crescent shape



AM - Top Hat Cube
Individual, hard, clear round shape



Flaked Ice
Soft, light, chewable
moldable ice



Cubelet Ice
Chewable, soft, small
pellet shape




SPECIALTY - 1by1 Cube
Individual, hard, clear square shape



SPECIALTY - 2by2 Cube
Individual, hard, clear square shape



SPECIALTY - Sphere
1.8" in diameter, clear and solid



ICE MACHINES

UNDERCOUNTER CUBERS with BUILT-IN BINS



AM-50

KM-116* / 160

KM-301

- AM-50(DS) 14.8"W x 22.6"D x 33.5"H Up to 55 lbs./24 Hrs.
- AM-50 (AD) (ADDS) 14.8"W x 22.6"D x 33.5"H Up to 55 lbs./24 Hrs.
- KM-81* 17.8"W x 24"D x 39"H Up to 78 lbs./24 Hrs.
- KM-116* 23.8"W x 24"D x 39"H Up to 125 lbs./24 Hrs.
- KM-161 23.8"W x 28"D x 39"H Up to 163 lbs./24 Hrs.
- KM-231 24"W x 28"D x 39"H Up to 213 lbs./24 Hrs.
- KM-301 30"W x 28"D x 39"H Up to 290 lbs./24 Hrs.

KMEdge X™ CUBERS



BINS SOLD SEPARATELY

- ▶ Individual crescent cubes
- ▶ Factory-installed ultrasonic bin control
- ▶ Simple, one-hour cleaning

- KM-350* 22"W x 27.4"D x 28"H Up to 489 lbs./24 Hrs.
- KM-520* 22"W x 27.4"D x 28"H Up to 556 lbs./24 Hrs.
- KM-660* 22"W x 27.4"D x 28"H Up to 669 lbs./24 Hrs.



KM-350* / 520* / 660 on B-300



B-700

B-300

B-1150SS

ICE STORAGE BINS

- ▶ Scoop protected by H-GUARD Plus Antimicrobial Agent
- ▶ Seamless polyethylene bin liner for sanitary storage
- ▶ Sealed door gasket reduces risk of airborne bacteria

- B-250SF 30"W x 32.5"D x 33.4"H
- B(D)-300SF 22"W x 32.5"D x 46"H
- B(D)-500SF 30"W x 32.5"D x 46"H
- B-700SF 44"W x 32.5"D x 46"H
- B-800SF 48"W x 32.5"D x 46"H
- B-900SF 52"W x 32.5"D x 46"H
- B-1150SS 48"W x 41"D x 60"H
- B-1300SS 22"W x 24.6"D x 28"H
- B-1500SS 60"W x 41"D x 62"H
- B-1650SS 60"W x 41"D x 66"H



Energy Star qualified products meet strict energy-efficiency specifications set by the U.S. EPA helping you save energy and money while protecting the environment.

MODULAR CUBERS

BINS SOLD SEPARATELY



KM-901 /KM-1100 on B-500
KM-1340 /KM-1601M on B-900

- ▶ Individual crescent cubes
- ▶ Durable stainless steel evaporator
- ▶ CycleSaver™ design for longer equipment life

- **KM-901** 30"W x 27.4"D x 32.5"H Up to 950 lbs./24 Hrs.
- **KM-1100** 30"W x 27.4"D x 32.5"H Up to 1156 lbs./24 Hrs.
- **KM-1340** 30"W x 27.4"D x 41.5"H Up to 1428 lbs./24 Hrs.
- **KM-1601** 30"W x 27.4"D x 41.5"H Up to 1653 lbs./24 Hrs.

STACKABLE CUBERS

BINS SOLD SEPARATELY

- ▶ Stackable for 2-3 times the ice production
- ▶ Stainless steel evaporator
- ▶ CycleSaver™ design for longer equipment life



KM-1900 on B-900

- **KM-1301** 48"W x 27.4"D x 27.4"H Up to 1433 lbs./24 Hrs.
- **KM-1601** 48"W x 27.4"D x 27.4"H Up to 1671 lbs./24 Hrs.
- **KM-1900** 48"W x 27.4"D x 36.9"H Up to 1933 lbs./24 Hrs.
- **KM-2200** 48"W x 27.4"D x 36.9"H Up to 2221 lbs./24 Hrs.
- **KM-2600** 48"W x 27.4"D x 36.9"H Up to 2617 lbs./24 Hrs.

LOW-PROFILE CUBERS

BINS SOLD SEPARATELY

- ▶ Better fit in tight spaces
- ▶ CycleSaver™ design



KML-325/500 on B-500
KML-700 on B-500

- **KML-325** 30"W x 27.4"D x 22"H Up to 385 lbs./24 Hrs.
- **KML-500** 30"W x 27.4"D x 22"H Up to 543 lbs./24 Hrs.
- **KML-700** 30"W x 27.4"D x 26"H Up to 756 lbs./24 Hrs.

HIGH-CAPACITY CUBER

BIN SOLD SEPARATELY



KMH-2100
36"W x 40"D x 36.4"H
Up to 2060 lbs./24 Hrs.

SPECIALTY ICE

- ▶ Individual 2" square cubes
- ▶ Increase revenue per cocktail
- ▶ Small footprint easily fits under a bar

- ▶ Individual 1" square cubes
- ▶ Versatile enough for all beverages
- ▶ Perfect for preparation & presentation
- ▶ Available in two sizes (200 lb./500 lb.)

- ▶ 1.8" spheres in diameter, clear and solid
- ▶ Increase revenue per cocktail
- ▶ Perfect amount of chilling with minimal dilution
- ▶ Small footprint easily fits under bar counter

- **IM-200** 44"W x 27.6"D x 21.4"H Up to 385 lbs./24 Hrs.
- **IM-500** 30"W x 27.4"D x 22"H Up to 543 lbs./24 Hrs.
- **IM-50BAA-Q** 24.8"W x 20.8"D x 39.5"H Up to 50 lbs./24 Hrs.
- **IM-50BAA-LM** 19.8"W x 17.8"D x 39.5"H Up to 50 lbs./24 Hrs.



IM-50BAA-LM
2by2 Cube



IM-200
1by1 Cube



IM-50BAA-Q
Sphere



IM-500 on B-800
1by1 Cube
BIN SOLD SEPARATELY

MODULAR FLAKERS / CUBELET

BINS SOLD SEPARATELY

- ▶ Durable stainless steel exterior
- ▶ Advanced CleanCycle24™ design
- ▶ Stainless steel auger with greaseless bearing



F-450(-C) on B-300
F-1002(-C) on B-500
F-1501(-C) on B-900

- **F-450** -C 22"W x 27.4"D x 22"H Up to 450 lbs./24 Hrs.
- **F-450** -C 22"W x 27.4"D x 22"H Up to 492 lbs./24 Hrs.
- **F-801** 22"W x 27.4"D x 26"H Up to 751 lbs./24 Hrs.
- **F-801** -C 22"W x 27.4"D x 26"H Up to 690 lbs./24 Hrs.
- **F-1002** 22"W x 27.4"D x 26"H Up to 1028 lbs./24 Hrs.
- **F-1002** -C 22"W x 27.4"D x 26"H Up to 890 lbs./24 Hrs.
- **F-1501** 30"W x 27.4"D x 34.4"H Up to 1705 lbs./24 Hrs.
- **F-1501** -C 30"W x 27.4"D x 34.4"H Up to 1376 lbs./24 Hrs.
- **F-2001** 30"W x 27.4"D x 34.4"H Up to 2098 lbs./24 Hrs.
- **F-2001** -C 30"W x 27.4"D x 34.4"H Up to 1832 lbs./24 Hrs.

UNDERCOUNTER FLAKERS / CUBELET with BUILT-IN BINS

- ▶ Durable stainless steel exterior
- ▶ Stainless steel auger with greaseless bearing



C-80
F-330(-C)
F-300 / 500

- **C-80(PS)** 14.9"W x 22.6"D x 33.5"H Up to 80 lbs./24 Hrs.
- **C-80(AD)(ADDS)** 14.9"W x 22.6"D x 31.5"H Up to 80 lbs./24 Hrs.
- **F-330** 24"W x 26"D x 39"H Up to 332 lbs./24 Hrs.
- **F-330** -C 24"W x 26"D x 39"H Up to 228 lbs./24 Hrs.
- **F-300** 36"W x 24.3"D x 39.3"H Up to 353 lbs./24 Hrs.
- **F-500** 38"W x 29"D x 42"H Up to 536 lbs./24 Hrs.

See Catalog & Price Guide for complete list.

DISPENSER SERIES CUBERS

DISPENSERS SOLD SEPARATELY

- Designed for dispensing applications
- Individual crescent cubes



KMD-410



KMD-460 / 530

- **KMD-410** 22"W x 24"D x 24"H Up to 440 lbs./24 Hrs.
- **KMD-460** 30"W x 24.3"D x 22.2"H Up to 487 lbs./24 Hrs.
- **KMD-530** 30"W x 24.3"D x 22.2"H Up to 560 lbs./24 Hrs.
- **KMD-860** 30"W x 24.6"D x 28"H Up to 967 lbs./24 Hrs.

SERENITY SERIES

- Quieter operation

- **KMS-822** 22"W x 24.6"D x 28"H Up to 851 lbs./24 Hrs.
- **KMS-1122*** 22"W x 18.2"D x 31.3"H Up to 1151 lbs./24 Hrs.
- **KMS-1402** 30"W x 24"D x 28"H Up to 1501 lbs./24 Hrs.
- **KMS-2000** 30"W x 24"D x 32.8"H Up to 1938 lbs./24 Hrs.

DISPENSER SERIES CUBELET

DISPENSER SOLD SEPARATELY

- Chewable ice for dispensers
- Stainless steel auger with greaseless bearings



FD-650-C*



FD-1002-C

- **FD-650-C*** 22"W x 24"D x 26"H Up to 634 lbs./24 Hrs.
- **FD-1002-C** 22"W x 24"D x 26"H Up to 890 lbs./24 Hrs.

SERENITY SERIES

- Quieter operation

- **FS-1001-C** 30"W x 11"D x 26"H Up to 851 lbs./24 Hrs.
- **FS-1022-C** 22"W x 16.5"D x 26"H Up to 851 lbs./24 Hrs.
- **FS-1501-C** 30"W x 16.5"D x 34 1/4"H Up to 1386 lbs./24 Hrs.

ICE and WATER DISPENSERS

STANDS SOLD SEPARATELY



- Durable stainless steel exterior
- Advanced CleanCycle24™ design
- Opti-Serve option for hands-free operation

- **DCM-271(-OS)** 16.6"W x 24.3"D x 31.8"H Up to 257 lbs./24 Hrs.
- **DCM-300(-OS)** 26"W x 22.5"D x 40"H Up to 321 lbs./24 Hrs.
- **DCM-500(-OS)** 30"W x 16.5"D x 29"H Up to 618 lbs./24 Hrs.
- **DCM-751/752(-OS)** 34.1"W x 28.5"D x 48.1"H Up to 801 lbs./24 Hrs.

DCM-751
on **SD-752**



DISPENSER STANDS

- Heavy duty stands for floor model icemakers/dispensers
- Corrosion resistant stainless steel exterior
- Easy cleaning with attractive appearance

- **SD-200** 30"W x 28"D x 32.8"H
- **SD-500** 25.9"W x 22"D x 32.4"H
- **SD-271** 16.5"W x 24"D x 35.2"H
- **SD-750** 34"W x 28"D x 32.4"H



SD-271



SD-500

MODwater WATER DISPENSER



- Four water options: Chilled, Alkaline, Hot, and Sparkling
- High capacity flow (20 gal/hour sparkling & chilled)
- Attractive modern design with LED touch buttons
- Designed to fit on C-80 or AM-50

- **DWM-20A** 14.88"W x 21.75"D x 16.63"H

Installation kit included
CO₂ tank must be sourced from local vendor

DISPENSERS



DKM-500*

30"W x 28"D x 77"H

Up to 545 lbs./24 Hrs.



DB-130

22"W x 30"D x 53"H

130 lbs. ice storage capacity



DB-200

30"W x 30"D x 53"H

200 lbs. ice storage capacity



DM-200

30"W x 28"D x 36.4"H

200 lbs. ice storage capacity



DM-4420N

22"W x 30.5"D x 40"H

REFRIGERATION

REFRIGERATORS & FREEZERS

STEELHEART



- ▶ Maximum interior storage capacity with smallest external footprint
- ▶ Stainless steel interior and exterior front, sides and top
- ▶ Unique ducted air distribution system

- R1A-FS(L)* / F1A-FS(L) 27.5"W x 33.5"D x 79.5"H
- R1A-HS(L)* / F1A-HS(L) 55"W x 33.5"D x 79.5"H
- R2A-FS / F2A-FS 55"W x 33.5"D x 79.5"H
- R2A-HS / F2A-HS 55"W x 33.5"D x 79.5"H
- R2A-FSN / F2A-FSN 52"W x 33.5"D x 79.5"H
- R3A-FS / F3A-FS 82.5"W x 33.5"D x 79.5"H

- R3A-HS / F3A-HS 82.5"W x 33.5"D x 79.5"H
- R1A-FG / F1A-FG 27.5"W x 34.5"D x 79.5"H
- R1A-HG / F1A-HG 27.5"W x 34.5"D x 79.5"H
- R2A-FG / F2A-FG 55"W x 34.5"D x 79.5"H
- R2A-HG / F2A-HG 55"W x 34.5"D x 79.5"H
- R3A-FG* / R3A-HG* 82.5"W x 34.5"D x 79.5"H


DUAL-TEMPS

- ▶ Refrigerator/Freezer combinations for maximized space
- ▶ Stainless steel interior and exterior front, sides and top
- ▶ Environmentally friendly R290 Refrigerant



- DT1A-HS 27.5"W x 35"D x 79.5"H
- DT2A-FS 55"W x 33.5"D x 79.5"H

ROLL-IN & ROLL-THRUS



- RN1A-FS 35"W x 34.5"D x 87.5"H
- RN2A-FS 68"W x 34.5"D x 87.5"H
- RT1A-FS-FS 35"W x 36.75"D x 87.5"H
- RT2A-FS-FS 68"W x 36.75"D x 87.5"H

- ▶ Stainless steel interior and exterior front, sides and top
- ▶ Unique ducted air distribution system
- ▶ Environmentally friendly R290 hydrocarbon refrigerant

PASS-THRUS

- ▶ Engineered to maintain NSF-7 temperatures in 100°F ambient
- ▶ Stainless steel interior and exterior front, sides and top
- ▶ Unique ducted air distribution system



- PT1A-FS-FS* 27.5"W x 35.75"D x 79.5"H
- PT1A-HS-HS* 27.5"W x 35.75"D x 79.5"H
- PT1A-FG-FG 27.5"W x 37.75"D x 79.5"H
- PT2A-FS-FS 55"W x 35.75"D x 79.5"H
- PT2A-HS-HS 55"W x 35.75"D x 79.5"H
- PT2A-FG-FG 55"W x 37.75"D x 79.5"H

HEATED CABINETS

REACH-INS & PASS-THRUS

- ▶ Top-mounted heating element with fan to circulate heat through cabinet; heat shield foamed in next to heating element
- ▶ Maximum interior storage capacity with smallest external footprint
- ▶ Additional storage fits 12 sheet pans

- HC1A-FS* 27.5"W x 33.5"D x 79.5"H
- HC1A-HS* 27.5"W x 33.5"D x 79.5"H
- HC2A-FS* 55"W x 33.5"D x 79.5"H
- HC2A-HS* 55"W x 35.5"D x 79.5"H



- HC1A-FS-FS* 27.5"W x 35.75"D x 79.5"H
- HC1A-HS-HS* 27.5"W x 35.75"D x 79.5"H
- HC2A-FS-FS* 55"W x 35.75"D x 79.5"H
- HC2A-HS-HS* 55"W x 35.75"D x 79.5"H

HC1A-FS-FS*

See Catalog & Price Guide for complete list.

Drawer / Door combinations available (-01) with locks

-



36"W x 30"D x 40"H
48"W x 30"D x 40"H
48"W x 30"D x 40"H
60"W x 30"D x 40"H
60"W x 30"D x 40"H
72"W x 30"D x 40"H



SR48B-12D4

SR72B-30MD6

With Drawers: PR46B-D2 PR93A-D2
PR60B-D4 PR93A-D4
PR67A-D2 PR93A-D6
PR67A-D4

GLASS DOOR MERCHANDISERS

REFRIGERATORS & FREEZERS

- ▶ Curved vertical corners with silver aluminum exterior provide enhanced product display
- ▶ Forced air evaporator for quick temperature pull down
- ▶ Vertical LED lights

• RM-7-HC	21.25"W x 25"D x 37.75"H	• RM-49-HC*	60"W x 29.8"D x 78"H
• RM-10-HC*	25.5"W x 23"D x 54.5"H	• RM-65-HC	78"W x 29.8"D x 78"H
• RM-26-HC*	30"W x 29.8"D x 78"H	• FM-23-HC	30"W x 29.75"D x 78"H
• RM-45-SD-HC*	51"W x 30.3"D x 78.3"H		



RM-45-SD-HC*

CHEF BASE REFRIGERATORS

- ▶ Heavy duty 16 gauge stainless steel top with marine edge (front/rear), drip edge (sides)
- ▶ Ceramic heat shield integral to top protects food from high heat
- ▶ 700 pound capacity provides sturdy base for cooking equipment

• CR36A	36.5"W x 32.3"D x 26"H
• CR49A	49"W x 32.3"D x 26"H
• CR60A	60.5"W x 32.25"D x 26"H
• CR72A	72.5"W x 32.3"D x 26"H
• CR85A	85"W x 32.3"D x 26"H
• CR98A	98"W x 32.3"D x 26"H
• CR110A	110.5"W x 32.3"D x 26"H



CR85A

BACK BAR REFRIGERATORS

STAINLESS STEEL (-S) MODELS AVAILABLE.

- ▶ Stainless steel interior with LED lights
- ▶ Heavy duty 18-gauge stainless steel top
- ▶ Maximum product storage capacity with the ability to store tall boys three high per section



BB59

• BB59	59.5"W x 29"D x 36.9"H
• BB69	69.5"W x 29"D x 36.9"H
• BB80	80"W x 29"D x 36.9"H
• BB95	95.5"W x 29"D x 36.9"H
• BB59-G	59.5"W x 29"D x 36.9"H
• BB69-G	69.5"W x 29"D x 36.9"H
• BB80-G	80"W x 29"D x 36.9"H
• BB95-G	95.5"W x 29"D x 36.9"H



BB80-G

Without compromising performance, HOSHIZAKI seeks natural solutions such as sustainable materials and hydrocarbon refrigerants for a clean and healthy environment.



DIRECT DRAW REFRIGERATORS

STAINLESS STEEL (-S) MODELS AVAILABLE.

- ▶ Heavy duty 18-gauge stainless steel top
- ▶ Stainless steel interior with LED lights
- ▶ Polished stainless-steel insulated towers with plated brass faucet
- ▶ Vertical LED lights



DD24

• DD24	24.9"W x 30"D x 36.9"H
• DD59	59.5"W x 29"D x 36.9"H
• DD69	69.5"W x 29"D x 36.9"H
• DD95	95.5"W x 29"D x 36.9"H
• DD80	80"W x 29"D x 36.9"H



DD69

BOTTLE COOLER REFRIGERATORS

STAINLESS STEEL (-S) MODELS AVAILABLE.

- ▶ Stainless steel interior
- ▶ Heavy duty 18-gauge stainless steel top
- ▶ Durable slide top lids include locks
- ▶ Vertical LED lights

• CC50	50.5"W x 26.5"D x 33.4"H
• CC65	65.5"W x 26.5"D x 33.4"H
• CC80	80"W x 26.5"D x 33.4"H
• CC95	95"W x 26.5"D x 33.4"H



CC50

SUSHI CASES

- ▶ LED lights create a perfectly illuminated display
- ▶ Elegant curved front glass design enhances product on display
- ▶ Condenser airflow comes in the back and out the side



HNC-120BA-L-SLH



HNC-150BA-L-SLH

• HNC-120BA-R(L)-SLH	47.3"W x 13.6"D x 11"H
• HNC-150BA-R(L)-SLH	59.1"W x 13.6"D x 11"H
• HNC-180BA-R(L)-SLH	70.9"W x 13.6"D x 11"H
• HNC-210BA-R(L)-SLH	82.7"W x 13.6"D x 11"H

See Catalog & Price Guide for complete list.



HOSHIZAKI. BEYOND STRONG.

HOSHIZAKI AMERICA, INC.

618 Hwy. 74, South, Peachtree City, GA 30269

TEL 800-438-6087 | FAX 800-345-1325

hoshizakiamerica.com

For more information
SCAN THE CODE



Item #40069 | 11-21-2023

