DRR24980LAP

24-INCH REFRIGERATOR COLUMN, LEFT-HINGE MODERNIST, PANEL-READY







FEATURES & BENEFITS

- Full height door with true flush cabinet integration without exposed venting grille
- SteelCool™ Stainless Steel Interior Illuminated by 3DLighting™
- Push-To-Open[™] Door Assist opens the door upon a slight push for a luxuriously convenient experience
- Internal Water Dispenser for easy access to clean, filtered water
- iQ RemoteView™ Cameras (Wi-Fi) enables users to check what's in your fridge from your phone

TEMPERATURE RANGES	
Refrigerator	34°F (1°C) to 44°F (7°C)
Refrigerator - Power Cool	34°F (1°C)
FreshZone™ Drawer	37°F (3°C) / 33°F (1°C) /29°F (-1°C)


ACCESSORIES (OPTIONAL)	
Graphite Stainless Steel - 24" Panel (Left Hinge)	RAC24DPLHMS
Graphite Stainless Steel - 24" Kick Plate	RAC24TKBBMS
Graphite Stainless Steel - Modernist Handle	RAC00MHAAMS
Silver Stainless Steel - 24" Panel (Left Hinge)	RAC24DPLHSR
Silver Stainless Steel - 24" Kick Plate	RAC24TKBBSR
Silver Stainless Steel - Modernist Handle	RAC00MHAASR
Silver Stainless Steel - Dacor Pro Handle	RAC00PHAASR
Pair Installation Kit	RAC00CPAAAA
Water Filter	RAC00WFAAAA
Deodorizing Filter	RAC00DFAAAA

GENERAL PROPERTIES	
Panel Ready	Yes
Door Swing	Left
Push-To-Open™ Door Assist	Yes
Internal Water Dispenser	Yes
iQ RemoteView™ Camera	Yes (2 ea)
Deodorizing Filter	Yes
Lighting	3DLighting™
Interior Material	SteelCool™ Stainless Steel Interior
Full Width Shelves	4 ea
Shelf Material	Tempered, Metal Trim, Spill- Proof
Full Extension Drawers at 90° Door Opening Angle	Yes
FreshZone™ Drawer	Yes - Cheese (37°F) / Cold Drinks (33°F) / Meat (29°F)
Humidity Control Drawer	2 ea
Door Bins	4 ea
Door Open Alarm	Yes
Special Modes	Sabbath Mode
CAPACITY	
Total Unit Gross Capacity (cu. ft.) - AHAM	13.7 cu. ft.
Refrigerator Gross Capacity (cu. ft.)	13.7 cu. ft.
PERFORMANCE	
Dedicated Evaportator & Compressor System	Yes
Power Cool	Yes
Precise Cooling	Minimized temperature fluc- tuation ±0.36°F* (±0.2°C*)
TECHNICAL DETAILS	
Current (A)	3
Volts (V)	115
Frequency (Hz)	60
Power Cord Length (in.)	78.34"
Plug Type	120V, 3 Prong
DIMENSIONS	
Appliance dimensions (H \times W \times D) (in.)	83 3/8" x 23 5/8" x 23 13/16"
Required Cutout Size (H x W x D) (in.)	84" x 24" x 25"
EFFICIENCY	
ENERGY STAR Qualified	Yes
Annual Energy Consumption	260 kWh/year
WARRANTY	
Limited, Entire Appliance, Parts and Labor on Any Part of the Refriger- ator	2 Year
Limited Warranty for Sealed Refrigeration System; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Refrig- eration System; Parts Only	7th to 12th Year

DRR24980LAP


24-INCH REFRIGERATOR COLUMN, LEFT-HINGE MODERNIST, PANEL-READY






	24"
A (Width)	23 5/8" (752mm)
B (Depth)	23 13/16" (605mm)
C (Height)	83 3/8"" (2118mm)

INSTALLATION CUTOUT DIMENSIONS



	24"
A (Width)	24" (762mm)
B (Depth)	25" (635mm)
C (Height)	84" (2134mm)
A'	5 1/2" (140mm)
B'	14" (508mm)
C'	80" (2032mm)

CUSTOM PANEL DIMENSIONS



	24"
A-1 (Width)	23 3/4" (756mm)
A-2 (Height)	79 7/8" (2029mm)
A-3 (Depth)	3/4" (19mm)
Max Weight	110.0 lbs. (50kg)

DRR24980RAP

24-INCH REFRIGERATOR COLUMN, RIGHT-HINGE MODERNIST, PANEL-READY







FEATURES & BENEFITS

- Full height door with true flush cabinet integration without exposed venting grille
- SteelCool™ Stainless Steel Interior Illuminated by 3DLighting™
- Push-To-Open[™] Door Assist opens the door upon a slight push for a luxuriously convenient experience
- Internal Water Dispenser for easy access to clean, filtered water
- iQ RemoteView™ Cameras (Wi-Fi) enables users to check what's in your fridge from your phone

TEMPERATURE RANGES	
Refrigerator	34°F (1°C) to 44°F (7°C)
Refrigerator - Power Cool	34°F (1°C)
FreshZone™ Drawer	37°F (3°C) / 33°F (1°C) /29°F (-1°C)


ACCESSORIES (OPTIONAL)	
Graphite Stainless Steel - 24" Panel (Right Hinge)	RAC24DPRHMS
Graphite Stainless Steel - 24" Kick Plate	RAC24TKBBMS
Graphite Stainless Steel - Modernist Handle	RAC00MHAAMS
Silver Stainless Steel - 24" Panel (Right Hinge)	RAC24DPRHSR
Silver Stainless Steel - 24" Kick Plate	RAC24TKBBSR
Silver Stainless Steel - Modernist Handle	RAC00MHAASR
Silver Stainless Steel - Dacor Pro Handle	RAC00PHAASR
Pair Installation Kit	RAC00CPAAAA
Water Filter	RAC00WFAAAA
Deodorizing Filter	RAC00DFAAAA

GENERAL PROPERTIES		
Panel Ready	Yes	
Door Swing	Right	
Push-To-Open™ Door Assist	Yes	
Internal Water Dispenser	Yes	
iQ RemoteView™ Camera	Yes (2 ea)	
Deodorizing Filter	Yes	
Lighting	3DLighting™	
Interior Material	SteelCool™ Stainless Steel Interior	
Full Width Shelves	4 ea	
Shelf Material	Tempered, Metal Trim, Spill- Proof	
Full Extension Drawers at 90° Door Opening Angle	Yes	
FreshZone™ Drawer	Yes - Cheese (37°F) / Cold Drinks (33°F) / Meat (29°F)	
Humidity Control Drawer	2 ea	
Door Bins	4 ea	
Door Open Alarm	Yes	
Special Modes	Sabbath Mode	
CAPACITY		
Total Unit Gross Capacity (cu. ft.) - AHAM	13.7 cu. ft.	
Refrigerator Gross Capacity (cu. ft.)	13.7 cu. ft.	
PERFORMANCE		
Dedicated Evaportator & Compressor System	Yes	
Power Cool	Yes	
Precise Cooling	Minimized temperature fluctuation ±0.36°F* (±0.2°C*)	
TECHNICAL DETAILS		
Current (A)	3	
Volts (V)	115	
Frequency (Hz)	60	
Power Cord Length (in.)	78.34"	
Plug Type	120V, 3 Prong	
DIMENSIONS		
Appliance dimensions (H x W x D) (in.)	83 3/8" x 23 5/8" x 23 13/16"	
Required Cutout Size (H x W x D) (in.)	84" x 24" x 25"	
EFFICIENCY		
ENERGY STAR Qualified	Yes	
Annual Energy Consumption	260 kWh/year	
WARRANTY		
Limited, Entire Appliance, Parts and Labor on Any Part of the Refriger- ator	2 Year	
Limited Warranty for Sealed Refrigeration System; Parts and Labor	3rd to 6th Year	
Limited Warranty for Sealed Refrigeration System; Parts Only	7th to 12th Year	

DRR24980RAP


24-INCH REFRIGERATOR COLUMN, RIGHT-HINGE MODERNIST, PANEL-READY






	24"
A (Width)	23 5/8" (752mm)
B (Depth)	23 13/16" (605mm)
C (Height)	83 3/8"" (2118mm)

INSTALLATION CUTOUT DIMENSIONS



	24"
A (Width)	24" (762mm)
B (Depth)	25" (635mm)
C (Height)	84" (2134mm)
A'	5 1/2" (140mm)
B'	14" (508mm)
C'	80" (2032mm)

CUSTOM PANEL DIMENSIONS



	24"
A-1 (Width)	23 3/4" (756mm)
A-2 (Height)	79 7/8" (2029mm)
A-3 (Depth)	3/4" (19mm)
Max Weight	110.0 lbs. (50kg)