

CONSTRUCTION TYPE AND DESIGN

ArtLine	•
VitroLine	•
Built-in coffee machine	•
Colour	Stainless steel/CleanSteel

DRINK SPECIALITIES

Drink portion size in ml	20-300
White tea, single	•
Japanese tea, single	•
Chai latte, single	•
Ristretto, double	•
Espresso, double	•
Coffee, double	•
Long coffee, double	•
Cappuccino, double	•
Latte macchiato, double	•
Hot milk, double	•
Milk froth, double	•
Espresso macchiato, double	•
Capuccino Italiano, double	•
Flat white, double	•
Café au lait, double	•
Caffè latte, double	•
Caffè Americano, double	•
Long black, double	•

Warm water, double	•
Hot water, double	•
Black tea, double	•
Herbal tea, double	•
Fruit tea, double	•
Green tea, double	•
White tea, double	•
Japanese tea, double	•
Chai latte, double	•
Espresso, single	•
Coffee, single	•
Long coffee, single	•
Ristretto, single	•
Capuccino, single	•
Latte macchiato, single	•
Caffè latte, single	•
Hot water, single	•
Espresso macchiato, single	•
Capuccino Italiano, single	•
Café au lait, single	•
Flat white, single	•
Long black, single	•
Caffè Americano, single	•
Warm water, single	•
Green tea, single	•
Black tea, single	•
Herbal tea, single	•
Fruit tea, single	•

Tea pot	•
Hot milk, single	•
Milk froth, single	•
Coffee jug	•

CONVENIENCE FEATURES

AromaticSystemFresh	•
CoffeeSelect	•
TeaTimer	•
OneTouch preparation	•
OneTouch for Two preparation	•
DoubleShot	•
Flavour-preserving conical grinder	•
Programmable user profiles	10
Adjustable grinding grade	•
Programmable quantity of coffee	•
Programmable water quantity	•
Programmable water temperature	•
Programmable amount of milk	•
Programmable amount of milk froth	•
Programmable pre-brewing	•

USER CONVENIENCE

MotionReact: light comes on when movement is detected	•
MotionReact: display comes on when movement is detected	•
Performance mode	•

EasyClick milk flask	•
Brew unit lighting	•
Number of bean types	3
Number of bean containers	3
Total bean container capacity in g	21.16 (600)
Milk container capacity in l	0.7
Drip tray capacity in l	54.1 (1.6)
Time synchronization	•
Individual settings	•
Capacity of bean container B in g	150
Capacity of bean container C in g	150
Display	M Touch
Language Options	•
MyMiele	•
Help function	•
Time-of-day display	•
Date display	•
CupSensor	•
Height-adjustable central spout, min. range in cm	1 5/8 (4.0)
Height-adjustable central spout, max. range in cm	6 1/2 (16.5)
BrilliantLight	•
ComfortDoor	•
Hidden door handle	•
Easily accessible supply containers	•
Removable bean containers	•
Capacity of bean container A in g	300

Water container capacity in l	91.3 (2.7)
Programmable switch-on time	•
Programmable switch-off time	•
Programmable standby time	•
Expert mode	•
Networking with Miele@home	•
Waste container capacity in capsules	17
DirectWater	•

CLEANING CONVENIENCE

Manual descaling	•
AutoClean	•
Stainless steel front with CleanTouch Steel finish	•
Convenient cleaning programs	•
AutoDescale	•
Automatic rinse function	•
Automatic rinsing of milk pipework with water from the water container	•
ComfortClean	•
Removable milk pipework	•
Removable brew unit	•
Adjustable water hardness	•

EFFICIENCY AND SUSTAINABILITY

Power rating in standby mode in W	1.0
Power rating in networked standby in W	1.4
Time until automatic switch-off in min	20

Time until automatic switch to standby in min	20
---	----

Time until automatic switch to networked standby in min	20
---	----

Selectable energy-saving Eco mode	•
-----------------------------------	---

SAFETY

System lock	•
-------------	---

TECHNICAL DATA

Minimum niche width in mm	22 1/8 (560)
---------------------------	--------------

Maximum niche width in mm	22 3/8 (568)
---------------------------	--------------

Minimum niche height in mm	17 3/4 (450)
----------------------------	--------------

Maximum niche height in mm	17 7/8 (452)
----------------------------	--------------

Niche depth in mm	21 3/4 (550)
-------------------	--------------

Appliance width in mm	23 1/2 (595)
-----------------------	--------------

Appliance height in mm	18 (455)
------------------------	----------

Appliance depth in mm	18 7/8 (478)
-----------------------	--------------

Depth with door open in cm	42 5/8 (108.0)
----------------------------	----------------

Total rated load in kW	1.450
------------------------	-------

Voltage in V	120
--------------	-----

Fuse rating in A	15
------------------	----

Number of phases	1
------------------	---

Length of power cable in m	6 (2.0)
----------------------------	---------

ACCESSORIES SUPPLIED

AutoCleaner	•
-------------	---

Glass milk container	•
----------------------	---

Miele coffee 250 g

•

Descaling cartridge

•