FREE GROUND SHIPPING (i)

Home Cinema 5040UB 3LCD Projector with 4K Enhancement and HDR

Contact Us 800.463.7766

Mon-Fri 6am-8pm, Sat 7am-4pm PT



The Brilliant 4Ke Home Theater Projector Delivering Pro-Level Performance.

Get exceptional, color-rich performance and immersive images with the Home Cinema 5040UB. Epson® PRO-UHD™ 3LCD home theater projectors deliver a groundbreaking combination of color, contrast and resolution for the ultimate entertainment experience. Every detail comes alive with 4K Enhancement Technology¹, which accepts 4K UHD content and upscales non-4K content. An advanced, 3-Chip, 3LCD

design means no color wheel, white segment or rainbow effect. With HDR10² and L*a*b* Ultra Wide Color Gamut, movies look extraordinary. Plus, get 100% Balanced Color Brightness, with 2,500 lumens equal color/white brightness⁴, and an UltraBlack™ contrast ratio up to 1,000,000:1.

Projection System: Epson 3LCD, 3-chip optical engine

Native Resolution: 1080p (1920 x 1080) with 4K enhancement¹

Color Brightness: 2500 lumens⁴ White Brightness: 2500 lumens⁴

Model: V11H713020

OUR PRICE:

AFTER 8% SAVINGS:

\$2,299,99

\$2,499.99

Save \$200 Today

Overview

Bright and Colorful

Features 2500 lumens of color brightness (color light output)¹ and 2500 lumens of white brightness (white light output)¹.

Lens Shift

Equipped with horizontal and vertical lens shift

4K Enhancement Technology

Epson's 4K Enhancement Technology delivers astonishing picture quality — every subtle intricacy is captured.

1080p Resolution

1080p Full HD widescreen resolution. Display Full HD content, for seamless picture quality and crisp, clear detail.

Contrast Ratio

Up to 1,000,000:1 contrast ratio

3-Dimensional Picture
Bright 3D Drive allows for bright,

3D projection.

- Epson PRO-UHD with 4K Enhancement Technology¹ accepts 4K UHD content and upscales non-4K content to deliver amazing lifelike images with resolution that exceeds Full HD
- Advanced, 3-Chip, 3LCD Design 3LCD technology ensures no color wheel, no white segment and no rainbow effect
- HDR10² High Dynamic Range and UltraBlack Contrast full 10-bit color output and a contrast ratio up to 1,000,000:1 deliver an extraordinary range of color and detail in both bright and dark scenes
- L*a*b* Ultra Wide Color Gamut delivers 100% of the 3 dimensional DCI-P3 color gamut³, the digital cinema standard, with 50% wider color gamut than Rec. 709
- 100% Balanced Color Brightness 2,500 lumens of equal color and white brightness⁴ for vibrant, rich color, even in rooms with ambient light
- 3-Axis Precision Motorized E-Series Lens dstate-of-the-art glass elements optimized for 4K content; with powered focus, 2.1x zoom, up to ± 96% horizontal and up to ± 47% vertical lens shift, and 10 preset positions
- Delta Level Color Accuracy Low Delta E, for extremely accurate color reproduction
- Smooth, Crisp Images with Image Enhancement and Frame Interpolation

Eco Features

- · RoHS compliant
- Recyclable product⁵
- Epson America, Inc. is a SmartWay[™] Transport Partner⁶

Better Products for a Better Future™

For more information on Epson's environmental programs, go to www.epson.com/environment

What's In The Box:

- PowerLite Home Cinema 5040UB Projector
- Power cord
- Two HDMI cable clamps
- · Remote control with AA batteries
- · CD ROM with user guide link
- · Quick Setup Guide

Specifications

Specifications Projector:

Projection System:

Epson 3LCD, 3-chip optical engine

Projection Method:

Front / Rear / Ceiling mount

Driving Method:

Poly-silicon TFT Active Matrix, 0.74"-wide panel

Pixel Number:

2,073,600 dots (1920 x 1080) x 3

Color Brightness - Color Light Output:

2500 lumens⁴

White Brightness - White Light Output:

2500 lumens4

Aspect Ratio:

Native 16:9 widescreen (4:3 resize) Compatible with 4:3 with Normal, Full or Zoom Modes

Native Resolution:

Native 1080p (1920 x 1080) with 4K Enhancement*

Resize:

16:10, 4:3

Lamp Type:

250 W UHE

Lamp Life:

Up to 5,000 hours (ECO Mode); up to 4,000 hours (Medium Mode); up to 3,500 hours (High Mode)⁷

Throw Ratio Range:

1.35 - 2.84

Size - projected distance:

50" - 300"

Keystone Correction:

Vertical: ±30 degrees (Manual)

Contrast Ratio:

Up to 1,000,000:1

Color Processing:

Full 10-bit (partial 12-bit)

Color Reproduction:

Full-color (up to 1.07 billion colors)

Projected Output:

HD, 2D, 3D, 1080p, 4K x 2K

General:

Weight:

24.3 lb

Security:

Kensington Security Lock Port

Projection Lens:

Type:

Powered focus/optical zoom/lens position

F-number:

2.0 - 3.0

Focal Length:

22.5 mm - 46.7 mm

Zoom Ratio:

1.0 - 2.1

Lens Shift:

Vertical: ±96.3

Horizontal: ±47.1

Lens Cover:

Powered, Slide Lens Shutter

Other Home Projector:

Cinema Filter:

Automatically adjusts to color mode;

(On: Cinema, Digital Cinema

Off: Natural, Black & White Cinema, Bright Cinema, Dynamic, 3D Dynamic, 3D Cinema)

Auto Iris:

Automatically adjusts to video source;

Off/On: High-speed or Normal, 2D and 3D mode

Super Resolution:

2D and 3D

Terminal Inputs:

- HDMI® x 1 (HDCP 2.2)
- HDMI x 1 (HDCP 1.4)
- USB x 2 (service only)
- Mini USB x 1 (service only)
- LAN x 1 (RJ45)
- Computer/D-sub 15 pin x 1
- RS-232c x 1

Terminal Outputs:

Trigger out 12 V DC, 200 mA maximum

Computer Compatibility:

PC, Mac®

Parental Controls:

Power Button Lock:

Hinders projector from being turned on without parental supervision

Projector Details:

Display Performance:

- HDR, DCI color gamut, 4K x 2K native (2D only), 1080p; HD,
- 2D, 3D, 2D-to-3D conversion, Picture in Picture (2D only),
- Frame Interpolation (1080p, 24 Hz)

Color Modes:

- 2D: Dynamic, Bright Cinema, Natural, Cinema, Digital Cinema, Black & White Cinema
- 3D: Dynamic, Cinema

Input Signal:

- Composite: 480i, 576i, 480p, 576p, 720p, 1080i, 1080p, 4K x 2K
- HDMI: TMDS

Fan Noise:

20 dB - 31 dB

Projector Dimensions:

Including feet:

20.5" x 17.7" x 7.6" (W x D x H)

Excluding feet:

Remote Control:

20.5" x 17.7" x 6.7" (W x D x H)

Features:

Front and rear directional

Operating Distance:

32 feet (10 meters)

Operating Angle:

Front: Right/Left: \pm 30 degrees, Upper/Lower: \pm 30 degrees Rear: Right/Left: \pm 30 degrees, Upper/Lower: \pm 10 - \pm 70 degrees

Copyright © 2000-2018 Epson America, Inc.