Product data sheet

ACCESSORIES SUPPLIED	
Glass tray	1
Wire rack with PerfectClean	1
AVAILABLE DISPLAY LANGUAGES	
Available display languages via Language Options	bahasa malaysia
CONVENIENCE FEATURES	
Keeping warm	•
Rapid PreHeat	•
Quick & Gentle	•
USER CONVENIENCE	
Timers	•
Individual settings	•
Networking with Miele@home	•
Quick MW	•
Recommended microwave power	•
Recommended temperatures	•
Audible signal when desired temperature is reached	•
Actual temperature display	•
riotaar tomporataro aropia,	

Programmable end of cooking duration	•
Programmable start of cooking duration	•
Timer	•
Time synchronization	•
Time-of-day display	•
Popcorn function	•
Language Options	•
Ergonomic swivel handle	•
SoftClose	•
SoftOpen	•
Display	DirectSensor S

TECHNICAL DATA

Appliance dimensions (W x H x D) in mm	29 7/8 (757) x 18 7/8 (479) x 22 5/8 (574)
Appliance dimensions (W x H x D) in mm	29 7/8 (757) <nbsp></nbsp> x <nbsp></nbsp> 18 7/8 (479) <nbsp></nbsp> x <nbsp></nbsp> 22 5/8 (574)
Voltage convertible in V	240/208
Microwave power levels in power levels	1□7
Length of power cable in m	1.80
Power cable with plug	•
Number of phases	1
Fuse rating in A	30
Frequency in Hz	60
Voltage in V	120
Total rated load in kW	3.400
Weight in lbs (kg)	87.08 (39.5)
Weight in lbs (kg)	88 (39.5)
Weight in lbs (kg)	88 (39.5)

10/18/23, 9:33 AM H 7270 BM | Miele

Weight in lbs (kg)	88 (39.5)
Appliance depth in mm	22 5/8 (574)
Appliance depth in mm	22 5/8 (574)
Appliance depth in mm	22 5/8 (574)
Appliance height in mm	18 7/8 (479)
Appliance height in mm	18 7/8 (479)
Appliance height in mm	18 7/8 (479)
Appliance width in mm	29 7/8 (757)
Appliance width in mm	29 7/8 (757)
Appliance width in mm	29 7/8 (757)
Niche depth in mm	24 1/8 (610)
Niche height max. in inches (mm)	18 5/8 (472)
Niche height min. in inches (mm)	18 5/8 (470)
Niche width max. in inches (mm)	28 5/8 (724)
Niche width min. in inches (mm)	28 5/8 (724)
Electronically controlled microwave power	•
Oven interior lighting	1 LED spot
Number of shelf levels	3
Oven compartment volume in cubic feet (I)	1.52 (43) ft³ (I)
Temperatures in °F (°C)	85-475 (30-250)

CONSTRUCTION TYPE AND DESIGN

Appliance colour	CleanTouch Steel
Speed oven	•
PureLine	•

SAFETY

System lock	•
Safety shut-off	•
Appliance cooling system with touch-cool fronts	•
CLEANING CONVENIENCE	
CleanGlass door	•
Hinged broiler	•
Stainless steel oven compartment with linen- weave pattern and PerfectClean finish	•
Stainless steel / Clean Touch Steel surface	•
OPERATING MODES	
Broiling operating modes	•
Convection Broil	•
Microwave with Convection Broil	•
Microwave with Convection Bake	•
Microwave with Broil	•
Microwave with Auto Roast	•
Microwave	•
Maxi Broil	•
Gentle Bake	•
Auto Roast	•
MasterChef programs	•
Defrost	•