


**500 Series, Gas Cooktop, 30",  
Stainless steel  
NGM5058UC**



**The 500® Series stainless steel gas cooktop  
with continuous cast iron grates and  
OptiSim® burner.**

- Distinctive red LED light indicates if burners are on.
- Continuous Grates Make Moving Heavy Pots Easier
- Seamless, one-piece stainless steel design makes clean-up simple.
- OptiSim® burner offers more flame control at the lowest settings for precise simmering and melting.

---

**Technical Data**

Knob Material : Full metal

Sealed Burners : Yes

Type of grate : Cast iron

Natural Gas Connection Rating : 41400 BTU

LP Gas Connection Rating : 41400 BTU

Power of heating element (W) : 1 kW

Power of 1st burner : 3400 BTU

Power of 3rd heating element (W) : 1.75 kW

Power of 3rd burner (BTU) : 6000 BTU

---

---

**Optional accessories**

HEZ298102 : Wok ring

## 500 Series, Gas Cooktop, 30", Stainless steel NGM5058UC

**The 500® Series stainless steel gas cooktop with continuous cast iron grates and OptiSim® burner.**

---

### **Performance**

- 5 high efficiency gas burners
- 15.7K BTU power burner for optimal cooking results
- OptiSim® burner
- STAR-K Sabbath compliant

### **Convenience**

- Sealed burners prevent spills from entering the burner box
- Full width continuous surface cast iron grates
- Push-to-turn knobs with electronic ignition
- Distinctive single red LED light indicates burners are on

### **Design**


- Stainless steel cooking surface
- Heavy-duty stainless color metal knobs for a premium look and feel
- Low-profile design for an integrated transition to the counter surface
- Perfect results are within reach with up-front centralized controls
- Cooktop design coordinates with Bosch ovens and ventilation

### **Safety**

- Flame thermocouple sensing device will switch off the supply of gas if flame temporarily extinguishes
- LP conversion kit included for conversion from natural gas to liquid propane

## 500 Series, Gas Cooktop, 30", Stainless steel NGM5058UC

Measurements in inches (mm)



- A:** Dimension from countertop to top of grates  
**B:** When installed in combination with a hood, refer to hood manufacturer's requirements for installation  
**C:** Gas connection

