

SUMMARY

Series	LG STUDIO
Type	Single Unit Front Load Washer and Dryer
Capacity (cu.ft.)	Washer 5.0 cu. ft./Dryer 7.4 cu. ft.
Gas Dry Option	WSGX201HNA
Color	Noble Steel (N)

APPEARANCE

Touch Buttons	Yes
Full Touch Electronic Control Panel with LED Display	Yes
Unified Center Control	Yes

WASHER ENERGY

ENERGY STAR® Qualified	Yes
CEE Tier	Advanced Tier (Tier3)
IMEF	3.1
IWF	2.9

DRYER ENERGY

ENERGY STAR® Qualified	Yes
CEF	3.94

WASHER PROGRAMS

No. of Programs	6
Programs	Normal, Bedding, Delicates, Heavy Duty, Speed Wash, Downloaded

DRYER PROGRAMS

No. of Dryer Programs	6
Programs	Normal, Bedding, Delicates, Heavy Duty, Small Load, Downloaded

WASHER OPTIONS

No. of Options	13 (Include 3 basic options)
Options	TurboWash®, Steam, Extra Rinse, Pre-wash, Sanitary*, Tub Clean*, Drum Light*, Control Lock*, Signal*, Wi-Fi*/Remote Start*

DRYER OPTIONS

No. of Options	12 (Include 3 basic options)
Options	Wrinkle Care, Steam, Reduce Static, Energy Saver, Steam Fresh*, Drum Light*, Control Lock*, Signal*, Wi-Fi*/Remote Start*

WASHER DETAILS

No. of Wash/Rinse Temps	5
Wash/Rinse Temps	Hot, Warm/Hot, Warm, Cold/Warm, Cold
No. of Spin Speeds	5
Spin Speeds	High, Medium/High, Medium, Low, No Spin
Max RPM	1300
Water Levels	Load Sensing
No. of Soil Levels	5

DRYER DETAILS

Temperature Settings	High, Medium/High, Medium, Low/Medium, Low
Drying Levels	Very, More, Normal, Less, Damp
Manual Dry Times	60min., 50min., 40min., 30min., 20min.

WASHER FABRIC CARE FEATURES

AI DD™	Yes
TurboWash™ 360 Technology	Yes
Steam Technology	Yes
Allergiene™ Cycle	Yes (Cloud cycle)
Sanitary Cycle	Yes
SenseClean™ System	Yes

DRYER FABRIC CARE FEATURES

AI Sensor Dry™	Yes
Sensor Dry	Yes
Precise Temperature Control with Variable Heater	Yes
Steam Technology	Yes (TurboSteam™)

WASHER CONVENIENCE FEATURES

TrueBalance™ Anti-Vibration System	Yes
4 Tray Dispenser	Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener
LoDecibel™ Quiet Operation	Yes
End of Cycle Signal	Yes
LoadSense	Yes
Control Lock	Yes
Auto Suds Removal	Yes
Leveling Legs	4 Adjustable Legs
Easy Loading TilTub™	Yes
Drum Light	Yes

Remaining Time Display/Status Indicator (s)	Yes
---	-----

DRYER CONVENIENCE FEATURES

3 Minute Installation Check	Yes
LoDecibel™ Quiet Operation	Yes
End of Cycle Signal	Yes
Drum Light	Yes
FlowSense™ Duct Clogging Indicator	Yes
Wrinkle Care Option	Yes
Control Lock	Yes
Venting Option	3 Way Venting
4 Adjustable Legs	Yes
Remaining Time Display/Status Indicator (s)	Yes

WASHER THINQ™ TECHNOLOGY

SmartDiagnosis™ (v3.0)	Yes
Wi-Fi	Yes
Remote start and cycle monitor	Yes
Energy Monitoring	Yes
Smart Learner	Yes
Smart Pairing	Yes
PCC	Yes
Tub Clean Coach	Yes

DRYER THINQ™ TECHNOLOGY

SmartDiagnosis™ (v3.0)	Yes
------------------------	-----

Wi-Fi	Yes
Remote start and cycle monitor	Yes
Energy Monitoring	Yes
Smart Learner	Yes
Smart Pairing	Yes
PCC	Yes

MOTOR

Motor Type	Inverter Direct Drive Motor
Axis	Horizontal

WASHER MATERIALS AND FINISHES

NeveRust™ Stainless Steel Drum	Yes
Cabinet	PCM
Control Panel	Plastic
Top Plate	Steel
Door / Rim	Large Circle Chrome Rim
Door Cover	Tinted Round Tempered Glass
All Available Colors	Noble Steel (N)

DRYER MATERIALS AND FINISHES

NeveRust™ Stainless Steel Drum	Yes
Drum Rear	Stainless Steel
Door / Rim	Large Circle Chrome Rim
Door Cover	Tinted Round Tempered Glass
All Available Colors	Noble Steel (N)

CERTIFICATION

AAFA	Yes (Allergiene cycle)
Intertek	Yes (Sanitary cycle)

WASHER POWER SOURCE

Ratings	CSA & UL Listed
Electrical Requirements	120V, 10 Amps
Type	Electric

DRYER POWER SOURCE

Ratings	CSA & UL Listed
Electrical Requirements	240V, 30 Amps
Type	Electric
BTU Rating	10,000 Feet

DRYER OPTIONS/ACCESSORIES

LP Conversion Kit	383EEL3002D
Side Venting Kit	3911EZ9131X
Rack	Yes

DIMENSIONS

Product (WxHxD, inch)	27" x 74 3/8" x 32 3/4"
Depth with Door Open	(58" D with door open)
Carton (WxHxD)	30 1/16" x 79 11/32" x 33 23/32"
Weight (Product/Carton)	333 lbs/368 lbs

WASHER LIMITED WARRANTY

Parts and Labor	2 Years
Direct Drive Motor	10 Years
Drum	3 Years

DRYER LIMITED WARRANTY

Parts and Labor	2 Years
Drum	3 Years

UPC CODES

UPC	195174000595
-----	--------------