SKSIR360IS

36-INCH INDUCTION PRO RANGE









POWERFUL CENTER ELEMENT

With 7,000 watts of power, the 11-inch dual center element is the most powerful center induction element in the industry*. This element can boil one quart of water in about a minute.

LARGEST CAPACITY STEAM-COMBI CONVECTION OVEN

Spacious 6.3 cu. ft. capacity oven combines steam and convection cooking for gourmet results. The convection system cooks food quickly and evenly while steam helps to preserve texture, appearance and taste.

SMART KNOBS™

Each burner has a dedicated Smart Knob^M featuring a large, illuminated display that makes it easy to read from across the room. Smart Knobs^M include a Wi-Fi function that let you see if the element is on or off using the ThinQ $^{\circ}$ app.

TWO FLEX COOKING ZONES

From a small pan to a large griddle, each Flex Cooking Zone combines elements to accommodate different sizes and shapes of cookware. Each zone provides up to 3,700 watts of power.

COOKWARE COMPATIBILITY INDICATOR

Quickly shows which pots and pans are induction-ready.

Innovation

| Wi-Fi Enabled for ThinQ° Control with iPhone / Android App | Yes |
|--|-----|
| Remote Monitoring | Yes |
| Combine Flex Cooking Zones Into One Large Zone | Yes |

Cooktop Features

| Number of Elements | 5 Induction |
|-------------------------------------|--|
| Cooktop Surface | Black Ceramic Glass, Black Print |
| Knob Cooktop Controls w/LED Display | Yes |
| Hot Surface Indicator | Yes |
| Element Size (inches) | |
| Front (Left & Right) | 8 1/2 x 7 1/8 |
| Rear (Left & Right) | 8 1/2 x 7 1/8 |
| Flex Zone (Left & Right) | 8 1/2 x 14 3/16 |
| Dual Zone Center | 11 / 7 |
| Pan Sensor | Yes |
| Cookware Compatibility Indicator | Yes |

Cooktop Performance

| Front (Left & Right) / Boost | 1,850 / 3,700 W |
|----------------------------------|-----------------|
| Rear (Left & Right) / Boost | 1,850 / 3,700 W |
| Flex Zone (Left & Right) / Boost | 3,300 / 3,700 W |
| Dual Zone Center / Boost | 3,700 / 7,000 W |

©2025 LG Electronics USA, Inc. All rights reserved. "Signature Kitchen Suite" and the Signature Kitchen Suite logo are registered trademarks of LG Electronics Inc. Design, features and specifications are subject to change without notice. Specifications are for planning purposes only. Consult the product's installation instructions for final dimensional data and other details prior to making cutouts or custom panels. Consult with a heating and ventilation engineer for your specific ventilation requirements. Non-metric weights and measurements are approximate. Smart features require Internet access.

^{*}Among leading brand 36" induction cooktops when pots over 9" are used.

SKSIR360IS

36-INCH INDUCTION PRO RANGE



Oven Features & Performance

| Oven Type | |
|-----------------------------|-----|
| Steam-Combi Convection Oven | |
| Oven Capacity (cu. ft.) | 6.3 |

Special Cooking & Steam Modes

ProHeat® Bake, ProHeat® Convection Bake, ProHeat® Convection Roast, Broil, RapidHeat Roast+, Auto Cook, Steam-Combi, Gourmet Steam, Warm, Proof, My Recipe, Air Fry, Steam Sous Vide

| 3, | |
|--|----------------------------|
| Convection System | ProHeat® |
| Convection Element | 2,500 W |
| Convection Conversion | Yes |
| Broil Element | 4,200 W |
| Bake Element | 2,500 W |
| Steam Element | 720 W |
| Oven Racks | 2 Gliding, 1 Heavy Duty |
| Oven Meat Probe | Yes |
| Self Cleaning | Yes |
| Variable Time Self Cleaning (3-4-5 hrs.) | Yes |
| Speed Cleaning | Yes |
| Automatic Shut-Off (After 12 hrs.) | Yes |
| Star-K Certified Sabbath Mode | Yes |
| Interior Oven Light (Auto & Manual) | Yes |
| | |

Oven Controls

| Touch Oven Controls with LCD Display | Yes |
|--------------------------------------|--------------------------------|
| Display | 7" TFT LCD |
| Electronic Clock & Timer | Yes |
| Control Lock (Oven Functions Only) | Yes |
| Delay Start Time | Yes |
| Mood Light | Yes |
| Preheat Alarm Light | On / Off |
| Audible Preheat Signal | Yes |
| Cooking Complete Reminder | Yes (Hi, Lo, Off) |
| Temperature Display (F or C) | Yes |
| Language Options | English, Spanish, French |

General Features

| Stainless Steel Side Panels | Yes |
|-----------------------------|-----|
| Door Lock | Yes |
| ENERGY STAR® Certified | Yes |

Technical Specs

| Energy Source | Electric |
|-----------------------|------------------------------|
| Required Power Supply | 240 / 208V, 60 Hz, 50 Amp |

Dimensions and Weight

| Overall Width (inches) | 35 7/8 |
|---|-----------------------|
| Overall Height (inches) | 36 11/16 to 38 1/8 |
| Overall Depth Including Door (inches) | 26 3/4 |
| Overall Depth Including Handle (inches) | 29 5/16 |
| Net Weight (approx.) | 347 lbs. |
| Shipping Weight (approx.) | 383 lbs. |

Accessories

Included Accessories

2 Gliding Racks, Heavy Duty Rack, Steam Tray, Broiler Pan, Grid, Meat Probe, Air-Fry Rack

Warranty Summary*


| Limited Warranty, Parts & Labor | 3 Years |
|---------------------------------|---------|
|---------------------------------|---------|

^{*}These warranties give you specific legal rights and you may have other rights that vary from state to state. For complete warranty details, refer to your Use & Care manual.

SKSIR360IS 36-INCH INDUCTION PRO RANGE



CUTOUT DIMENSIONS



Electrical Specifications

Electric Ranges are designed to be connected to a 240 / 208V, 60Hz., 4-wire, single-phase power supply. An individual properly grounded 50 Amp circuit breaker is required. Electrical hookups must be located on the rear wall/floor as shown.

SKSIR360IS

36-INCH INDUCTION PRO RANGE



OVERALL PRODUCT DIMENSIONS

