



7240 Hawthorne

Paragon HD+Natural Bevel

	US Units	Metric Units
Style Number	3038V	
Construction	SPC	
Profile	Fold-N-Tap	
Size	7" x 48"	17.78 cm x 121.92 cm
Overall Thickness	0.236"	6 mm
Wear Layer Thickness	20 mil (0.02")	0.5 mm
Attached Underlayment	EVA Pad	
Attached Underlayment Thickness	0.039"	1 mm
Finish	ScuffResist	
Edge Description	Pressed Bevel	
Area per Carton	16.97 sq ft	1.58 sq m
Area per Pallet	1272.75 sq ft	118.24 sq m
Installation	Floating or Glue	
Installation Grade	Above, On, Below	
Ortho-Phthalates Free	Yes	
FloorScore Certified	Yes	
Residential Warranty	Lifetime	
	Residential Resilient Limited Warranty - Defects, Wear, Waterproof, Petproof	
Commercial Warranty	10 Year Light Commercial	
Smoke Density (ASTM E662, Flaming Mode)	Passes, <450	
Radiant Panel (ASTM E648)	Passes, Class I	

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.






Colors



Suggested Adhesive




Style Name	Style Number
Shaw T-180	101LV
Shaw T-180 1 Gal	104LV

Coordinating Trim

				
Baby Threshold*	T-Molding*	Multi-Purpose Reducer	Quarter Round	Flush Stairnose
BT3HS 94"	TM3HS 94"	RD3HS 94"	QTRHS 94"	FS5HS 94"

*Packaged with molding track

Coordinating Metal Trim

			
Finish	Reducer	T-Mold	Stair Cap
Satin Silver	134SA	137SA	131SA
Satin Nickel	135SA	138SA	132SA
Dark Bronze	136SA	139SA	133SA

Installation Range

Profile Size	Installation Range
3.5mm	1.5mm to 3.5mm heights
5.5mm	3.6mm to 5.5mm heights
8mm	6mm to 8mm heights



g Stair Treads	
Stair Tread	TR1HS
White Riser	LVWRI*

*packages of 3

