

Details

Cooktop Combinations	
JEC3430, JEC3536, JEC4424, JEC4430, JEC4536, JGC1530, JGC1536, JGC2530, JGC2536, JGC7530, JGC7636, JIC4430, JIC4536, JIC4715GS, JIE4115GS	
Delay Clean	Yes
Design Expression	NOIR™
Flush Installation Approved	Yes
Fuel Type	Electric
LP Convertible	No
Oven Automatic Shut-Off	Yes
Oven Configuration	Single Oven
Oven Selections	
Audible Signal, Bake, Broil, Cancel/Off, Clock, Control Lock, Cook Time Indicator, Cook and Hold, Culinary Center, Delay Start, Favorites, Language Conversion, Proofing, Rapid Preheat, Sabbath Mode, Slow Cook, Start Time, Stop Time, Temperature Conversion, Temperature Probe, Temperature-Sensor Baking, Timer, Warm Hold	
Oven Type	Single
Power On Indicator Light	Yes

Oven Cavity Details

Bake Element Power	2,800 W/2,427W
Broiler Element Power	4,000 W
Broiler Location	Top of Oven

Convection Element Power	6,800 w
Convection Element Type	Dual Fan
Convection Functions	Bake Broil Roast Upper
Door Broil Position	Closed
Hidden Bake Element	Yes
Installable Under Cooktop	Yes
Interior Coating	Porcelain
Light Type	Halogen
Number of Bake Elements	1
Number of Broil Elements	1
Number of Oven Lights	3
Number of Oven Racks	3
Number of Rack Guides	6
Oven Cleaning Type	Self-Cleaning
Oven Cooking System	V2™ True Convection
Self-Cleaning Oven Racks	No

## Controls

Control Type	Tap Touch
Display Color	Full Color
Electronic Display Type	7-Inch Full Color LCD

Language Conversion	English/French
Light Control	Oven Light Touch Pad

Smart Compatibility

Connectivity	Amazon Alexa, Android, Google Assistant, iOS
Smart Appliance	Yes
Works With	App, Remote Access, Voice Controlled, WiFi

Dimensions

Capacity	5 cu. ft.
Common Size	30 in
Cutout Depth	24 in
Cutout Height	29-219/500 in
Cutout Width	28-1/2 in
Depth	23-1/4 in
Depth Closed Excluding Handles	24-313/1000 in
Depth Closed Including Handles	26-3/8 in
Depth Excluding Doors	23 in
Depth With Door Open 90 Degree	45-219/500 in
Gross Weight	197 lbs

Height	29-7/8 in
Net Weight	192 lbs
Oven Interior Depth	19 in
Oven Interior Height	18 in
Oven Interior Width	25 in
Width	30 in

Exterior Details

Door Lock	Yes
Door Type	Metal & Glass

Electrical

Amps	20
Hz	60
Power Cord Included	No
Volts	240
Watts	4

Certifications

ADA Compliant	ADA Height and Side and Front Reach Compliant
---------------	---

CUL

Yes

Prop 65

 **CALIFORNIA RESIDENTS ONLY - WARNING:** Cancer and Reproductive Harm - [WWW.P65WARNINGS.CA.GOV](http://WWW.P65WARNINGS.CA.GOV).

Star K Certified

Yes

UL

Yes