# Product data sheet

#### **CONSTRUCTION TYPE AND DESIGN**

Combi-Steam Oven	•
ContourLine	•
ContourLine	•
Combi-Steam Oven	•
Appliance colour	CleanTouch Steel
CONVENIENCE FEATURES	
Miele Mix & Match	•
Rapid PreHeat	•
Rapid PreHeat	•

### Preheating

## Preheating

External	steam	generation	•

External steam	generation	•

Oxygen sensor	•

Oxygen sensor	•

Individual humidity	settings	in	combination
cooking			

Individual humidity settings in combination
cooking

Menu	cooking	without	transfer	of flavours	
MEHU	COURING	WILLIOUL	uansici	oi ilavouis	

Menu cooking without transfer of flavours	
---	--

Food probe	With cable
------------	------------

MasterChef programs with ability to make individual adjustments	•
MasterChef programs with ability to make individual adjustments	•
Keeping warm	•
Keeping warm	•
Crisp function	•
Crisp function	•
OPERATING MODES	
Convection Bake	•
Convection Roast	•
	•
Combination cooking	•
Combination cooking with Convection Bake	•
Combination cooking with Surround	•
Combination cooking with Maxi Broil	•
Steam cooking	•
Sous-vide	•
Maxi Broil	•
Intensive	•
Humidity Plus	•
Surround	•
Browning	•
Bake	•
Convection Broil	•
Special modes	•
Defrost	•
MasterChef programs	•

Country-specific MasterChef programs Country-specific MasterChef programs Combination cooking with Convection Bake Combination cooking with Surround Combination cooking with Surround Combination cooking with Maxi Broil Steam cooking Sous-vide Reheat Reheat Reheat Roast with moisture Roast with moisture Roast with moisture  Humidity Plus Surround Prowning Bake Convection Broil Plate warming Plate warming Plate warming Special modes Broiling operating modes Policy in the surround Programme of the surround o	MasterChef programs	•
Combination cooking with Convection Bake Combination cooking Combination cooking with Surround Combination cooking with Maxi Broil Steam cooking Sous-vide Reheat Reheat Reheat Roast with moisture Roast with	Country-specific MasterChef programs	•
Combination cooking Combination cooking with Surround Combination cooking with Maxi Broil Steam cooking Sous-vide Reheat Reheat Reheat Reheat Roast with moisture Roas	Country-specific MasterChef programs	•
Combination cooking with Surround Combination cooking with Maxi Broil Steam cooking Sous-vide Reheat Reheat Reheat Reheat Roast with moisture Roast with moist with moisture Roast with moisture Roast with moisture Roast with moisture Roast with moist with moisture Roast with moisture Ro	Combination cooking with Convection Bake	•
Combination cooking with Maxi Broil Steam cooking Sous-vide Reheat Reheat Reheat Roast with moisture Roast	Combination cooking	•
Steam cooking Sous-vide Reheat Reheat Reheat Roast with moisture Roast with moist with moisture Roast with moisture Roast with moisture Roast with	Combination cooking with Surround	•
Sous-vide         •           Reheat         •           Reheat         •           Roast with moisture         •           Maxi Broil         •           Broil         •           Broil         •           Intensive         •           Humidity Plus         •           Surround         •           Browning         •           Bake         •           Convection Broil         •           Plate warming         •           Special modes         •           Broiling operating modes         •	Combination cooking with Maxi Broil	•
Reheat  Reheat  Roast with moisture  Roast with moisture  Maxi Broil  Broil  Broil  Intensive  Humidity Plus  Surround  Browning  Browning  Convection Broil  Plate warming  Plate warming  Special modes  Broil  Possible of the service of the servi	Steam cooking	•
Reheat  Roast with moisture  Roast with moisture  Maxi Broil  Broil  Broil  Intensive  Humidity Plus  Surround  Browning  Convection Broil  Plate warming  Plate warming  Special modes  Broiling operating modes	Sous-vide	•
Roast with moisture  Roast with moisture  Maxi Broil  Broil  Broil  Intensive  Humidity Plus  Surround  Browning  Convection Broil  Plate warming  Plate warming  Special modes  Broiling operating modes	Reheat	•
Roast with moisture  Maxi Broil  Broil  Broil  Intensive  Humidity Plus  Surround  Browning  Convection Broil  Plate warming  Plate warming  Special modes  Broiling operating modes	Reheat	•
Maxi Broil  Broil  Broil  Intensive  Humidity Plus  Surround  Browning  Convection Broil  Plate warming  Plate warming  Special modes  Broiling operating modes	Roast with moisture	•
Broil • Broil • Intensive • Humidity Plus • Surround • Surround • Convection Broil • Plate warming • Plate warming • Special modes • Broiling operating modes • Special modes	Roast with moisture	•
Broil • Intensive • Humidity Plus • Surround • Browning • Convection Broil • Plate warming • Plate warming • Special modes • Broiling operating modes • Broiling operating modes • Convection Broil • Convection Broiling • Convection Broi	Maxi Broil	•
Intensive • Humidity Plus • Surround • Browning • Convection Broil • Plate warming • Plate warming • Special modes • Broiling operating modes • Broiling operating modes • Convection Broil • Convection Broiling • Conv	Broil	•
Humidity Plus  Surround  Browning  Bake  Convection Broil  Plate warming  Plate warming  Special modes  Broiling operating modes  •	Broil	•
Surround  Browning  Convection Broil  Plate warming  Plate warming  Special modes  Broiling operating modes  •	Intensive	•
Browning  Bake  Convection Broil  Plate warming  Plate warming  Special modes  Broiling operating modes  •	Humidity Plus	•
Bake Convection Broil Plate warming Plate warming Plate warming Special modes Broiling operating modes  •	Surround	•
Convection Broil  Plate warming  Plate warming  Special modes  Broiling operating modes  •	Browning	•
Plate warming Plate warming Special modes Broiling operating modes  •	Bake	•
Plate warming  Special modes  Broiling operating modes  •	Convection Broil	•
Special modes  Broiling operating modes  •	Plate warming	•
Broiling operating modes •	Plate warming	•
	Special modes	•
Broiling operating modes •	Broiling operating modes	•
	Broiling operating modes	•

#### **USER CONVENIENCE**

Clear text on control panel	•
Display	M Touch
SoftOpen	•
SoftOpen	•
SoftClose	•
SoftClose	•
Ergonomic swivel handle	•
Language Options	•
Language Options	•
MyMiele	•
MyMiele	•
Help function	•
Help function	•
Motorized lift-up control panel	•
Motorized lift-up control panel	•
Quantity-independent cooking	•
Quantity-independent cooking	•
Steam cook simultaneously on up to 3 levels	•
Steam cook simultaneously on up to 3 levels	•
Automatic menu cooking	•
Automatic menu cooking	•
Steam reduction before end of program	•
Steam reduction before end of program	•
Polyphonic audible signals	•
Polyphonic audible signals	•
Time-of-day display	•

Time-of-day display	•
Date display	•
Date display	•
Timer	•
Timer	•
Programmable start of cooking duration	•
Programmable start of cooking duration	•
Programmable end of cooking duration	•
Programmable end of cooking duration	•
Programmable cooking duration	•
Programmable cooking duration	•
Actual temperature display	•
Actual temperature display	•
Desired temperature display	•
Desired temperature display	•
Audible signal when desired temperature is reached	•
Audible signal when desired temperature is reached	•
Recommended temperatures	•
Recommended temperatures	•
Favourites	•
Favourites	•
Sabbath Program	•
Sabbath Program	•
Individual settings	•
Individual settings	•
Networking with Miele@home	•
Networking with Miele@home	•

Display	M Touch
Timers	•
Timers	•
MotionReact DG	•
MotionReact DG	•
CLEANING CONVENIENCE	

### **CLEANING CONVENIENCE**

Maintenance programs	•
Maintenance programs	•
Stainless steel / Clean Touch Steel surface	•
Stainless steel oven compartment with linen- weave pattern and PerfectClean finish	•
External steam generator	•
Automatic descaling	•
CleanGlass door	•
Stainless steel / Clean Touch Steel surface	•
Stainless steel oven compartment with linen- weave pattern and PerfectClean finish	•
Hinged broiler	•
Hinged broiler	•
External steam generator	•
Separate soak	•
Separate soak	•
Rinse program	•
Rinse program	•
Oven compartment drying program	•
Oven compartment drying program	•
Quick-release side racks	•
Quick-release side racks	•

Removable side racks	•
Removable side racks	•
Descaling	•
CleanGlass door	•

#### STEAM TECHNOLOGY AND WATER SUPPLY

MultiSteam	•
DirectWater plus	•
MultiSteam	•
DirectWater plus	•
Drain filter	•
Drain filter	•

#### SAFETY

Appliance cooling system with touch-cool fronts	•
Safety shut-off	•
System lock	•
Appliance cooling system with touch-cool fronts	•
Safety shut-off	•
System lock	•
Steam cooling system	•
Steam cooling system	•
Sensor lock	•
Sensor lock	•

#### **TECHNICAL DATA**

Replacing lamps	Customer Service
Oven mode temperatures in °F (°C)	85-450 °F (30-230 °C)
Oven interior lighting	BrilliantLight
Number of shelf levels	3
Numbered shelf levels	•
Numbered shelf levels	•
Oven interior lighting	BrilliantLight
Niche width min. in inches (mm)	28 5/8 (724)
Niche width min. in inches (mm)	724
Niche width max. in inches (mm)	28 5/8 (724)
Niche width max. in inches (mm)	724
Niche height min. in inches (mm)	470
Niche height min. in inches (mm)	18 5/8 (470)
Niche height max. in inches (mm)	18 5/8 (472)
Niche height max. in inches (mm)	472
Niche depth in mm	24 1/8 (610)
Niche depth in mm	610
Appliance width in mm	29 7/8 (757)
Appliance width in mm	29 7/8 (757)
Appliance width in mm	757
Appliance width in mm	29 7/8 (757)
Appliance height in mm	18 7/8 (479)
Appliance height in mm	18 7/8 (479)
Appliance height in mm	18 7/8 (479)
Appliance height in mm	479
Appliance depth in mm	22 5/8 (573)

Appliance depth in mm 573  Appliance depth in mm 22 5/8 (573)  Weight in Ibs (kg) 101 (45.8)  Weight in Ibs (kg) 101 (45.8)  Weight in Ibs (kg) 101 (45.8)  Weight in Ibs (kg) 100.97 (45.8)  Total rated load in kW 2.800-3.700  Total rated load in kW 2.800-3.700  Voltage in V 0  Usable voltage range in V 240/208  Usable voltage range in V 240/208  Frequency in Hz 60  Frequency in Hz 60  Fuse rating in A 20  Number of phases 2  Number of phases 2  Power cable with plug -  Length of power cable in m 2  Length of power cable in m 2
Weight in Ibs (kg)       101 (45.8)         Weight in Ibs (kg)       101 (45.8)         Weight in Ibs (kg)       100.97 (45.8)         Total rated load in kW       2.800-3.700         Total rated load in kW       2.800-3.700         Voltage in V       0         Voltage range in V       0         Usable voltage range in V       240/208         Frequency in Hz       60         Frequency in Hz       60         Fuse rating in A       20         Fuse rating in A       20         Number of phases       2         Power cable with plug       •         Length of power cable in m       2
Weight in Ibs (kg)       101 (45.8)         Weight in Ibs (kg)       100.97 (45.8)         Total rated load in kW       2.800-3.700         Total rated load in kW       2.800-3.700         Voltage in V       0         Voltage range in V       0         Usable voltage range in V       240/208         Frequency in Hz       60         Frequency in Hz       60         Fuse rating in A       20         Fuse rating in A       20         Number of phases       2         Power cable with plug       •         Length of power cable in m       2
Weight in Ibs (kg)  101 (45.8)  Weight in Ibs (kg)  100.97 (45.8)  Total rated load in kW  2.800-3.700  Total rated load in kW  2.800-3.700  Voltage in V  0  Usable voltage range in V  240/208  Usable voltage range in V  240/208  Frequency in Hz  60  Frequency in Hz  60  Fuse rating in A  20  Number of phases  2  Power cable with plug  Length of power cable in m  2  101 (45.8)  101 (45.8)  102 (45.8)  103 (45.8)  104 (45.8
Weight in lbs (kg) 100.97 (45.8)  Total rated load in kW 2.800-3.700  Total rated load in kW 2.800-3.700  Voltage in V 0  Voltage in V 0  Usable voltage range in V 240/208  Usable voltage range in V 60  Frequency in Hz 60  Frequency in Hz 60  Fuse rating in A 20  Fuse rating in A 20  Number of phases 2  Number of phases 2  Power cable with plug •  Length of power cable in m 2
Total rated load in kW  2.800-3.700  Total rated load in kW  2.800-3.700  Voltage in V  0  Usable voltage range in V  240/208  Usable voltage range in V  240/208  Frequency in Hz  60  Frequency in Hz  60  Fuse rating in A  20  Number of phases  2  Power cable with plug  Length of power cable in m  2.800-3.700  2.800-3.700  0  2.800-3.700  0  0  2.800-3.700  0  2.800-3.700  0  2.800-3.700  0  240/208  240/
Total rated load in kW  2.800-3.700  Voltage in V  0  Usable voltage range in V  240/208  Usable voltage range in V  240/208  Frequency in Hz  60  Frequency in Hz  60  Fuse rating in A  20  Number of phases  2  Power cable with plug  Length of power cable in m  2  2.800-3.700  0  0  0  240/208  240/
Voltage in V  Voltage in V  0  Usable voltage range in V  240/208  Usable voltage range in V  240/208  Frequency in Hz  60  Frequency in Hz  60  Fuse rating in A  20  Number of phases  2  Number of phases  2  Power cable with plug  •  Length of power cable in m  0  0  0  0  0  0  0  0  0  0  0  0  0
Voltage in V  Usable voltage range in V  240/208  Usable voltage range in V  240/208  Frequency in Hz  60  Frequency in Hz  60  Fuse rating in A  20  Number of phases  2  Power cable with plug  Length of power cable in m
Usable voltage range in V  240/208  Usable voltage range in V  240/208  Frequency in Hz  60  Frequency in Hz  60  Fuse rating in A  20  Fuse rating in A  20  Number of phases  2  Power cable with plug  Length of power cable in m  240/208
Usable voltage range in V  Frequency in Hz  60  Frequency in Hz  60  Fuse rating in A  20  Fuse rating in A  20  Number of phases  2  Number of phases  2  Power cable with plug  Length of power cable in m  240/208  240/208  20  20  20  20  20  20  20  20  20
Frequency in Hz 60 Frequency in Hz 60 Fuse rating in A 20 Fuse rating in A 20 Number of phases 2 Number of phases 2 Power cable with plug • Length of power cable in m 2
Frequency in Hz 60  Fuse rating in A 20  Fuse rating in A 20  Number of phases 2  Number of phases 2  Power cable with plug •  Length of power cable in m 2
Fuse rating in A 20 Fuse rating in A 20 Number of phases 2 Number of phases 2 Power cable with plug • Length of power cable in m 2
Fuse rating in A 20 Number of phases 2 Number of phases 2 Power cable with plug • Length of power cable in m 2
Number of phases 2 Number of phases 2 Power cable with plug • Length of power cable in m 2
Number of phases 2  Power cable with plug  Length of power cable in m 2
Power cable with plug  Length of power cable in m  2
Length of power cable in m 2
Length of nower cable in m
Length of power cable in in
Length of water inlet hose in m 3.0
Length of water inlet hose in m 9 (3.0)
Length of water drain hose in m 9 (3.0)
Length of water drain hose in m 3.0
<b>Appliance dimensions (W x H x D) in mm</b> 29 7/8 (757) x 18 7/8 (479) x 22 5/8 (573)

Appliance dimensions (W x H x D) in mm  29 7/8 (757) <nbsp></nbsp> x <nbsp></nbsp> 22 5/8 (573)  Niche dimensions (W x H x D) in mm  724-724 x 470-472 x 610  Door hinging  Bottom  ACCESSORIES SUPPLIED  FlexiClip Runners with PerfectClean (pair)  Universal tray with PerfectClean  Universal tray with PerfectClean  Wire rack with PerfectClean  Wire rack with PerfectClean  FlexiClip Runners with PerfectClean (pair)  Removable side racks with PerfectClean (pair)  Removable side racks with PerfectClean (pair)  Removable side racks with PerfectClean (pair)  Perforated stainless-steel cooking containers  Solid stainless-steel cooking containers  Solid stainless-steel cooking containers  Descaling tablets  2  AVAILABLE DISPLAY LANGUAGES	
Door hinging  Bottom  CCCESSORIES SUPPLIED  FlexiClip Runners with PerfectClean (pair) 1  Universal tray with PerfectClean 1  Universal tray with PerfectClean 1  Wire rack with PerfectClean 1  FlexiClip Runners with PerfectClean 1  FlexiClip Runners with PerfectClean (pair) 1  Removable side racks with PerfectClean (pair) 1  Removable side racks with PerfectClean (pair) 1  Perforated stainless-steel cooking containers 2  Perforated stainless-steel cooking containers 1  Solid stainless-steel cooking containers 1  Descaling tablets 2  Descaling tablets 2	8 (479)
FlexiClip Runners with PerfectClean (pair) 1 Universal tray with PerfectClean 1 Universal tray with PerfectClean 1 Wire rack with PerfectClean 1 Wire rack with PerfectClean 1 FlexiClip Runners with PerfectClean (pair) 1 Removable side racks with PerfectClean (pair) 1 Removable side racks with PerfectClean (pair) 1 Perforated stainless-steel cooking containers 2 Perforated stainless-steel cooking containers 1 Solid stainless-steel cooking containers 1 Descaling tablets 2 Descaling tablets 2	
FlexiClip Runners with PerfectClean (pair) 1 Universal tray with PerfectClean 1 Universal tray with PerfectClean 1 Wire rack with PerfectClean 1 Wire rack with PerfectClean 1 FlexiClip Runners with PerfectClean (pair) 1 Removable side racks with PerfectClean (pair) 1 Removable side racks with PerfectClean (pair) 1 Perforated stainless-steel cooking containers 2 Perforated stainless-steel cooking containers 1 Solid stainless-steel cooking containers 1 Descaling tablets 2 Descaling tablets 2	
Universal tray with PerfectClean 1 Universal tray with PerfectClean 1 Wire rack with PerfectClean 1 Wire rack with PerfectClean 1 FlexiClip Runners with PerfectClean (pair) 1 Removable side racks with PerfectClean (pair) 1 Removable side racks with PerfectClean (pair) 1 Perforated stainless-steel cooking containers 2 Perforated stainless-steel cooking containers 1 Solid stainless-steel cooking containers 1 Descaling tablets 2 Descaling tablets 2	
Universal tray with PerfectClean  Wire rack with PerfectClean  FlexiClip Runners with PerfectClean (pair)  Removable side racks with PerfectClean (pair)  Removable side racks with PerfectClean (pair)  Perforated stainless-steel cooking containers  Perforated stainless-steel cooking containers  Solid stainless-steel cooking containers  Descaling tablets  2  Descaling tablets  2	
Wire rack with PerfectClean 1 Wire rack with PerfectClean 1 FlexiClip Runners with PerfectClean (pair) 1 Removable side racks with PerfectClean (pair) 1 Removable side racks with PerfectClean (pair) 1 Perforated stainless-steel cooking containers 2 Perforated stainless-steel cooking containers 2 Solid stainless-steel cooking containers 1 Solid stainless-steel cooking containers 1 Descaling tablets 2 Descaling tablets 2	
Wire rack with PerfectClean 1  FlexiClip Runners with PerfectClean (pair) 1  Removable side racks with PerfectClean (pair) 1  Removable side racks with PerfectClean (pair) 1  Perforated stainless-steel cooking containers 2  Perforated stainless-steel cooking containers 2  Solid stainless-steel cooking containers 1  Solid stainless-steel cooking containers 2  Descaling tablets 2  Descaling tablets 2	
FlexiClip Runners with PerfectClean (pair) 1  Removable side racks with PerfectClean (pair) 1  Removable side racks with PerfectClean (pair) 1  Perforated stainless-steel cooking containers 2  Perforated stainless-steel cooking containers 2  Solid stainless-steel cooking containers 1  Solid stainless-steel cooking containers 1  Descaling tablets 2  Descaling tablets 2	
Removable side racks with PerfectClean (pair) 1  Removable side racks with PerfectClean (pair) 1  Perforated stainless-steel cooking containers 2  Perforated stainless-steel cooking containers 2  Solid stainless-steel cooking containers 1  Solid stainless-steel cooking containers 2  Descaling tablets 2  Descaling tablets 2	
Removable side racks with PerfectClean (pair) 1  Perforated stainless-steel cooking containers 2  Perforated stainless-steel cooking containers 2  Solid stainless-steel cooking containers 1  Solid stainless-steel cooking containers 2  Descaling tablets 2  Descaling tablets 2	
Perforated stainless-steel cooking containers 2  Perforated stainless-steel cooking containers 2  Solid stainless-steel cooking containers 1  Solid stainless-steel cooking containers 2  Descaling tablets 2  Descaling tablets 2	
Perforated stainless-steel cooking containers 2  Solid stainless-steel cooking containers 1  Solid stainless-steel cooking containers 1  Descaling tablets 2  Descaling tablets 2	
Solid stainless-steel cooking containers  Solid stainless-steel cooking containers  Descaling tablets  Descaling tablets  2	
Solid stainless-steel cooking containers  Descaling tablets  2  Descaling tablets  2	
Descaling tablets 2 Descaling tablets 2	
Descaling tablets 2	
VAILABLE DISPLAY LANGUAGES	
Available display languages via Language Options bahasa malaysia	