

<i>EAN code</i>	<i>8034122362939</i>
<i>Model Code</i>	<i>FOLIN42W12OS Wall 42" (106 cm) - inox - 1200 CFM</i>
<i>Collection</i>	<i>Outdoor</i>

## FEATURES AND PROPERTIES

<i>Materials/Finishes</i>	<i>Scotch brite stainless steel (AISI 304)</i>
<i>Lighting</i>	<i>LED Strip (3000K)</i>
<i>Control</i>	<i>Mechanical control</i>
<i>Installation type</i>	<i>Wall</i>
<i>Ducting type</i>	<i>External ducting/Recirculating</i>
<i>Filters</i>	<i>Professional baffle filters, removable and dishwasher safe</i>
<i>*Chimney</i>	<i>Optional Chimney</i>
<i>Dimensions</i>	<i>42 in</i>
<i>Features</i>	<i>Dual motor</i> <i>Optional Chimney</i>

## ELECTRICAL CONNECTION AND CONSUMPTION

<i>Maximum consumption</i>	<i>680W</i>
<i>Voltage/Frequency</i>	<i>110-120V 60Hz</i>

## BLOWER PERFORMANCE

<i>Motor</i>	<i>2x600 CFM</i>
--------------	------------------

TECNICAL SPECS OF COOKERHOOD WITH 1200 CFM MOTOR

Motor Speed	1	2	3	4
CFM (rated at the motor)	420	590	790	1200
Sones (estimated value)	4.5	6	7.5	9
Duct Size	10" / 2 x 6"	10" / 2 x 6"	10" / 2 x 6"	10" / 2 x 6"

WEIGHTS AND DIMENSIONS



- Gross weight

138 lbs
- Net weight

112 lbs
- Packaging dimensions


L 53 in H 36 in D 29 in
- Notes

Recommended mounting height from cooking surface to hood bottom: 24" - 35"



Frontal view

Side view



Top view