
ASSEMBLY INSTRUCTION

MODEL: WS 162 TWIN LOFT BED (990 \times 1905)MM




READ THESE INSTRUCTIONS CAREFULLY BEFORE ATTEMPTING TO ASSEMBLE THIS BED.

F1427-13 SAFETY WARNINGS AND GENERAL NOTES:

- Follow the information on the warnings appearing on the upper bunk bed end structure and on the carton. Do not remove the warning label from the bed.
- Always use the recommended size mattress or mattress support, or both, to help prevent the likelihood of entrapment or falls. (See Page 12)
- The top surface of the mattress must be at least 5" below the upper edge of the guardrails. (See Page 12)
- Do not allow children under 6 years of age to use the upper bunk.
- Periodically check and ensure the guardrail, ladder and other components are in their proper position, free from damage, and all connectors are tight.
- Prohibit horseplay on or under the bed. Always prohibit jumping on the bed.
- Prohibit more than one person on upper bunk.
- Always use the ladder for entering and leaving the upper bunk.
- Do not use substitute parts. Contact the manufacturer or dealer for replacement parts.
- Use of a night-light may provide added safety precaution for a child using the upper bunk.
- Always use guardrails on both long sides of the upper bunk.
- If the bunk bed will be placed next to a wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall.
- The use of water or sleep flotation mattresses is prohibited.
- Keep these instructions for future reference.
- We recommend assembling your bunk bed on the shipping carton to protect your floor or carpet. Be certain all staples are out of the box before beginning assembly on the shipping carton.


STRANGULATION HAZARD - Never attach or hang items to any part of the bunk bed that are not designed for use with the bed; for example, but not limited to, hooks, belts, and jumpropes.





- The assembly will require at least two people to complete.
- Make sure all the fasteners are tight.
- Due to the size of this bed, It must be assembled within the space it will occupy.
- Above all, take your time and read the instruction carefully.


TOOLS REQUIRED:


Crosshead Screwdriver Rubber Hammer





















BEDDING SPECIFICATION



MATTRESS SIZE


Upper Bunk Mattress Specification:


- Only use a mattress that is 74" 75" long and 37 1/2" 38 1/2" wide on upper bunk.
- Ensure thickness of mattress does not exceed 9".

Replacement parts:

Replacement parts, including additional guard rails, can be obtained from any WASANIAGA SDN. BHD. distributor or retailer.

ASSEMBLY INSTRUCTION






PART LIST TOP PANEL (1 PC / SET) CARTON 1 OF 1 3






- DRAWER UNIT (L) (1 PC / SET) CARTON 1 OF 1


SIDE PANEL - DRAWER UNIT (R) (1 PC / SET) CARTON 1 OF 1




SIDE PANEL (1 PC / SET) CARTON 1 OF 1



RAIL - DRAWER UNIT (3 PCS / SET) CARTON 1 OF 1



TOP RAIL (1 PC / SET) CARTON 1 OF 1




BOTTOM RAIL (1 PC / SET) CARTON 1 OF 1




BACK PANEL




(1 PC / SET) CARTON 1 OF 1




DRAWER REAR (3 PCS / SET) CARTON 1 OF 1




DRAWER BASE (3 PCS / SET) CARTON 1 OF 1




DRAWER FACE (3 PCS / SET) CARTON 1 OF 1




DRAWER SIDE (L&R) (6 PCS / SET) CARTON 1 OF 1






STEP 3
Attach and secure Rail (4) onto


Attach and secure Rail (4) onto Side Panel (2L & 2R) and insert (E) to tighten it up by using Crosshead Screw Driver.




STEP 4


Insert (C) into specified Ø5MM holes on **Side Panel (2R)** by using Crosshead Screw Driver.








Attach and secure **Drawer Side (9L & 9R)** to **Drawer Rear (10)** and insert **(A)** and **(F)** to tighten it up by using Crosshead Screw Driver.




STEP 9

Slot **Drawer Base (11)** into the groove lines at **Drawer Side (9L & 9R)** and **Drawer Rear (10)**.



Attach and secure **Drawer Face (8)** to Previous Assembly and insert **(A)** and **(C)**, use **(D)** to secure and tighten it up by using Crosshead Screw Driver.





STEP 11


Insert **Drawers** into previous Assembly.


ASSEMBLY INSTRUCTION


MODEL: WS 162 2 DOORS WARDROBE (L1050 x W450 x H1360)MM
















STEP 4





STEP 6

