

INSTALLATION INSTRUCTIONS

Instrucciones de instalación
Installationsanleitung
Instruções de Instalação



Istruzioni di installazione
Installatie-instructies
Instructions d'installation



Projector Lock

LEGEND

	Tighten Fastener Apretar elemento de fijación Befestigungsteil festziehen Apertar fixador Serrare il fissaggio Bevestiging vastdraaien Serrez les fixations
	Phillips Screwdriver Destornillador Phillips Kreuzschlitzschraubendreher Chave de fendas Phillips Cacciavite a stella Kruiskopschroevendraaier Tournevis à pointe cruciforme
	By Hand A mano Von Hand Com a mão A mano Met de hand À la main
	Optional Opcional Optional Opcional Opzionale Optie En option
	Lock Fijar Sichern Fixar Bloccare Vergrendelen Verrouiller
	Remove Quitar Entfernen Remover Rimuovere Verwijderen Retirez

TOOLS REQUIRED FOR INSTALLATION**PARTS**

SECURITY ENCLOSURE FOR MOUNT

NOTE: Projector not shown in Figures 3-6 for clarity.

1. If cables exit extension column *below* RPA mount, then route cables to *left* side of mount as shown (See Figure 3).




Figure 3

2. Align thumb nut slots in enclosure (A) with thumb nuts on interface (See Figure 3). Lower enclosure (A) into place. Ensure open end of enclosure (A) faces toward cables (if applicable).
3. Slide enclosure (A) towards center of mount and lock into position beneath interface thumb nuts (See Figure 4).




Figure 4

4. Slide enclosure (B) *partially* into enclosure (A) (See Figure 4).
5. Lift cables into opening in enclosure (B), then slide enclosure (B) *fully* into enclosure (A) (See Figure 5).




Figure 5

6. Insert key (F) into lock in enclosure (A) (See Figure 6). Rotate 1/4 turn to secure enclosure (A) to enclosure (B).

NOTE: If key (F) will not rotate, ensure key (F) is fully inserted into lock, and that locking slots in enclosures (A, B) are aligned.




Figure 6



CHIEF | SANUS AUDIO VISUAL



**MANUFACTURERS
DECLARATION OF CONFORMITY**

For

Product identification:

Model/type : PL2
 Category (description) : Mounting devices, Stands and other Accessories, to be used with entertainment electronics
 Brand : Chief

Manufacturer: CSAV Inc.
 8401 Eagle Creek Parkway
 Savage, MN 55378

EU Representative: CSAV Inc.
 Fellenoord 130 5611
 ZB Eindhoven
 The Netherlands
 31 (0)40 2668620

Concerning	EMC	Safety		
A sample of the product has been tested by:	Not Applicable	CSAV Inc.		
Test report reference	.			
Applied standards		EN 60065 :2002		

Means of conformity

We declare under our sole responsibility that this product is in conformity with Directive 93/68/EEC (Marking), 98/37/EC (Machinery) 2001/95/EC (Safety) and/or complies to the essential requirements and all other relevant provisions of the based on test results using (non)harmonized standards in accordance with the Directives mentioned

CE



8807-000052
©2006 Chief Manufacturing
www.chiefmfg.com
07/06

USA/International	A 8401 Eagle Creek Parkway, Savage, MN 55378 P 800.582.6480 / 952.894.6280 F 877.894.6918 / 952.894.6918
Europe	A Fellenoord 130 5611 ZB EINDHOVEN, The Netherlands P 31 (0)40 2668620 F 31 (0)40 2668615
Asia Pacific	A Room 301, Block D, Lily YinDu International Building LuoGang, BuJi Town, Shenzhen, CHINA. Post Code: 518112 深圳市布吉罗岗百合银都国际大厦D栋301 P +86-755-8996 9226 ; 8996 9236 ; 8996 9220 F +86-755-8996 9217