

SCFF237



Product Features:

Commercially approved Commercial construction meeting UL commercial listing standards Complete stainless steel construction Interior and exterior are entirely constructed from stainless steel for lasting durability and easy cleanup Forced air cooling Top-mounted commercial fan ensures rapid temperature recovery Automatic defrost with adjustable cycle Adjustable cycle defrost operation ensures the unit avoid temperature spikes and ice buildup defrost Closes to save energy but will remain open when the door is opened at a 90° angle for easier Self-closing door loading Open door alarm Alarm will beep 3 times if the door is left open for 30 seconds, 5 times at 60 seconds, and will sound continuously if the door is open for more than 5 minutes Temperature alarm Visual and audible alarms alert if the interior temperature rises or falls out of set range 6 inch casters 6 inch casters Digital controls with a large LED readout in Celsius or Fahrenheit for intuitive temperature Microprocessor control panel management

SUMMIT APPLIANCE DIVISION, FELIX STORCH, INC. | ISO 9001:2015 Certified 770 Garrison Avenue Bronx, NY 10474 USA TEL 718-893-3900 FAX 844-478-8799

83.75" x 27.5" x 31" (H x W x D)

23 cu.ft. commercial reach-in all-freezer in complete stainless steel

Highlights:

Commercially listed to NSF standards

Stainless steel interior and exterior cabinet for true durability in high traffic commercial settings


Optimized forced air cooling for excellent temperature stability and uniformity with rapid recovery after door openings and product loading






SCFF237 Specifications:

Height of Cabinet 83.75" (213 cm) Width 27.5" (70 cm) Depth 31.0" (79 cm) Depth with door at 90° 56.5" (144 cm) Capacity 23.0 cu.ft. (651 L) Defrost Type Frost-Free Door Stainless Steel Cabinet Stainless Steel US Electrical Safety UL Canadian Electrical ULC Safety UL Sanitation ETL-S Amps 8.0 Voltage/Frequency 115 V AC/60 Hz Weight 273.0 lbs. (124 kg) Shipping Weight 293.0 lbs. (133 kg) Estimated Time to Ship Out of stock; ETA 3/9/2020 Parts & Labor 2 Years Warranty Compressor 5 Years Warranty Door Swing RHD Reversible No Interior Height 51.5" (131 cm) Interior Depth 27.0" (69 cm) Shelf Qty 4 Adjustable Shelves Yes Thermostat Type Digital	Overview	
Depth31.0" (79 cm)Depth with door at 90°56.5" (144 cm) 90°Capacity23.0 cu.ft. (651 L)Defrost TypeFrost-FreeDoorStainless SteelCabinetStainless SteelUS Electrical SafetyULCanadian Electrical SafetyULCSanitationETL-SAmps8.0Voltage/Frequency115 V AC/60 HzWeight273.0 lbs. (124 kg)Shipping Weight293.0 lbs. (133 kg)Estimated Time to ShipOut of stock; ETA 3/9/2020Parts & Labor Warranty2 Years WarrantyFreezerDoor SwingDoor SwingRHDReversibleNoInterior Height51.5" (131 cm)Interior Depth27.0" (69 cm)Shelf TypeWireShelf Qty4Adjustable ShelvesYesFan TypeInteriorFan TypeInterior	Height of Cabinet	83.75" (213 cm)
Depth with door at 90°56.5" (144 cm)Qo23.0 cu.ft. (651 L)Defrost TypeFrost-FreeDoorStainless SteelCabinetStainless SteelUS Electrical SafetyULCanadian Electrical SafetyULCSanitationETL-SAmps8.0Voltage/Frequency115 V AC/60 HzWeight273.0 lbs. (124 kg)Shipping Weight293.0 lbs. (133 kg)Estimated Time to ShipOut of stock; ETA 3/9/2020Parts & Labor Warranty2 Years WarrantyFreezerDoor SwingDoor SwingRHDReversibleNoInterior Height51.5" (131 cm)Interior Depth27.0" (69 cm)Shelf TypeWireShelf Qty4Adjustable ShelvesYesFan TypeInteriorFan TypeInterior	Width	27.5" (70 cm)
90°Capacity23.0 cu.ft. (651 L)Defrost TypeFrost-FreeDoorStainless SteelCabinetStainless SteelUS Electrical SafetyULCanadian ElectricalULCSanitationETL-SAmps8.0Voltage/Frequency115 V AC/60 HzWeight273.0 lbs. (124 kg)Shipping Weight293.0 lbs. (133 kg)Estimated Time to ShipOut of stock; ETA 3/9/2020Parts & Labor2 Years WarrantyCompressor Warranty5 Years WarrantyDoor SwingRHDReversibleNoInterior Height51.5" (131 cm)Interior Depth27.0" (69 cm)Shelf TypeWireShelf Qty4Adjustable ShelvesYesFan TypeInteriorFan TypeInterior	Depth	31.0" (79 cm)
Defrost TypeFrost-FreeDoorStainless SteelCabinetStainless SteelUS Electrical SafetyULCanadian Electrical SafetyULCSanitationETL-SAmps8.0Voltage/Frequency115 V AC/60 HzWeight273.0 lbs. (124 kg)Shipping Weight293.0 lbs. (133 kg)Estimated Time to ShipOut of stock; ETA 3/9/2020Parts & Labor Warranty2 Years WarrantyFreezerDoor SwingRHDReversibleNoInterior Height51.5" (131 cm)Interior Depth27.0" (69 cm)Shelf TypeWireShelf Qty4Adjustable ShelvesYesFan TypeInteriorFan TypeInteriorVareSeFan TypeInterior		56.5" (144 cm)
DoorStainless SteelCabinetStainless SteelUS Electrical SafetyULCanadian ElectricalULCSafetySafetySanitationETL-SAmps8.0Voltage/Frequency115 V AC/60 HzWeight273.0 lbs. (124 kg)Shipping Weight293.0 lbs. (133 kg)Estimated Time to ShipOut of stock; ETA ShipCompressor5 Years WarrantyFreezerDoorDoor SwingRHDReversibleNoInterior Height51.5" (131 cm)Interior Depth27.0" (69 cm)Shelf Qty4Adjustable ShelvesYesFan TypeInteriorFan TypeInterior	Capacity	23.0 cu.ft. (651 L)
CabinetStainless SteelUS Electrical SafetyULCanadian ElectricalULCSafetySanitationSanitationETL-SAmps8.0Voltage/Frequency115 V AC/60 HzWeight273.0 lbs. (124 kg)Shipping Weight293.0 lbs. (133 kg)Estimated Time to ShipOut of stock; ETA 3/9/2020Parts & Labor Warranty2 Years WarrantyCompressor Warranty5 Years WarrantyDoor SwingRHD ReversibleNoInterior Height51.5" (131 cm)Interior Depth27.0" (69 cm)Shelf TypeWire Shelf QtyAdjustable ShelvesYes Thermostat TypeFan TypeInteriorFan TypeInterior	Defrost Type	Frost-Free
US Electrical SafetyULCanadian Electrical SafetyULCSanitationETL-SAmps8.0Voltage/Frequency115 V AC/60 HzWeight273.0 lbs. (124 kg)Shipping Weight293.0 lbs. (133 kg)Estimated Time to ShipOut of stock; ETA 3/9/2020Parts & Labor Warranty2 Years WarrantyCompressor Warranty5 Years WarrantyPreezerDoor SwingReversibleNoInterior Height51.5" (131 cm)Interior Depth27.0" (69 cm)Shelf Qty4Adjustable ShelvesYesThermostat TypeDigitalInterior LightYesFan TypeInterior	Door	Stainless Steel
Canadian ElectricalULCSafetySanitationETL-SAmps8.0Voltage/Frequency115 V AC/60 HzWeight273.0 lbs. (124 kg)Shipping Weight293.0 lbs. (133 kg)Estimated Time to ShipOut of stock; ETA 3/9/2020Parts & Labor Warranty2 Years VarrantyCompressor Warranty5 YearsDoor SwingRHDReversibleNoInterior Height51.5" (131 cm)Interior Depth27.0" (69 cm)Shelf TypeWireShelf Qty4Adjustable ShelvesYesThermostat TypeDigitalInterior LightYesFan TypeInterior	Cabinet	Stainless Steel
SafetySanitationETL-SAmps8.0Voltage/Frequency115 V AC/60 HzWeight273.0 lbs. (124 kg)Shipping Weight293.0 lbs. (133 kg)Estimated Time to ShipOut of stock; ETA 3/9/2020Parts & Labor2 YearsWarranty2 YearsCompressor Warranty5 YearsPreezerDoor SwingReversibleNoInterior Height51.5" (131 cm)Interior Depth27.0" (69 cm)Shelf Qty4Adjustable ShelvesYesThermostat TypeDigitalInterior LightYesFan TypeInterior	US Electrical Safety	UL
Amps8.0Voltage/Frequency115 V AC/60 HzWeight273.0 lbs. (124 kg)Shipping Weight293.0 lbs. (133 kg)Estimated Time to ShipOut of stock; ETA 3/9/2020Parts & Labor Warranty2 YearsCompressor Warranty2 YearsCompressor Warranty5 YearsDoor SwingRHDReversibleNoInterior Height51.5" (131 cm)Interior Depth27.0" (69 cm)Shelf Qty4Adjustable ShelvesYesThermostat TypeDigitalInterior LightYesFan TypeInterior		ULC
Voltage/Frequency115 V AC/60 HzWeight273.0 lbs. (124 kg)Shipping Weight293.0 lbs. (133 kg)Estimated Time to ShipOut of stock; ETA 3/9/2020Parts & Labor Warranty2 YearsCompressor Warranty5 YearsCompressor Warranty5 YearsDoor SwingRHDReversibleNoInterior Height51.5" (131 cm)Interior Depth27.0" (69 cm)Shelf TypeWireShelf Qty4Adjustable ShelvesYesThermostat TypeDigitalInterior LightYesFan TypeInterior	Sanitation	ETL-S
Weight273.0 lbs. (124 kg)Shipping Weight293.0 lbs. (133 kg)Estimated Time to ShipOut of stock; ETA 3/9/2020Parts & Labor Warranty2 YearsCompressor Warranty2 YearsCompressor Warranty5 YearsFreezerDoor SwingDoor SwingRHDReversibleNoInterior Height51.5" (131 cm)Interior Width23.5" (60 cm)Interior Depth27.0" (69 cm)Shelf TypeWireShelf Qty4Adjustable ShelvesYesThermostat TypeDigitalInterior LightYesFan TypeInterior	Amps	8.0
Shipping Weight293.0 lbs. (133 kg)Estimated Time to ShipOut of stock; ETA 3/9/2020Parts & Labor Warranty2 YearsCompressor Warranty5 YearsCompressor Warranty5 YearsFreezerDoor SwingDoor SwingRHDReversibleNoInterior Height51.5" (131 cm)Interior Depth27.0" (69 cm)Shelf TypeWireShelf Qty4Adjustable ShelvesYesThermostat TypeDigitalInterior LightYesFan TypeInterior	Voltage/Frequency	115 V AC/60 Hz
Estimated Time to ShipOut of stock; ETA 3/9/2020Parts & Labor Warranty2 YearsCompressor Warranty5 YearsFreezerDoor SwingRHDReversibleNoInterior Height51.5" (131 cm)Interior Width23.5" (60 cm)Interior Depth27.0" (69 cm)Shelf TypeWireShelf Qty4Adjustable ShelvesYesThermostat TypeDigitalInterior LightYes	Weight	273.0 lbs. (124 kg)
Ship3/9/2020Parts & Labor2 YearsWarranty2 YearsCompressor5 YearsWarrantyStearsFreezerNoDoor SwingRHDReversibleNoInterior Height51.5" (131 cm)Interior Width23.5" (60 cm)Interior Depth27.0" (69 cm)Shelf TypeWireShelf Qty4Adjustable ShelvesYesThermostat TypeDigitalInterior LightYesFan TypeInterior	Shipping Weight	293.0 lbs. (133 kg)
WarrantyCompressor Warranty5 Years S YearsFreezerDoor SwingRHDReversibleNoInterior Height51.5" (131 cm)Interior Width23.5" (60 cm)Interior Depth27.0" (69 cm)Shelf TypeWireShelf Qty4Adjustable ShelvesYesThermostat TypeDigitalInterior LightYesFan TypeInterior		
WarrantyFreezerDoor SwingRHDReversibleNoInterior Height51.5" (131 cm)Interior Width23.5" (60 cm)Interior Depth27.0" (69 cm)Shelf TypeWireShelf Qty4Adjustable ShelvesYesThermostat TypeDigitalInterior LightYesFan TypeInterior		2 Years
Door SwingRHDReversibleNoInterior Height51.5" (131 cm)Interior Width23.5" (60 cm)Interior Depth27.0" (69 cm)Shelf TypeWireShelf Qty4Adjustable ShelvesYesThermostat TypeDigitalInterior LightYesFan TypeInterior		5 Years
ReversibleNoInterior Height51.5" (131 cm)Interior Width23.5" (60 cm)Interior Depth27.0" (69 cm)Shelf TypeWireShelf Qty4Adjustable ShelvesYesThermostat TypeDigitalInterior LightYesFan TypeInterior	Freezer	
Interior Height51.5" (131 cm)Interior Width23.5" (60 cm)Interior Depth27.0" (69 cm)Shelf TypeWireShelf Qty4Adjustable ShelvesYesThermostat TypeDigitalInterior LightYesFan TypeInterior	Door Swing	RHD
Interior Width23.5" (60 cm)Interior Depth27.0" (69 cm)Shelf TypeWireShelf Qty4Adjustable ShelvesYesThermostat TypeDigitalInterior LightYesFan TypeInterior	Reversible	No
Interior Depth27.0" (69 cm)Shelf TypeWireShelf Qty4Adjustable ShelvesYesThermostat TypeDigitalInterior LightYesFan TypeInterior	Interior Height	51.5" (131 cm)
Shelf TypeWireShelf Qty4Adjustable ShelvesYesThermostat TypeDigitalInterior LightYesFan TypeInterior	Interior Width	23.5" (60 cm)
Shelf Qty4Adjustable ShelvesYesThermostat TypeDigitalInterior LightYesFan TypeInterior	Interior Depth	27.0" (69 cm)
Adjustable ShelvesYesThermostat TypeDigitalInterior LightYesFan TypeInterior	Shelf Type	Wire
Thermostat TypeDigitalInterior LightYesFan TypeInterior	Shelf Qty	4
Interior Light Yes Fan Type Interior	Adjustable Shelves	Yes
Fan Type Interior	Thermostat Type	Digital
	Interior Light	Yes
	Fan Type	Interior
Refrigerant Type R290a	Refrigerant Type	R290a
Refrigerant Amount 3.5 oz.	Refrigerant Amount	3.5 oz.
Wheels 4	Wheels	4
Temperature Range -10 to 25°F		









SUMMIT APPLIANCE DIVISION, FELIX STORCH, INC. | ISO 9001:2015 Certified 770 Garrison Avenue Bronx, NY 10474 USA TEL 718-893-3900 FAX 844-478-8799

info@summitappliance.com

