

# BEK431010M

AEG

## 24" Built-In Multifunction, Ezi Steam & Bake Oven, 3000 Series

### FEATURES & BENEFITS

#### German Engineering

AEG ovens are engineered to integrate seamlessly into any kitchen environment while delivering innovative design and professional performance every homeowner demands.

#### Master The Way You Cook

Featuring 8 different cooking functions allowing you to master the finer art of cooking. Everything from making bread and pastries to your favorite holiday dinners.

#### Fully Programmable Timer

Programmable timer gives you the flexibility to set when you would like to cook and how long you would like to cook for.

#### The Cool-Touch Oven for Added Safety in the Kitchen

Constructed from multiple glass layers, this oven's door stays safely cool to the touch. Plus, its beautifully designed, large window gives you great visibility.

#### 2.5 Cu. F.t. Oven Capacity

Accommodates multiple courses simultaneously, so you can cook for a large group in less time.

#### Cook More At The Same Time and Still Get Perfect Results

The additional heating ring in our oven ensures your dishes are evenly cooked - even when loaded with up to three trays - for corner to corner deliciousness.

### AVAILABLE COLORS

 Anti-Fingerprint Stainless Steel + Black Glass

### GENERAL PROPERTIES

Type	Single Wall Oven
Fuel Type	Electric
Door Style	Drop Down
Control Type	Rotary Dial Knobs
Viewing Window	MaxiView™ Enlarged Window
Number of Cooking Functions	8
Cleaning Program	Steam-Clean Assist

### CAPACITY

Total Oven Capacity (Cu. Ft. / L)	2.5 (72L)
Oven Rack Positions	5

### OVEN FEATURES

Digital Temperature Display	Digital Display
Oven Indicator Light	Yes
Interior Oven Light	Halogen Lighting
Timer	Programmable Oven Timer
Oven Window	Multi-layer Glazed Cool Touch Oven Door

Removable Door	Drop down removable door
----------------	--------------------------

Oven Modes	Fan Forced Cooking, Grill, Fan & Grill, Bake, Pizza Mode/Convection Roast, Easy Steam, + Bake, Rapid Heat, Steam Assisted clean
------------	---

End of Mode Indicator	Audible Signal
Temperature Unit of Measure	Celsius
Cooling Fan	Yes

### ACCESSORIES

Included Accessories	1 x Dripping pan black enamel, 1 x Grill pan grid chromed wire rack, 1 x Flat shelf chromed wire racks, 1 x Offset oven rack, 1 x Aluminum cake tray.
Optional Accessories	Telescopic runner single extension, Telescopic runner double extension, Bottom vent grill.



### TECHNICAL DETAILS

Electrical Supply	120/208/240V, 50-60Hz
Max. Current Rating	12.9 A
Max. Power Rating	3.4 kW
Oven Energy Class	B

Electrical Connection	Supplied with a 4' long electrical cable and must be hard wired to the electrical supply.
-----------------------	---

### DIMENSIONS

Overall Product Dimensions (W / H / D) In / mm	23 1/2" / 23 9/16" / 22 3/4" (596mm / 599mm / 579mm)
Cut-Out Dimensions (W / H / D) In / mm	22 1/8" / 23 1/4" - 23 9/16" / 23 1/2" (562mm / 590mm - 599mm / 597mm)

### WARRANTY

Parts & Labor	2 Years
---------------	---------


## Installation Details - Wall Oven

### PRODUCT DIMENSIONS

A	B	C	D	E
23 1/2" (597mm)	23 9/16" (599mm)	22 1/16" (560mm)	22 3/4" (579mm)	23 3/16" (589mm)

### CUT-OUT DIMENSIONS

F	G	H. Standard Height (**Others, see note 3)	I
22 1/8" (562mm) min. 23 1/2" (597mm) max.	23 1/2" (597mm)	Min. 23 1/4" (590mm) - Max. 23 9/16" (599mm)	24" (610mm)



### NOTES


1. Allow at least 21" (533mm) clearance in front of oven door depth when it is open.
2. Dimensions G (Cut-Out Depth) is critical to the proper installation of the built-in oven. If the oven trim does not butt against the cabinet, or if noise is heard on convection models, verify dimension G to assure it is the required depth.
3. For a cut-out height greater than the minimum (H), add one 3" (50mm) wide wood shim of appropriate height to each side of the opening under the appliance side rails.
4. If the cabinet cut-out is more than the minimum dimension, the oven trim must be installed.

## Installation Details - Under Counter

### CUT-OUT DIMENSIONS

F - WIDTH	F - WIDTH	G - DEPTH	H - HEIGHT
MAX 23 <sup>1</sup> / <sub>2</sub> " (597mm)	22 <sup>1</sup> / <sub>8</sub> " (562mm)	23 <sup>1</sup> / <sub>2</sub> " (597mm)	Min. 23 <sup>1</sup> / <sub>4</sub> " (590mm) - Max. 23 <sup>9</sup> / <sub>16</sub> " (599mm)

Cabinet side filler panels are necessary to isolate the unit from adjoining cabinets. Cabinet side filler height should allow for installation of approved cooktop models.



### AIR FLOW REQUIREMENTS

- If the oven is being placed under the counter, there must be a minimum gap of 1<sup>9</sup>/<sub>16</sub>" (4cm) cut out of the shelf behind the oven to allow air to flow freely.
- If sufficient air flow is not provided, the life of the appliance will be shortened.
- Cut-out in the toe kick is optional and recommended.
- Bottom vent grill required for adequate air flow (Model: 7427640) available.

**Air Vent Flow**



#### WARRANTY INFORMATION

Each appliance is covered by a comprehensive 2-year parts and labour warranty. Refer to product warranty policy for complete terms and conditions.

#### FOR PARTS & SERVICE

##### **Euro-Parts & Service**

39822 Belgrave Road, Belgrave, ON. N0G 1E0 1 866 722 2262  
[www.euro-parts.ca](http://www.euro-parts.ca) • [parts@euro-parts.ca](mailto:parts@euro-parts.ca) • [service@euro-parts.ca](mailto:service@euro-parts.ca)

AEG appliances are imported and distributed in North America by Euro-Line Appliances Inc. For more information, please visit one of our showrooms or [www.ela.ca](http://www.ela.ca)

#### **EURO-LINE APPLIANCES INC.**

871 Cranberry Court  
Oakville, ON L6L 6J7  
Tell: 905.829.3980  
Toll-Free: 1.800.421.6332  
Email: [info@ela.ca](mailto:info@ela.ca)

#### **EURO-LINE APPLIANCES INC.**

101-1014 Homer St.  
Vancouver, BC V6B 2W9  
Tell: 604.235.3980  
Toll-Free: 1.855.352.9378  
Email: [infowest@ela.ca](mailto:infowest@ela.ca)