



ASSEMBLY INSTRUCTION FINN

U1812-CHS FINN STORAGE CHAISE

U1812-LOV FINN LOVESEAT W/POP UP SLEEPER

Thank you for purchasing this quality product. Be sure to check all packing materials carefully for small parts, which may have come loose inside the carton during shipment. Identify and count all items and compare with the parts list and/or hardware list shown below.

Please read all instructions carefully. See the hardware and furniture part listing for guidance. Be sure you have all parts listed before beginning assembly. Place all wooden parts on a clean, flat surface to protect the finish from scratches. Follow the diagram to assemble.


CAUTION

1. Do not fully tighten the nuts or bolts until the table is fully assembled.
2. Please tighten by hand, not by a drill. Overtightening will damage threads. Do not overtighten.
3. Keep all hardware out of the reach of children.
4. It is recommended to have two people during assembling.

PARTS LIST

ITEM	DESCRIPTION	SKETCH	QTY
A	CHAISE		1 PC
B	LOVESEAT		1 PC
C	BACK CUSHION		2 PCS
D	LEFT SIDE FACING (LSF) PANEL		1 PC
E	RIGHT SIDE FACING (RSL) PANEL		1 PC
F	LEG		12 PCS
G	PLUG		2 PCS

HARDWARE LIST

ITEM	DESCRIPTION	SKETCH	QTY
1	LONG SCREW M4 X 1-3/4"		12 PCS
2	CASTER		4 PCS
3	SHORT SCREW M3.5 X 3/4"		16 PCS

Weight Capacity (PER SEAT)

300 LBS


HARDWARE DIMENSIONS
VERIFICATION TOOL




MADE IN MALAYSIA

PAGE 1 OF 6


STEP 1: Open carton U1820-CHS to locate all the parts and hardware inside the compartment.




STEP 2: Open carton U1820-LOV to locate all the parts and hardware.




STEP 3: Assemble the Legs (F) to the bottom of the LSF Panel (D) and RSF Panel (E) by using a screwdriver with hardware 1.




STEP 4: Place the Chaise (A) upside down on a flat and clean surface. Assemble the Legs (F) to the Chaise (A) by using a screwdriver with hardware 1.



STEP 5: Place the Loveseat (B) upside down on a flat and clean surface. Assemble the Legs (F) to the Loveseat (B) by using a screwdriver with hardware 1.




STEP 6: Assemble the Casters (2) to the Loveseat (B) by using a screwdriver with hardware 3.




STEP 7: Place the Chaise (A) and Loveseat (B) right side up.

Align the sectional upholstery and connect them together by sliding the metal hooks into place until secure.


****Attention: CHAISE MAY BE CONFIGURED ON THE RIGHT OR LEFT SIDE OF THE LOVESEAT.**




STEP 8: Place the Back Cushions (C).




STEP 9: Insert the Plug (G) to the wire on the LSF Panel (D) and RSF Panel (E).



To convert the sectional into a bed, pull the belts on the Loveseat until pull-out bed is fully extended.
To retract the bed, pull the belts to lower the bed and push the base in.



Lift the belt on the chaise for extra storage.



Lower the backrest to transform into a more spacious bed.

