

# FRIGIDAIRE

## GALLERY



GCFI3060BF

### 30" Front Control Induction Range with Total Convection

The Frigidaire Gallery 30" Front Control Induction Range with Total Convection features our most powerful and advanced convection system, which enables cooking modes like No Preheat, Air Fry, Slow Cook, Steam Bake, Steam Roast, Air Sous Vide, Convection Roast, Convection Bake, Bread Proof and more! Plus, no cooktop is easier to clean than induction, since induction heats the pan and not the cooktop around it, spills wipe up more easily. Also, you can get dinner on the table faster with the induction cooktop, which boils water 50% faster than gas and electric. Plus, enjoy precision cooktop temperature control with our new TempLock™ technology.

Available Colors: Stainless Steel

## Consumer Benefits

### Get over 15 ways to cook with Total Convection

Total Convection gives you maximum versatility in the kitchen, powering cooking modes like Air Fry, No Preheat, Slow Cook, Convection Bake, Steam Bake, Convection Roast, Steam Roast, Air Sous Vide, Bread Proof, Dehydrate and more!

### Keeping your cooktop clean has never been easier

Unlike traditional electric and gas cooktops, induction only heats the pan and the food in it, so the area around the pan stays cooler, allowing you to clean up spills and splatters while you cook.

### Start baking immediately with No Preheat

Eliminates time wasted waiting on your oven to heat up - simply place your food in the cold oven and get to mealtime, in no time.

*No Preheat is best used for single-rack baking of frozen or pre-made items and food that needs to cook for longer than 10 minutes.*



### Deliver all of the flavor and none of the guilt with Air Fry

Air Fry allows you to make healthier and delicious meals for the entire family, right in your oven.

### Experience a hassle-free way to cook with Slow Cook

With Slow Cook, your food cooks slowly and at a lower temperature (as low as 100° F), allowing you to lock in moisture and flavor without over or undercooking your food.

### Get amazingly fast results with Induction

Induction boils water 50% faster than gas or electric cooktops.

*9" induction right front element, 6 qt./10" diameter pot, 1 qt. tepid water compared to 3000W 9" electric right front element and 18,000 BTU gas right front burner.*



## Product Photography



## Product Specifications

### Product Information

Product Line	Induction Range
Power Type	Electric 240v
Connected Appliance	No
UPC	012505515095

### Cooktop Performance

Right Front Element Burner Size	8 3/10"
Right Rear Element Burner Size	5 1/2"
Left Front Element Burner Size	7"
Left Rear Element Burner Size	7"
Center Rear Element Burner Size	5 1/2"
Right Front Element Burner	2,300 / 3,600 Watts (Boost)
Right Rear Element Burner	1,400 / 2,500 Watts (Boost)
Left Front Element Burner	1,800 / 2,800 Watts (Boost)
Left Rear Element Burner	1,800 / 2,800 Watts (Boost)
Center Element Burner	1,400 / 2,500 Watts (Boost)

### Cooking Controls Function

Delayed Bake	Yes
Program Fahrenheit or Celsius	Yes
Silent Control Panel	Yes
Timed Cooking	Yes

### Drawer

Drawer Handle Style	Integrated
Drawer Type	Storage

### Display

Control Location	Front
Cooktop Control Location	Top
Display Light Color	White
Cooktop Light Color	Red
Display Type	Capacitive Touch

### Cooktop

Auto Pan Detect	Yes
Cooking Surface Type	Smooth
Element On Indicator Light	Yes
Hot-Surface Indicator Light	Yes

### Cooking Controls

Air Fry	Yes
Air Sous Vide	Yes
Bake	Yes
Bake Time	Yes
Bread Proof	Yes
Broil	Yes
Child Lock	Yes
Clock	Yes
Convection Bake	Yes
Convection Roast	Yes
Cook Time	Yes
Cooktop Lockout	Yes
Dehydrate	Yes
Delay Clean	Yes
Delay Start	Yes
Door Lock	Yes
Hot Surface	Yes
Keep Warm	Yes
Kitchen Timer	Yes
Light	Yes
Lockout	Yes
No Preheat	Yes
Oven Light	Yes
Oven Lock	Yes
Perfect Turkey	Yes
Preheat	Yes
Probe	Yes
Self Clean	Yes
Set Clock	Yes
Slow Cook	Yes
Start	Yes
Steam Bake	Yes
Steam Clean	Yes
Steam Roast	Yes
Temperature Display	Yes
Timed Bake	Yes
Timer On / Off	Yes
User Preferences	Yes

## Dimensions and Volume

Minimum Height	35 3/8"
Maximum Height	36 3/8"
Width	30"
Depth	26"
Depth With Door 90° Open	47 5/16"
Depth With Handle	28 1/2"
Oven Interior Height	21 1/4"
Oven Interior Width	25 3/16"
Oven Interior Depth	19 7/8"
Oven Capacity	6.2 Cu. Ft.

## Installation

Adjustable Leveling Legs	Yes
--------------------------	-----

## Certifications and Approvals

ADA Compliant	Yes
Star-K Certification	Yes

## Oven

Bake Element	2500 Watts
Bake Element Pass	8
Bake Element Type	Hidden
Broil Element	4000 Watts
Broil Element Pass	6
Cleaning System	Yes
Convection	Yes
Convection Element	3800 Watts
Convection Type	Total
Number of Convection Fans	1
Number of Rack Positions	8
Oven Interior Color	Midnight Black
Oven Light Quantity	2
Oven Light Type	Halogen
Oven Light Watts	40 Watts
Rack Position Type	Embossed
Rack Type 1	Flat
Rack Type 1 Quantity	2

## Controls

Control Lock	Yes
Sabbath Mode	Yes

## Exterior

Exterior Finish	Smudge-Proof® Stainless Steel
-----------------	----------------------------------

## Electrical Specifications

Connected Load @ 240V	15 kW
Minimum Circuit Required	40 Amps
Voltage Rating	240 V

## General Specifications

Product Weight	178 lbs
Prop 65 Label	Yes
Warranty - Labor	1 Year
Warranty - Parts	1 Year

## Safety Certifications and Approvals

UL Listed	Yes
RoHS	Yes

## Consumables, Accessories and Installation Parts

### Consumables

5304508689  
ReadyClean™ Oven and  
Microwave Cleaner



10FFOVCL02  
ReadyClean™ Oven and  
Microwave Cleaner - 2  
Pack



5304508691  
ReadyClean™ Stainless  
Steel Cleaner



10FFSSCL02  
ReadyClean™ Stainless  
Steel Cleaner - 2 Pack



10FFCLEN02  
ReadyClean™ Kitchen  
Cleaner Bundle



10FFSCR01  
ReadyClean™  
Scrubbing Pads



5304508690  
ReadyClean™ Glass and  
Ceramic Cooktop  
Cleaner



10FFCTKT01  
ReadyClean™ Cooktop  
Cleaning Kit



### Accessories

FRIGPEREAF  
ReadyCook™ 30" Air  
Fry Tray



### Optional Installation Part - Best

11NBSTELSS  
Front Control  
Freestanding Range 3-  
Piece Trim Kit



11NBRRFLSS  
Front Control  
Freestanding Range  
Island Trim



11NBBKGDSS  
Front Control  
Freestanding Range  
Universal Backguard

